

# Poly Rove R8 DECT Repeater



\*Product image may differ from actual product

## Expand securely

Enhance your Poly Rove DECT™ footprint with the Poly Rove R8 repeater. Built to extend the range of the Poly Rove base station to offer scalability without sacrificing security. Guard your most critical conversations with end-to-end encryption.

### Wider reach, safer calls

Seamless conversations with end-to-end encryption, thanks to DECT™ technology, ensuring privacy from your handset to the base station to the repeater.

### We grow with you

With Poly Rove R8 you can scale the number of handsets and bases to meet your organization's needs and shift sizes.

## Featuring Effortless expansion

Reduce IT setup time with scalability through auto configuration on both single and dual cell base stations.

### Get more range

Extended range, from up to 50 m/164 ft to 300 m/984 ft, depending on the environment, as a Rove R8 repeater is added.



# Poly Rove R8 DECT Repeater



\*Product image may differ from actual product

## Specifications

### Appearance

**Product colour:** Black

### Connectivity and communications

**Wireless range:** Up to 50 m indoor

**DECT frequency:** 1920 to 1930 MHz

### Other features

**Special features:** Extends DECT™ coverage

### Power specifications

**Power features:** External universal AC adapter: 5V 2A DC (model-specific plugs)

### Certifications

**Certified collaboration software:** Zoom; Microsoft (OpenSIP gateway)

### Environmental

**Certifications and compliances:** UL 62368-1

**Operating humidity range:** 5 to 95%

**Operating temperature range:** -10 to 55°C

**Storage temperature range:** -40 to 70°C

**Energy star certified:** ENERGY STAR® certified



# Poly Rove R8 DECT Repeater

## Specifications

### Management software

Polycom Device Management Service for Service Providers (PDMS-SP) Cloud Management

### Security

**Security management:** DECT™ security certified; Encrypted Daisy Chained;

### Weight and dimensions

**Weight:** 166 g

**Package weight:** 300 g

**Package dimensions:** 239 x 141 x 44 mm

### Logistic information

**Master carton quantity:** 10

**Master carton dimension:** 24.5 x 44 x 29.5 cm

**Master carton weight:** 4.4 kg

**Cartons per layer:** 6

**Layers per pallet:** 9

**Cartons per pallet:** 54

**Products per layer:** 60

**Products per pallet:** 540

**Pallet weight:** 357 kg

**Pallet dimensions:** 101.6 x 121.9 x 149 cm

### Additional information

**UPC number:** 197497527605

**Product number:** 84H79AA

**Product name:** Poly Rove R8 DECT Repeater

### Warranty

Poly standard one-year limited warranty

### Country of origin

Made in China

### What is in the box

Desk stand

Safety information sheet

Quick start guide

Repeater

Localized AC Power Adapter

Wall Mount Screws



# Poly Rove R8 DECT Repeater

## Footnotes

### Messaging Footnotes

<sup>1</sup>The Poly Rove B1 and Poly Rove B4 base stations are compatible with up to 3 Poly Rove R8 repeaters per base station. The Poly Rove B2 base stations are compatible with up to 6 Poly Rove R8 repeaters per base station.

---

© Copyright 2026 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

July 2026  
ca-en

