





# APC Replacement Battery Cartridge #12 with 2 Year Warranty

RBC12

### Overview

Lead time Usually in Stock

### Main

product or component type	Replacement battery cartridge
Number of cables	1
Battery type	Lead-acid battery
provided equipment	All required connectors  Battery recycling guide  Reusable packaging  Installation quide

### **Batteries & Runtime**

Number of battery free slots	0
Number of battery filled slots	0
	0
device mounting	Stand alone battery stack
Battery voltage	48 V
Additional information	RBC 12 is composed of two seperate battery cells. The Net dimensions are measured per cell.
Number of battery replacement quantity	1

## **Physical**

Colour	Black
Height	3.8 in (9.7 cm)
Width	10.0000000000 in (25.4 cm)
Depth	6.0 in (15.2 cm)
net weight	44.09 lb(US) (20 kg)
mounting mode	Not rack-mountable

### **Environmental**

Jul 13, 2024

Ambient air temperature for operation	32.0000000000104.0000000000 °F (040 °C)
Operating altitude	010000 ft
Relative humidity	095 %
Ambient air temperature for storage	5.0000000000113.0000000000 °F (-1545 °C)
Storage altitude	050000 ft (0.000000000015240.0000000000 m)

Storage Relative Humidity 0...95 %

## **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	9.02 in (22.9 cm)
Package 1 Width	15.5 in (39.4 cm)
Package 1 Length	22.5 in (57.2 cm)
Package 1 Weight	50.40 lb(US) (22.86 kg)

# **Contractual warranty**

Warranty 2 years repair or replace



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >







Take-back Transparency RoHS/REACh

### Resource performance



Take-Back Program Available

### Well-being performance



Rohs Exemption Information

Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration  Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information