

Product data sheet

Specifications



APC KVM 2G, Digital/IP, 1 Remote/1 Local User, 16 Ports with Virtual Media - FIPS 140-2



KVM1116R

Overview

Lead time Usually in Stock

Main

Main Input Voltage 24 V DC
100 V
120 V
208 V
230 V
240 V

Product or Component Type Switch

Number of rack unit 1U

Physical

Color Black

Height 1.7 in (4.3 cm)

Width 16.7 in (42.4 cm)

Depth 7.4 in (18.8 cm)

Net Weight 5.71 lb(US) (2.59 kg)

Mounting Location Front

Mounting preference No preference

Mounting Mode Not rack-mountable

Input

Input Frequency 50/60 Hz

Conformance

Product Certifications C-tick
CE
EAC
TAA compliance
UL-AR
VCCI Class A
VDE

Standards FCC Part 15 class A
ICES-003
UL 60950-1

Environmental

Ambient Air Temperature for Operation 32...122 °F (0...50 °C)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Operating altitude	0...10000 ft
Relative Humidity	0...80 %
Ambient Air Temperature for Storage	-4...140 °F (-20...60 °C)
Storage altitude	0...50000 ft (0.0000000000...15240.0000000000 m)
Storage Relative Humidity	0...80 %

Ordering and shipping details

GTIN	731304340195
Country of origin	TW

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.7 in (14.6 cm)
Package 1 Width	13.0 in (33 cm)
Package 1 Length	24.4 in (61.9 cm)
Package 1 Weight	8.80 lb(US) (3.99 kg)

Contractual warranty

Warranty	2 years repair or replace
-----------------	---------------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

Reach Free Of Svhc

Mercury Free

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Compliant with Exemptions

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile [End of Life Information](#)
