Technical Specifications

HP E27k G5 4K USB-C Monitor



1. Ambient Light Sensor

Front LED Power


3.

- ght Sensor
- 2. Power Button

()p

Technical Specifications

HP E27k G5 4K USB-C Monitor



- 1. Joypad OSD button
- 2. Security Cable Slot
- 3. Power Connector
- 4. HDMI 2.0 Port
- 5. DisplayPort[™] 1.4

Back

- 6. SuperSpeed USB Type-C[®] 5Gbps signaling rate (up to 65W USB Power Delivery, Alt Mode DisplayPort[™] 1.4)
- 7. RJ-45 Port
- 8. SuperSpeed USB Type-A 5Gbps signaling rate
- **9.** SuperSpeed USB Type-C[®] 5Gbps signaling rate (Up to 15W USB Power Delivery)
- **10.** SuperSpeed USB Type-A 5Gbps signaling rate (2, 1 charging)



Technical Specifications

Model: 6N4C4AA

Panel Specifications	Display Size (Diagonal)	27" (68.6 cm)
r anet specifications		
	Viewable Diagonal Size	27" (68.47cm)
	Panel Technology	
	Max Refresh Rate	60 Hz
	Native Resolution	4K UHD (3840 x 2160)
	Panel Bit Depth	10 bit (8 bit + FRC)
	Aspect Ratio	16:9
	Brightness (Typical)	350 nits
	Contrast Ratio (Static)	1000:1
	Dynamic Contrast Ratio	8000000:1 =8M:1
	Flicker Free	Yes
	Pixel Pitch	0.15x0.15 mm
	Pixels Per Inch (PPI)	163 PPI
	Display Colors	Up to 1.07 billion colors supported*
	/	*Number of colors available thru A-FRC.
	Backlight Lamp Life Minimum (To Half	30k
	Brightness - In Hours)	
	Backlight Type	Edge-lit
	Screen Treatment	Anti-glare
	Hardness	ЗН
	Haze	25%
	Response Time (Typical)	5ms GtG (with overdrive)
	Horizontal Viewing Angle	178°
	(Typical Cr>10)	
	Vertical Viewing Angle (Typical Cr>10)	178°
	Panel Active Area Metric (W X H)	59.67 x 33.57 cm
	Panel Active Area Imperial (W X H)	23.49 x 13.22 in
		ne typical specifications provided by HP's component
	manufacturers; actual performance may vary e	either higher or lower.
Color	sRGB	99%
COLOI	3495	5570
Color Management	Color Space/ Subsampling Support	RGB 4:4:4, YCBCR 4:4:4, YCBCR 4:2:2
5	RGB Channel Adjust	Yes, Gain
	Default Color Temperature	Neutral (6500K)
Monitor Specifications	Bezel Type	3-sided borderless
-	Color Of Stand	Black & Silver
	Color Of Head	Black
	Tilt	-5°~+20°
	Swivel	±45°
	Pivot	±90°
	Height Adjust Range	150 mm
	Vesa Mounting	100 mm x 100 mm
	Security Lock	Security lock-ready
	Detachable Stand	Yes

rechnical Specifical	lons	
		3/3/0 for LA, NA, EMEA, APJ
	Warranty	(3/3/3 in select APJ Countries)
		Yes, HP Eye Ease (TÜV Low Blue Light Hardware Solution
	Low Blue Light	certified)
	Speaker Output Power	2 x 3 W
	Management Software	HP Display Center, HP Display Manager*
	Management Jortware	*Host PC requires Windows 10 and above. HP Display Center is
		available on the Microsoft store.
On Screen Display	On Screen Display	Brightness+, Color, Image, Input, Power, Menu,
(OSD)		Management, Information, Exit
	Native Resolution	4K UHD (3840 x 2160)
	Maximum Resolution	4K UHD (3840 x 2160 @ 60 Hz)
	Preset Graphic Modes/Supported	640 x 480 @60Hz
	Resolutions	720 x 400 @70Hz
		800 x 600 @60Hz
		720 x 480 @60Hz
		1024 x 768 @60Hz
		1280 x 720 @50Hz
		1280 x 720 @60Hz
		1280 x 1024 @60Hz
		1440 x 900 @60Hz
		1600 x 900 @60Hz
		1600 x 1200 @60Hz
		1680 x 1050 @60Hz
		1920 x 1080 @60Hz
		1920 x 1200 @60Hz
		2560 x 1440 @60Hz
		3840 x 2160 @30Hz
		3840 x 2160 @60Hz
	Minimum Vertical Scan Rate	30 Hz
	Maximum Vertical Scan Rate	60 Hz
	Minimum Horizontal Scan Rate	30 Hz
	Maximum Horizontal Scan Rate	135 Hz
	Maximum Pixel Clock	600 MHz
	User Programmable Modes	Yes, 20
	User-Assignable Function Buttons	Yes, 4 (6 options)
	Audio	Built-in 2x3W speakers
		11 (English, Spanish, German, French, Italian,
	Languages	Netherlands, Portuguese, Japanese, T-Chinese, S-Chinese
		and Russian)
Connector Types	DisplayPort™	1 DisplayPort™ 1.4
	HDMI	1 HDMI 2.0
	HDCP	Yes, DisplayPort™, HDMI and USB Type-C [®]
		1 SuperSpeed USB Type-C [®] 5Gbps signaling rate (up to
	USB Type-C [®] Video Input	65W USB Power Delivery, Alt Mode DisplayPort™ 1.4)
		1 SuperSpeed USB Type-C [®] 5Gbps signaling rate (Up to
	USB Type-C® Data	15W USB Power Delivery)



HP E27k G5 4K USB-C Monitor

Technical Specificat	tions	
	USB- A	3 SuperSpeed USB Type-A 5Gbps signaling rate (1 charging)
	ETHERNET	1 RJ-45 (10/100/1000 Mbps)
Special Features	SWITCH	Monitor Power button
		Next Active Input / Up button
		Audio / Down button
		Brightness / Left button
		Color / Right button
		Menu / Enter button
	Remote Manageability ^{*, **}	Through HP Display Manager,
		In-Band MAC Address Pass Through (MAPT),
		In-Band Wake on LAN (WoL),
		PXE Boot,
		Out-of-Band MAC Address Pass Through (MAPT),
		Out-of-Band Wake on LAN (WoL).
		*Not all notebooks support remote manageability.
		**Out-of-band manageability only available with HP G7, G8 and
		G9 HP notebooks and not supported on non-HP devices.
	User Presets	11
	User Updateable Firmware	Yes
	Other Special Features	Ambient Light Sensor, Single Power On
Power & Operating	Power Supply	Internal
Specs	Power Source	100 – 240 VAC 50/60 Hz
	Power Consumption- Max	190 W
	Energy Saving/Stand By Mode	0.5 W
	Power Consumption - Typical	29 W
Energy Star Data	Operational Mode at 100 VAC	22.9 W
	Operational Mode at 115 VAC	22.8 W
	Operational Mode at 230 VAC	22.3 W
EU Energy Efficiency	On-mode Power Consumption for	26.1 W
Class (ErP LOT-5)	Standard Dynamic Range (SDR)	
	ErP LOT5 Energy Efficiency Class for	₫ F
	Standard Dynamic Range (SDR)	
Operating Conditions	Operating Temperature - Celsius	5° – 35°C
	Operating Temperature - Fahrenheit	41° – 95°F
	Non-Operating Temperature - Celsius	–40° – 65°C
	Non-Operating Temperature -	-40° – 149°F
	Fahrenheit	
	Operating Humidity	20 – 80% Relative Humidity (non-condensing)
	Non-Operating Humidity	5 – 95%
	Operating Altitude	0 – 5,000 m (16,400 ft.)
	Non-operating Altitude	0 – 12,192 m (40,000 ft.)
Certifications and	Low Halogen	Yes*



Technical Specificat	ions		
Compliances		*External power supplies, WV and peripherals excluded.	VAN modules, power cords, cables
	Agency Approvals and Certifications	WW application	
		CE/CB/KC/KCC/NOM/PSB/I	CE/TUV-S/ISO 9241-307/
		EAC/UL/CSA/CCC/CEL/CEC	P/SEPA/TCO/TCO Certified
		Edge/Energy	
			/EEE/PSE/cTUVus/BIS/UAE/Ukra
		ine EE/E-Standy(Korea ME	PS)/NRCS/TGM
	Microsoft WHQL Certification	Win 10, Win 11	
	ENERGY STAR [®] Certified	Yes	
	EPEAT® Registered	EPEAT [®] Gold in United Sta	tes*
	Regions need to verify by country	*Based on US EPEAT® registra	ation according to IEEE 1680.1-
		2018 EPEAT [®] . Status varies b	
		http://www.epeat.net for i	
	China Energy Label	CEL Grade 1	
	TCO Certified Edge	Yes	
	TCO Certified	Yes	
	SmartWay Transport Partnership - NA	Yes (NA sku)	
	only	,	
Contains Recycled Plastics	Contains Recycled Plastics	Contains ocean-bound recy closed loop plastic**	cled plastic*; 70% ITE-derived
			an-bound plastic. Percentage of
		ocean-bound plastic containe product.	ed in each component varies by
		•	astic percentage is based on the
		definition set in the IEEE 168	
	Recycled Metals	At least 25% recycled met	
			as a percentage of the total weight 14021 definitions for metal parts
		over 25 grams.	
	Recyclable Packaging (Box, packing	Outside Box and corrugate	
	materials)	sustainably sourced and re	-
		*100% outer box packaging a sustainably sourced certified	and corrugated cushions made from and recycled fibers.
		<u>Metric</u>	<u>Imperial</u>
Unit Product/Package	Product Dimensions	61.34 x 22.73 x 54.7	24.15 x 8.95 x 21.54
Specifications	(Unpacked with stand) (W x D x H)	cm	inch
	Product Dimensions	69.90 x 44.60 x 16.00	27.52 x 17.56 x 6.30
	(Packed) (W x D x H)	cm	inch
	Display Head Dimensions	61.34 x 4.70 x 36.46	24.15 x 1.85 x 14.35
	(Unpacked without stand) (W x D x H)	(w/o hinge)	(w/o hinge)
		61.34 x 7.51 x 36.46	24.15 x 2.96 x 14.35
		(w/ hinge)	(w/ hinge)
	Base Area Footprint	256 x 205 mm	10.08 x 8.07 inch
	(w x d mm) Bezel Measurements	Bottom: 18.26 mm	Bottom: 0.72 inch
	Jezet menjar ementj	Sottom. 10.20 mm	



HP E27k G5 4K USB-C Monitor

		7 5 4 6	10 F4 lb
	Product Weight (Unpacked with stand)	7.5 kg	16.54 lb
	Product Weight	10.0 kg	22.0 lb
	(Packed)	10.0 kg	22.010
	Product Weight	5.4 kg (w/o hinge)	11.81 lb (w/o hinge)
	(Head Only)	5.7 kg (w/ hinge)	12.66 lb (w/ hinge)
	(nead only)	5.7 kg (w/ mige)	12.00 (b) (w/ fillige)
Pallet Information	Pallet Dimensions	Slip Sheet:	Slip Sheet:
	(L x W x H mm)	1130 x 709 x 2242 mm	44.49 x 27.91 x 88.27 inch
		(20' ft & 40' ft)	(20' ft & 40' ft)
		Slip Sheet:	Slip Sheet:
		1130 x 709 x 2242 mm	44.49 x 27.91 x 88.27 inch
		(40 HQ)	(40 HQ)
		Pallet:	Pallet:
		1130 x 709 x 1925 mm	44.49 x 27.91 x 75.79 inch
		(20' ft & 40' ft)	(20' ft & 40' ft)
		Pallet:	Pallet:
		1130 x 709 x 2371 mm	44.49 x 27.91 x 93.35 inch
		(40 HQ)	(40 HQ)
	Pallet Total Weight	Slip Sheet:	Slip Sheet:
		354.78 kg (20' ft & 40' ft)	782.15 lbs (20' ft & 40' ft)
		Slip Sheet:	Slip Sheet:
		354.78 kg (40 HQ)	782.15 lbs (40 HQ)
		Pallet:	Pallet:
		295.94 kg (20' ft & 40' ft)	652.44 lbs (20' ft & 40' ft)
		Pallet:	Pallet:
		366.3 kg (40 HQ)	807.56 lbs (40 HQ)
	Pallet Layers	5 layers per slip sheet	
		4 layers or 5 layer per palle	t
	Pallet Product per Layer	7 per layer (slip sheet)	
		7 per layer (pallet)	
	Total Products per Pallet	35 sets per slip sheet	
	• • • • • • • • • • • • • • • • • • • •	28 sets or 35 sets per pallet	
	Container Load, 20-Foot	560 sets (slip sheet)	
		448 sets (pallet)	
	Container Load, 40-Foot	1120 sets (slip sheet)	
		896 sets (pallet)	
	Container Load, 40-Foot HighQ	1120 sets (slip sheet) 1120 sets (pallet)	
What's in the box?	AC power cord (1.83m) 5.9ft		
That J in the DUA.	USB 3.2 C-C cable (1.0m)		
	Warranty		
	Quick Setup Poster		
			denting Chinese C. Chinese
User Guide and Warranty Languages	User Guide Languages	Arabic, Bahasa Indonesia, Bi T, Czech, Danish, Dutch, Eng	Ilgarian, Chinese-S, Chinese-
wallanty Languages		French, German, Greek, Heb	
		Japanese, Kazakh, Korean, L	
		Jupunese, Razakii, Kureali, L	action, Ellinaman,



Technical Specifications

Warranty Languages

Norwegian, Polish, Portuguese (Brazilian), Portuguese (Iberian), Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Thai, Turkey, Ukrainian English US (EN), English AP (EN-AP), English LA (EN-LA), English UK (EN-GB), Arabic (AR) -17x, Bahasa Indonesia (ID), Bosnian (BS), Bulgarian (BG), Chinese-S (CN), Chinese-T (TW), Croatian (HR), Czech (CS), Danish (DA), Dutch (NL), Estonian (ET), Finnish (FI), French Canadian (FC), French European (FR), German (DE), Greek (EL), Hebrew (HE), Hungarian (HU), Italian (IT), Japanese (JA), Kazakh (KK), Korean (KO), Latvian (LV), Lithuanian (LT), Norwegian (NO), Polish (PL), Portuguese, Brazilian (BR), Portuguese, Iberian (PT), Romanian (RO), Russian (RU), Serbian (SR), Slovak (SK), Slovenian (SL), Spanish, Castilian (ES-ES), Spanish, Latin America (ES-MX), Swedish (SV), Thai (TH) Turkish (TR), Ukrainian (UK), Vietnamese (VI)



HP E27k G5 4K USB-C Monitor

QuickSpecs

Technical Specifications

ENVIRONMENTAL DATA

ENVIRONMENTAL DATA Eco-Label Certifications & declarations Sustainable Impact Specifications	This product has received be labeled with one or mo IT ECO declaration US ENERGY STAR US Federal Energy EPEAT® Gold regis status in your cou TCO Certified Edg China Energy Con China State Enviro Taiwan Green Ma Korea Eco-label Japan PC Green la	re of these marks: n » y Management Program (FE stered in the United States. Intry. e servation Program (CECP) onmental Protection Admin rk ubel* tand	See http://www.epeat.net for registration
	 25% recycled metal Low halogen Outside Box and corrugated cushions are 100% sustainably sourced and recyclable Molded Paper Pulp Cushion inside box is 100% sustainably sourced and recyclable Recycled Plastic cushions 		
System Configuration	The configuration used for the Energy Consumption and Declared Noise Emissions data for the Notebook model is based on a "Typically Configured Notebook".		
Energy Consumption (in accordance with US ENERGY STAR® test			
method)	115VAC, 60Hz	230VAC, 50Hz	100VAC, 50Hz
Normal Operation (Short idle)	22.8 W	22.3 W	22.9 W
Normal Operation (Long idle)	22.8 W	22.3 W	22.9 W
Sleep	0.46 W	0.46 W	0.46 W
Off	0.22 W	0.22 W	0.22 W
	NOTE: Energy efficiency data listed is for an ENERGY STAR [®] compliant product if offered within the model family. HP computers marked with the ENERGY STAR [®] Logo are compliant with the applicable U.S. Environmental Protection Agency (EPA) ENERGY STAR [®] specifications for computers. If a model family does not offer ENERGY STAR [®] compliant configurations, then energy efficiency data listed is for a typically configured PC featuring a hard disk drive, a high efficiency power supply, and a Microsoft Windows [®] operating system.		
Heat Dissipation*	115VAC, 60Hz	230VAC, 50Hz	100VAC, 50Hz
Normal Operation (Short idle)	78.0 BTU/hr	76.3 BTU/hr	78.3 BTU/hr
Normal Operation (Long idle)	78.0 BTU/hr	76.3 BTU/hr	78.3 BTU/hr
Sleep	1.6 BTU/hr	1.6 BTU/hr	1.6 BTU/hr
Off	0.8 BTU/hr	0.8 BTU/hr	0.8 BTU/hr
	* NOTE: Heat dissipation is attained for one hour.	calculated based on the m	easured watts, assuming the service level is



Technical Specifications

Γ

Longevity and Upgrading	This product can be upgraded, possibly extending its useful life by several years. Upgradeable features and/or components contained in the		
	Spare parts are available throughout the warranty period and or for up to "5" years after the end of production.		
Additional Information	 This product is in compliance with the Restrictions of Hazardous Substances (RoHS) directive - 2011/65/EC. This HP product is designed to comply with the Waste Electrical and Electronic Equipment (WEEE) Directive - 2002/96/EC. This product is in compliance with California Proposition 65 (State of California; Safe Drinking Water and Toxic Enforcement Act of 1986). This product is in compliance with the IEEE 1680 (EPEAT) standard at the Gold level, see www.epeat.net Plastics parts weighing over 25 grams used in the product are marked per ISO11469 and ISO1043. This product is 97.3% recycle-able when properly disposed of at end of life. 		
Packaging Materials	External:	PAPER/Corrugated	1670 g
		PAPER/Molded Pulp	605 g
	Internal:	PLASTIC/EPE (Polyethylene Expanded)	37 g
	-	PLASTIC/EPE (Polyethylene Expanded)	5.8 g
		PLASTIC/EPE (Polyethylene Expanded)	6 g
		packaging material contains at least 0.0% recycled cor	
RoHS Compliance	The corrugated paper packaging materials contains at least 100.0% recycled content.HP Inc. complies fully with materials regulations. We were among the first companies to extend the restrictions in the European Union (EU) Restriction of Hazardous Substances (RoHS) Directive to our products worldwide through the HP GSE. HP has contributed to the development of related legislation in Europe, as well as China, India, and Vietnam.We believe the RoHS directive and similar laws play an important role in promoting industry-wide elimination of substances of concern. We have supported the inclusion of additional substances— including PVC, BFRs, and certain phthalates—in future RoHS legislation that pertains to electrical and electronics products.We met our voluntary objective to achieve worldwide compliance with the new EU RoHS requirements for virtually all relevant products by July 2013, and we will continue to extend the		
	scope of the commitment to include further restricted substances as regulations continue to evolve. To obtain a copy of the HP RoHS Compliance Statement, see HP RoHS position statement.		
Material Usage	This product does not contain any of the following substances in excess of regulatory limits (refer to the HP General Specification for the Environment at http://www.hp.com/hpinfo/globalcitizenship/environment/supplychain/gen_specifications.html):		
	 Asbestos Certain Azo Colorants Certain Brominated Flame Retardants – may not be used as flame retardants in plastics Cadmium Chlorinated Hydrocarbons 		



	Chlorinated Paraffins	
	Bis(2-Ethylhexyl) phthalate (DEHP)	
	Benzyl butyl phthalate (BBP)	
	Dibutyl phthalate (DBP)	
	Diisobutyl phthalate (DIBP)	
	Formaldehyde	
	Halogenated Diphenyl Methanes	
	Lead carbonates and sulfates	
	Lead and Lead compounds	
	Mercuric Oxide Batteries	
	Nickel – finishes must not be used on the external surface designed to be frequently	
	handled or carried by the user.	
	Ozone Depleting Substances	
	Polybrominated Biphenyls (PBBs)	
	Polybrominated Biphenyl Ethers (PBBEs)	
	Polybrominated Biphenyl Oxides (PBBOs) Polyblaviated Biphenyl (PCD)	
	Polychlorinated Biphenyl (PCB) Polychlorinated Targebraude (PCT)	
	Polychlorinated Terphenyls (PCT) Polychlorinated Chlorina (PLC)	
	 Polyvinyl Chloride (PVC) – except for wires and cables, and certain retail packaging has been voluntarily removed from most applications. 	
	 Radioactive Substances Tributyl Tin (TBT), Triphenyl Tin (TPT), Tributyl Tin Oxide (TBTO) 	
Packaging Usage	HP follows these guidelines to decrease the environmental impact of product packaging:	
	Eliminate the use of heavy metals such as lead, chromium, mercury and cadmium in	
	packaging materials.	
	 Eliminate the use of ozone-depleting substances (ODS) in packaging materials. 	
	 Design packaging materials for ease of disassembly. 	
	 Maximize the use of post-consumer recycled content materials in packaging materials. 	
	Use readily recyclable packaging materials such as paper and corrugated materials.	
	Reduce size and weight of packages to improve transportation fuel efficiency.	
	• Plastic packaging materials are marked according to ISO 11469 and DIN 6120 standards.	
End-of-life Management	HP offers end-of-life HP product return and recycling programs in many geographic areas. To	
and Recycling	recycle your product, please go to: http://www.hp.com/go/reuse-recycle or contact your nearest	
	HP sales office. Products returned to HP will be recycled, recovered or disposed of in a responsible	
	manner.	
	The EU WEEE directive (2002/95/EC) requires manufacturers to provide treatment information for	
	each product type for use by treatment facilities. This information (product disassembly instructions) is posted on the Hewlett Packard web site at: http://www.hp.com/qo/recyclers .	
	These instructions may be used by recyclers and other WEEE treatment facilities as well as HP OEM	
	customers who integrate and re-sell HP equipment.	



HP, Inc. Corporate	For more information about HP's commitment to the environment:		
Environmental			
Information	Global Citizenship Report		
	http://www.hp.com/hpinfo/globalcitizenship/gcreport/index.html		
	Eco-label certifications		
	http://www8.hp.com/us/en/hp-information/environment/ecolabels.html		
	ISO 14001 certificates:		
	http://h20195.www2.hp.com/V2/GetDocument.aspx?docname=c04755842		
	and		
	http://www.hp.com/hpinfo/globalcitizenship/environment/pdf/cert.pdf		
facturation			
footnotes	Percentage of ocean-bound plastic contained in each component varies by product		
	 Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 standard. 		
	• External power supplies, WWAN modules, power cords, cables and peripherals excluded.		
	100% outer box packaging and corrugated cushions made from sustainably sourced		
	certified and recycled fibers.		
	Fiber cushions made from 100% recycled wood fiber and organic materials.		
	 Plastic cushions are made from >90% recycled plastic. 		
	Recycled metal is expressed as a percentage of the total weight of the metal according to		
	ISO 14021 definitions for metal parts over 25 grams		

Technical Specifications

© Copyright 2023 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Microsoft and Windows are registered trademarks or trademarks of Microsoft Corporation in the U.S. and/or other countries. ENERGY STAR is a registered trademark owned by the U.S. Environmental Protection Agency.

Summary

Change Log

	V1 to V2		

