



APC NetShelter Soundproof, 12U, Server Rack Enclosure, Maple

AR4012A

Overview

Lead time Usually Ships within 2 Weeks

Main

product or component type	Rack enclosure	
Main Input Voltage	100230 V	
output connection type	4 IEC 60320 C13	
Number of rack unit	12U	
Number of cables	1	
Provided equipment	Casters	

Physical

Height	30.9 in (785 mm)	
Width	29.5 in (750 mm)	
Depth	44.5 in (1130.4 mm)	
net weight	251.3 lb(US) (114 kg)	
Colour	Maple	
Mounting preference	No preference	
mounting mode	Not rack-mountable	
Mounting position	Vertical	
Maximum mounting depth	2.72 ft (0.83 m)	
minimum mounting depth	2.26 ft (0.69 m)	
rack width	19"	
Permanent permissible load	1851.9 lb(US) (840 kg) static	

Input

Network frequency 50/60 Hz

Output

PDU type Basic

Conformance

Standards EIA-310D

Packing Units

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	35.4 in (89.9 cm)	
Package 1 Width	32.3 in (82 cm)	
Package 1 Length	47.2 in (120 cm)	
Package 1 Weight	348.3 lb(US) (158 kg)	

Contractual warranty

Warranty	2 Years
----------	---------



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

⊘	Reach Free Of Svhc	
Ø	Toxic Heavy Metal Free	
⊘	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information