



USB-C Flat Cable (M/M) - USB 3.1 Gen 2 (10 Gbps), Thunderbolt 3 Compatible, Black, 3 ft. (0.9 m)

MODEL NUMBER: U420-003-G2-FL









Flat USB 3.1 Gen 2 cable connects a smartphone or other USB-C device to the USB-C port on your computer, charger or power bank.

Features

Flat USB-C Cable Transfers Data and Charges Devices at Lightning-Fast USB 3.1 Gen 2 Speeds
This USB sync/charge cable (M/M) connects your smartphone, tablet, MacBook Pro, Windows laptop or
other USB-C device to the USB-C port on a computer, docking station or wall charger. It supports USB 3.1
Gen 2 data transfer rates up to 10 Gbps, which is twice as fast as USB 3.1 Gen 1. It also provides power
output up to 2.3 amps (46 watts), which is sufficient for charging and powering most mobile devices.

Innovative Flat Cable Prevents Tangles, Allows Flexible Bends

Very flexible for convenient on-the-go connections, this flat cable avoids nasty tangles in your backpack or laptop bag. Its advanced flat design allows easy rolling for tangle-free storage. Plus, it bends easily for connecting to devices in tight spaces or around obstacles.

Reversible USB-C Connectors Attach in Either Direction

Unlike traditional USB cables that connect in only one direction, the reversible USB-C male connectors plug into a USB-C or Thunderbolt 3 port in either direction for an instant connection every time.

Highlights

- Flexible flat design helps prevent inconvenient tangling and allows easy bending
- Supports USB 3.1 Gen 2 speeds up to 10 Gbps to ensure lightning-fast data transfers
- Provides 2.3A (46W) power output for charging, syncing and powering mobile devices
- Reversible USB-C plugs connect in either direction for immediate no-fuss use
- Flat USB-C cable is compatible with all USB-C and Thunderbolt 3 devices

Applications

- Charge and power your MacBook Pro, Windows laptop or other USB-C or Thunderbolt 3 device from a USB-C wall charger
- Transfer data between an external hard drive and your laptop or PC
- Connect your laptop to a docking station or hub with a USB-C or Thunderbolt 3 port
- Carry in your laptop bag, backpack or briefcase as a flexible spare cable

System Requirements

 Devices with USB-C or Thunderbolt 3 ports (USB 3.1 Gen 2 compatibility required to achieve USB 3.1 Gen 2 speeds)

Package Includes



 U420-003-G2-FL Flat USB-C to USB-C Cable, M/M, Black, 3 ft.

Specifications

OVERVIEW		
UPC Code	037332254030	
INPUT		
Maximum Input Amps	2.3	
Cable Length (ft.)	3	
Cable Length (m)	0.9	
Cable Length (in.)	36	
PHYSICAL		
Cable Jacket Type	TPE	
Cable Outer Diameter (OD)	1.2*11.0MM	
Color	Black	
Material of Construction	TPE	
Unit Packaging Type	Polybag	
Wire Gauge (AWG)	30	
ENVIRONMENTAL		
Operating Temperature Range	14 to 140 F (-10 to 60 C)	
Storage Temperature Range	-4 to 158 F (-20 to 70 C)	
Operating Humidity Range	10% to 85% RH, Non-Condensing	
Storage Humidity Range	10% to 85% RH, Non-Condensing	
CONNECTIONS		
Side A - Connector 1	USB C (MALE)	
Side B - Connector 1	USB C (MALE)	
Connector Plating	Nickel	
Contact Plating	Gold	
FEATURES & SPECIFICATIONS		
USB Specification	USB 3.1 Gen 2 (up to 10 Gbps)	



Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com

Technology	USB 3.1 (Gen 2)	
STANDARDS & COMPLIANCE		
Certifications	CE, FCC, RoHS, REACH	
WARRANTY		
Product Warranty Period (Worldwide)	3-year limited warranty	

© 2020 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: https://www.tripplite.com/products/product-certification-agencies