HP Color LaserJet Enterprise MFP 5800dn Printer series



Powerfully compact. Extraordinarily efficient.

Transform your workflows with advanced capabilities in a compact footprint. From print speeds to color panels, get flexible configurations to meet your needs today and tomorrow. All while protecting your business against evolving cyber threats.

This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: http://www.hp.com/learn/ds



HP Color LaserJet Enterprise MFP 5800dn

More than a printer, in a compact footprint

- Experience fast scanning speeds and ultimate productivity with up to 100 ipm¹ duplex scan technology.
- Fast print speeds of up to 45 PPM ² to help you get everything done faster.
- Easily enable workflows with a consistent user experience and intuitive, tablet-like icons on the 8inch color touchscreen display.
- Maximize your productivity and increase print performance with HP's powerful tri-core processor for copying, scanning, and printing.

Customizable and scalable solutions 8

- Get the functionality you need with unprecedented, flexible configurations built to order. Optimize your device to meet your business needs and your budget.
- Select the document feeding solution that works best for your team.
- Choose built-in storage options including HDD and SSD drives to handle data and documents stored on the device.

Fast and seamless digitization

- Customize your print experience with cloud-connected HP Workpath apps. Access personalized content and integrate paper and digital workflows.⁴
- Give your team the tools to succeed with the HP Open Extensibility Platform containing hundreds of HP and third-party solutions, and card reader support.
- Make color management simple with HP Custom Color Manager. Match color output of any document-device combination by simply pulling color profiles from the cloud. Get high-quality color profiles without the hassle of expensive color matching systems. S

Always on guard with HP Wolf Security

- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- HP Connection Inspector examines network connections. The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
- Memory ShieldTM and expanded run-time intrusion detection protects memory and other applications. Common Criteria certified ⁶ to continually monitor memory activity, detect and stop zero-day attacks in real time [known/unknown] and self-heal.
- Minimize exposure with whitelisting checks, firmware that is automatically checked during start-up to determine if it's authentic code – digitally signed by HP.

Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. Measured using standards found at:

http://standards.iso.org/litt/PubliclyAvailableStandards/SC28_Test_Pages/

Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Most all MPS may be compatible with Workpath apps. To enable HP Workpath, some devices may require optional accessory or firmware to be upgraded. Not all apps may be available in all locations. Subscription may be required. Personalized content and integration functions are applicable to supported HP Workpath apps only.

integration functions are applicable to supported HP Workpath apps only.

FIPS most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2022 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit: hpt.com/go/PrintersThatProtect For more information, visit: http://www.hp.com/go/Printersecurityclaims

Filtrid-party certification based on Common Citeria information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019-2024. Certification applicable to HP Managed and Enterprise devices running HP FutureSmart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportal.org/files/certification Report - HP Intrusion Detection.pdf

FIP Web Jetadmin is free and available for download at hp.com/go/webjetadmin

To learn more about configure to order options, contact your HP or Partner Representative.

Contact your HP or your Partner Representative to learn more about Custom Color Manager.

Product walkaround

- 1. 250-sheet output bin supports media sizes up to Legal (8.5x14 inch)
- 2. Automatic 2-sided printing
- 3. HP High-Performance Secure Hard Disk
- 4. Front door access to All-in-One toner cartridges
- 5. Slot for cable-type security lock⁵
- 6. SuperSpeed USB 3.0 Host Port⁵
- 7. Hi-Speed USB 2.0 Host Port⁵
- 8. Gigabit Ethernet Port⁵
- 9. SuperSpeed 3.0 device port⁵
- 10. (Optional OCR Accelerator Card)⁵
- 11. 100-sheet dual side Flow enabled ADF supports media sizes up to Legal (8.5x14 inch)
- 12. 8 inch color touchscreen display
- 13. Long originals media sensor
- 14. Easy-access USB port²
- 15. Hardware Integration Pocket¹ (for connecting accessories and third-party devices)
- 16. Power button
- 17. Right door access to the print path
- 18. 100-sheet multipurpose tray 1 supports media sizes up to Legal (8.5x14 inch)
- 19. 550-sheet tray 2 supports media sizes up to Legal (8.5x14 inch)



Series at a glance



Model	HP Color LaserJet Enterprise MFP 5800dn Printer
Product number	6QN29A
Functions	Print, copy, and scan, (fax and wireless optional) (all models)
Print speed (A4 and letter, black and color) ³	43/45 ppm (A4/letter)
Control panel	8 inch color touchscreen display
Scan speed ⁴	50/100 ipm (simplex/duplex)
Recommended Monthly Page Volume	Up to 10,000 pages per month
Input capacity	650/2,300 (std/max)
Output capacity (standard)	250-sheets
Processor	Tri-core 1.2 GHz
Flow solutions	Yes
Workpath enabled	Yes
Extensibility	HP FutureSmart 5, OXPd

¹ Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.
2 An administrator must enable the easy-access USB port before use.
3 Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see hp.com/go/printer claims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
4 Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
5 Additional items included on the back of the printer in the Input/Output Plate.

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

For carepack availability visit: hp.com/go/cpc













1M0Q0A	HP MFP Analog Fax 702 Accessory
2NR12A	HP Removable Hard Drive Enclosure
2TD64A	HP Accessibility Kit
35H11A	HP HID Mobile Access Mifare DES Fire Keystroking Reader
3JN69A	HP Jetdirect 3100w BLE/NFC/Wireless Accessory
478C2A	HP Printing Voice Assistant
4QL32A	HP Legic Secure USB Reader
4XN67A	Internal USB Expansion Kit
65A28A	HP Color LaserJet Constellation Yellow 550 sheet Paper Tra
65A29A	HP Color LaserJet Cosmic Green 550 sheet Paper Tray
65A30A	HP Color LaserJet Aurora Purple 550 sheet Paper Tray
65A31A	HP Color LaserJet Comet Red 550 sheet Paper Tray
65A32A	HP Color LaserJet Lunar Gray 550 sheet Paper Tray
65A38A	HP Color LaserJet Constellation Yellow Storage Stand
65A39A	HP Color LaserJet Cosmic Green Storage Stand
65A40A	HP Color LaserJet Aurora Purple Storage Stand
65A41A	HP Color LaserJet Comet Red Storage Stand
65A42A	HP Color LaserJet Lunar Gray Storage Stand
6QN54A	HP Color LaserJet Stand
6QN55A	HP Color LaserJet Storage Stand
6QN57A	HP Color LaserJet 550-sheet Media Tray
8FP31A	HP Jetdirect LAN Accessory
9EQ11A	HP 500GB CCC, FIPS Hard Disk Drive
B5L31A	HP Foreign Interface Harness
X3D03A	HP USB Universal Card Reader
Y7C05A	HP HIP2 Kevstroke Reader

W2130A W2130X W2130Y	HP 213A Black Original LaserJet Toner Cartridge (~3,500) pages HP 213X High Yield Black Original LaserJet Toner Cartridge (~9,000) pages HP 213Y Extra High Yield Black Original LaserJet Toner Cartridge (~18,000) pages
W2131A	HP 213A Cyan Original LaserJet Toner Cartridge (~3,000) pages
W2131X	HP 213X High Yield Cyan Original LaserJet Toner Cartridge (~6,000) pages
W2131Y	HP 213Y Extra High Yield Cyan Original LaserJet Toner Cartridge (~12,000) pages
W2132A	HP 213A Yellow Original LaserJet Toner Cartridge (~3,000) pages
W2132X	HP 213X High Yield Yellow Original LaserJet Toner Cartridge (~6,000) pages
W2132Y	HP 213Y Extra High Yield Yellow Original LaserJet Toner Cartridge (~12,000) pages
W2133A	HP 213A Magenta Original LaserJet Toner Cartridge (~3,000) pages
W2133X	HP 213X High Yield Magenta Original LaserJet Toner Cartridge (~6,000) pages
W2133Y	HP 213Y Extra High Yield Magenta Original Laser let Toner Cartridge (~12 000) pages

Solutions

Supplies

Accessories

Overview: When it comes to business, the more cost-effective and efficient, the better. HP Document and Workflow Solutions can help improve productivity and drive down costs, enabling employees—and your IT team—to work more efficiently.

Workflow: HP Capture & Route; HP Workpath Apps; HP Intelligent Workflows Capture

Security: HP Access Control; HP Security Manager; HP Advance; HP Secure Print and Insights; HP card readers

Mobile and universal print: HP Universal Print Driver (UPD); HP Print for Chrome Extension; HP For Universal Print Workpath App

Management: HP Web JetAdmin; HP JetAdvantage Security Manager; HP JetAdvantage Insights; HP Smart Device Services (SDS); Embedded Web Server; HP Command Center; HP Command Center; HP Command Center; HP Command Center 2.0(ECP); Premium Fleet & Security Management on ECP(Premium Experience)

Services

U45Q5E~HP 3 year Next Business Day with DMR Service for Color LaserJet Enterprise~MFP 580x

U45Q6E HP 4 year Next Business Day with DMR Service for Color LaserJet Enterprise MFP 580x

U4507E HP 5 year Next Business Day with DMR Service for Color LaserJet Enterprise MFP 580x

U45Q8E HP 3 year 4 hour 9x5 with DMR Service for Color LaserJet Enterprise MFP 580x

U45Q9E HP 4 year 4 hour 9x5 with DMR Service for Color LaserJet Enterprise MFP 580x

U45QBE HP 5 year 4 hour 9x5 with DMR Service for Color LaserJet Enterprise MFP 580x

U45QGE~HP 3~year Channel Parts Exchange with DMR Service for Color LaserJet Enterprise~MFP 580x

U45QHE HP 4 year Channel Parts Exchange with DMR Service for Color LaserJet Enterprise MFP 580x

U45QJE HP 5 year Channel Parts Exchange with DMR Service for Color LaserJet Enterprise MFP 580x

 $\textbf{U45QKPE} \ \text{HP 1} \ year \ Post \ Warranty \ Next \ Business \ Day \ with \ DMR \ Service \ for \ Color \ Laser \ Jet \ Enterprise \ MFP \ 580x \ Apple \$

U45QMPE HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color LaserJet Enterprise MFP 580x

U45QSPE HP 1 year PW Channel Parts Exchange with DMR Service for Color LaserJet Enterprise MFP 580x

 $\textbf{U9JT2E} \ \mathsf{HP} \ \mathsf{Installation} \ \mathsf{Service} \ \mathsf{with} \ \mathsf{network} \ \mathsf{configuration} \ \mathsf{for} \ \mathsf{Workgroup} \ \mathsf{Printer}$

HP Color LaserJet Enterprise MFP 5800dn Printer series

Modernations Copyright Commissions Price or specific post state of the cost of 1 and copyright	Model	HP Color LaserJet Enterprise MFP 5800dn Printer
Silvanories Price (operated the first position is a first position in a first positi		
Print speed 1.2 Print		
Protested Private Proposed Literature (As De 2014 And Section 19 12 And Section 19 1	-	Print, copy, scan, tax (optional)
Print processors - Print print processors - Print prin	Print	
First its charlesgy in the charlesgy in	Print speed ^{6,7,5}	Print speed (Landscape, A5): Up to 69 ppm Black; Up to 69 ppm Color
Sented print is programs All the black count, responsible (1) for the black count, responsible (2) of the black count, responsible (3) of the black count, responsible (3) of the black count, responsible (4) of	Print resolution	
Search Software Handware Search Software Handware Search Life (Her Man Coll Handware Man College and Handware Man College and Handware Han	Print technology	Laser; Print resolution technology: HP ImageREt 3600, Enhanced (600x600 dpi), Fine Lines (1200x1200 dpi), Quickview (300x300 dpi), Pantone Calibrated
Prices manusprient (14P) Prices manusprient (1	Print cartridges number	4 (1 each black, cyan, magenta, yellow)
Televane insurance country in the standard insurance country in the standard insurance insuran	Standard print languages	XPS, HP PCL 6; HP PCL 5c; HP postscript level 3 emulation, native PDF printing (v 1.7)
Some per Very Marketins, Entirelated was served, in extend yearlage, the relocation of control control of the period of the peri	Printer smart software features	Apple Air Print™, Mopria-certified, HP ePrint, ROAM optional for easy printing, Open Extensibility Platform, FutureSmart Firmware, Instant-on Technology, HP Auto-On/Auto-Off technology, Easy Access USB, Two-Sided Printing, Hardware Integration Pocket, Intuitive 8 in (20.3 cm) touchscreen control panel, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, print preview
Span type / Technology Type Fluthed; ABP. Technology Contact timps elson (ICS). Twen version tivened 2.4 Soan tractions POP; History control of the Contr		HP Web JetAdmin; Embedded Web Server; HP Security Manager; HP Insights; HP Advance; HP Command Center; HP Smart Device Services (SDS)/ %%Products.suresupplysupport%%
Scan falle format 80 - (1) - Compression (PDF, PDFA, PDFC, TEPF, NEFF, PDFS Scan falle format 80 - (1) - Compression (PDF, PDFA, PDFC, TEPF, NEFF, PDFS Scan falle and applications (Social PDF, PDFA, PDFC, TEPF, NEFF, PDFS) Scan falle and applications (Social PDF, PDFA, PDFC, TEPF, NEFF, PDFS) Scan speed A RDF 8.5 x 3.40 on Maximum 2.7 x 5 in Minimum, PBattbed 8.5 x 1.4 in Victor (PDF)	Scan	
Scan lite format PDF, H-Compression PDF, PDFA, JPEC, IPEC, IPEC, Sen to the Event Sen to USB, Scan to Job Scrage, Open Extendability Platform (0XP), HP Workpath Applications ADR 58.5 x 34.6 in Assumant, PS 54.6 in Informator, 25.5 in Minimum, Platted 8.5 x 14 in Johnson, 17.5 in Minimum, Platted 8.5 x 14 in Johnson, 17.5 in Minimum, Platted 8.5 x 14 in Johnson, 17.5 in Minimum, Platted 8.5 x 14 in Johnson, 17.5 in Minimum, Platted 8.5 x 14 in Johnson, 17.5 in Minimum, Platted 8.5 x 14 in Johnson, 17.5 in Minimum, Platted 8.5 x 14 in Johnson, 17.5 in Minimum, Platted 8.5 x 14 in Johnson, 17.5 in Minimum, Platted 8.5 x 14 in Johnson, 17.5 in Minimum, Platted 8.5 x 14 in Johnson, 17.5 in Minimum, Platted 8.5 x 14 in Johnson, 17.5 in Minimum, Platted 8.5 x 14 in Johnson, 17.5 in Minimum, Platted 8.5 x 14 in Johnson, 17.5 in Minimum, Platted 8.5 x 14 in Johnson, 17.5 in Minimum, Platted 8.5 x 14 in Johnson, 17.5 in Minimum, Platted 18.5 x 14 in Johnson, 17.5 in Minimum, Platted 18.5 x 14 in Johnson, 17.5 in Minimum, Platted 18.5 x 14 in Johnson, 17.5 in Minimum, Platted 18.5 in Mini	Scan type / Technology	Type: Flatbed; ADF; Technology: Contact Image Sensor (CIS); Twain version: Version 2.4
From pamel applications: Copy, Face Scan to Email: Scan to Network Folders, Scan to USB, Scan to Nob Strange Open Extendibility Platform (DKP), NP Workpath Applications ANP 8.5 x 3.4 0 in Navimmum 2.7 x 5 in Nimmum; Platford 8.5 x 14 in in Scan speed ¹⁰ Up to 50 ppm / 100 ppm (BSx), up to 50 ppm / 100 ppm (BSx), up to 50 ppm / 100 ppm (BSx), up to 90 ppm (BSx), up to 90 ppm / 100 ppm (BSx), up to 90 ppm (BSx), up to 90 ppm / 100 ppm (BSx), up to 90 ppm / 100	Scan resolution	Hardware: Up to 600 x 600 dpi; Optical: Up to 600 dpi
Scan Size ADF: 8.5 x 3.4.0 in Maximum; 2.7 x 5 in Minimum; Flatbed; 8.5 x 1.4 in Scan speed ¹⁰ 40 florible developed by the Speed of S	Scan file format	PDF; Hi-Compression PDF; PDFA; JPEG; TIFF; MTIFF; XPS
Scanne speedid AU to 50 ppm/100 jpm (b8w), up to 50 ppm/100 jpm (color) Letter; Up to 47 ppm/94 ipm (b8w), up to 47 ppm/94 ipm (color) Art, Duplies: Up to 100 pm (b8w), up to 100 pm (b8	Scan input modes	Front panel applications: Copy, Fax; Scan to Email; Scan to Network Folder; Scan to USB; Scan to Job Storage; Open Extensibility Platform (OXP), HP Workpath Applications
Scans passed species. And Optimize test/picture: Image adjustments; lob build: Output quality setting: Selectable scan resolution 75 to 600 dpt Auto detect color: Edge Erase; lob notification: Blank page suppression; HP Quick Sets; 11 For Scan software, we support: Windows URC, RAWIMBMP, DPD, TIFF, PNC, RPD, Sear-Chable PDB, RTF, TXT) PDF, IPP, CP, TIFF, MTIFF; 11 For Scan software, we support: Windows URC, RAWIMBMP, DPD, TIFF, PNC, RPD, Sear-Chable PDB, RTF, TXT) PDF, PDF, PDF, Sear-Chable PDB, RTF, TXT) PDF, PDF, Sear-Chable PDB, RTF, TXT) PDF, PDF, PDF, Sear-Chable PDB, RTF, TXT) PDF, PDF, PDF, Sear-Chable PDB, RTF, TXT) PDF, PDF, PDF, PDF, PDF, PDF, PDF, PDF,	Scan Size	ADF: 8.5 x 34.0 in Maximum; 2.7 x 5 in Minimum; Flatbed: 8.5 x 14 in
Sammer advanced features Support, Windows (JPG, RAWIBSHP), DPE, TIFE, PING, RPT Sam of Mack (JPG, JPG-2000, TIFE, PING, PPK, Sam of Sammer, we support: Windows (JPG, RAWIBSHP), DPE, TIFE, PING, RPT Sam of Mack (JPG, JPG-2000, TIFE, PING, PPC, Searchable PDE, RTT, TYT) For Scan software, we support: Windows (JPG, RAWIBSHP), PDE, TIFE, PING, RPT and Mac (JPG, JPG-2000, TIFE, PING, PDE, Searchable PDE, RTT, TYT) For Scan software, we support: Windows (JPG, RAWIBSHP), PDE, TIFE, PING, RPT and Mac (JPG, JPG-2000, TIFE, PING, PDE, Searchable PDE, RTT, TYT) For Scan software, we support: Windows (JPG, RAWIBSHP), PDE, TIFE, PING, RPT and Mac (JPG, JPG-2000, TIFE, PING, PDE, Searchable PDE, RTT, TYT) For Scan software, we support: Windows (JPG, RAWIBSHP), PDE, TIFE, PING, RPT and Mac (JPG, JPG-2000, TIFE, PING, PDE, Searchable PDE, RTT, TYT) For Scan software, we support: Windows (JPG, RAWIBSHP), PDE, TIFE, PING, RPT, SEARCHARD (JPG, RAWIBSHP), PDE, SEARCHARD (JPG, RAWIBSHP), PDE, SEARCHARD (JPG, RAWIBSHP), PDE, SEARCHARD (JPG, RAWIBSHP), PDE, JPG, PDE, PDE, PDE, PDE, PDE, PDE, PDE, PDE	Scan speed ¹⁰	Up to 50 ppm/100 ipm (b&w), up to 50 ppm/100 ipm (color) Letter; Up to 47 ppm/94 ipm (b&w), up to 47 ppm/94 ipm (color) A4; Duplex: Up to 100 ipm (b&w), up to 100 ipm (color) Letter; Up to 94 ipm (b&w), up to 94 ipm (color) A4
Scan to Email; scan to network folder; scan to USB drive; scan to SharePoint; scan to FTP; scan to sFTP; scan to sFTP; scan to sFTP; scan to sfTP; scan to set of scan to present set of scan to	Scanner advanced features	Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Frase; Job notification; Blank page suppression; HP Quick Sets; ¹¹ For Scan software, we support: Windows (JPG, Pic, Pic, Pic, Pic, Pic, Pic, Pic, Pic
compression PDF; image adjustments (darkness, contrast, background deanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided III); erase edges; au compression PDF; image adjustments (darkness, contrast, background deanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided III); erase edges; au compression PDF; image adjustments (darkness, contrast, background deanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided III); erase edges; au compression PDF; image adjustment; but the Standard Standard PDF (book); and scan standard PD	Bit depth / Grayscale levels	24-bit / 256
Letter: Up to 45 cpm Black; Up to 45 cpm Color; A4: Up to 43 cpm Black; Up to 43 cpm Color; First copy out Letter: As fast as 8.5 sec Color; First copy out A4: As fast as 5.5 sec Black; As fast as 8.5 sec Color; First copy out A4: As fast as 5.5 sec Black; As fast as 8.5 sec Color; First copy out A4: As fast as 5.5 sec Black; As fast as 8.5 sec Color; First copy out A4: As fast as 5.5 sec Black; As fast as 8.5 sec Color; First copy out A4: As fast as 8.5 sec Color; F		compression PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided ID); erase edges; auto page
Z-sided Letters: Up to 45 ipm Black; Up to 45 ipm Cloir; Z-sided A4: Up to 43 ipm Black; Up to 43 ipm Cloir Copy resolution Color (text and graphics): Up to 600 x 600 dpi Maximum Number of Copies Up to 9999 copies Copier resize Z5 to 400% Book Copy; Booklet; Build Job; Collation; Color; Content orientation; Copy preview, Darkness control, Default Original Size; Edge Erase; Edge-to-Edge; ID Copy; Image adjustment; Job build; N or Z-ordering; Number of Copies; Noriginal Size; Original Size; Diginal Type, Paper Size; Paper Source, Paper type; Photo; Save Current Settings; Pisc (Face) Text/Photo; Tray Selection; Two-Sided copy; Watermark; reduce/lenlarge; Scan mode (book, Z-sided ID); Stamps, Image ov image shift; inage preview; Paper selection; Scan to job storage; Automatically strainghten; Automatically detect color/monochrome Fax Fax speed	Сору	
Maximum Number of Copies Up to 9999 copies Copier resize 25 to 400% Book Copy, Booklet; Build Job; Collation; Color; Content orientation; Copy preview; Darkness control; Default Original Size; Edge Erase; Edge-to-Edge; ID Copy; Image adjustment; Job build; N or Z-ordering; Number of Copies; Noriginal Size; Original Type; Paper Source; Paper type; Photo; Save Current Settings; Text, Text/Photo; Tray Selection; Two-sided copy; Watermark; reduce/enlarge; Scan mode (book, 2-sided ID); Stamps; Image ov Image shift; Image preview; Paper selection; Scan to job storage; Automatically strainghten; Automatically detect color/monochrome Fax Fax Fax resolution Black (best): Up to 33.6 kbps (with optional analog fax accessory) / Letter3 sec per page Fax resolution Black (best): Up to 300 x 300 dpi; Black (standard): 200 x 100 dpi Fax Features Pax memory: Up to 1000 pages; Auto fax reduction supported; Yes; Auto-redialing; Yes; Fax delayed sending; No; Distinctive ring detection supported; No; Fax forwarding supported; Yes (with optional analog fax accessory); Phone TAM interface supported. No; Fax polling supported; Yes; Auto-redialing; Yes; Fax delayed sending; No; Distinctive ring detection supported; Yes; Auto-redialing numbers: Up numbers; P. Cinterface supported. No; Fax polling supported; Yes; Auto-redialing; Yes; Fax delayed sending; No; Distinctive ring detection supported; Yes; Auto-redialing numbers: Up numbers; P. Cinterface supported. No; Fax polling supported; No; Tax telephone mode supported; No; Junk barrier supported; Yes, up to 30 numbers may be blocked; Maximum speed dialing numbers: Up numbers; P. Cinterface supported. Yes; Remote retrieval capability supported; No; Tax telephone mode supported; No; Junk barrier supported; Yes, up to 30 numbers may be blocked; Maximum speed dialing numbers: Up numbers; P. Cinterface supported. Yes; P. Cinterface supported. Yes; Auto-redialing numbers: Up numbers; P. Cinterface supported. Yes; Auto-redialing numbers: Up numbers; P. Cinterface supported. Yes; Auto-redi	Copy speed	Letter: Up to 45 cpm Black; Up to 45 cpm Color; A4: Up to 45 cpm Color; A4: Up to 43 cpm Black; Up to 45 c
Copier resize 25 to 400% Book Copy; Booklet; Build Job; Collation; Color; Content orientation; Copy preview; Darkness control; Default Original Size; Edge Erase; Edge-to-Edge; ID Copy; Image adjustment; Job build; N or Z-ordering; Number of Copies; Noriginal Size; Original Type; Paper Size; Paper Source; Paper type; Photo; Save Current Settings; Text; Pext/Photo; Tray Selection; Two-sided copy; Watermark; reduce/enlarge; Scan mode (book, Z-sided ID); Stamps; Image ov Image Shift; Image preview; Paper selection; Scan to job storage; Automatically strainghten; Automatically detect color/monochrome Fax Fax Speed Up tot/lip to 33.6 kbps (with optional analog fax accessory) / Letter/3 sec per page Fax resolution Black (best): Up to 300 x 300 dip; Black (standard): 200 x 100 dpi Fax memory: Up to 1000 pages; Auto fax reduction supported; Ves; Auto-redialing; Ves; Fax delayed sending; No: Distinctive ring detection supported: No; Fax forwarding supported: Yes (with optional analog fax accessory); Fax features by hone TAN Interface supported: No; Fax polling supported: Ves (poll to receive only); Fax telephone mode supported: No; Junk barrier supported: Yes, up to 30 numbers may be blocked; Maximum speed dialing numbers: Up numbers; PC interface supported: Yes; Remote retrieval capability supported: No; Telephone handset supported: No Connectivity Standard connectivity 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host); 1 Hi-Speed USB 2.0 (host); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2) Network capabilities Yes, via HP Jetdirect Ethernet embedded print server (standard) supports: 108ase-T, 1008ase-Ts, 1000Base-Ts, 1	Copy resolution	Color (text and graphics): Up to 600 x 600 dpi
Book Copy, Booklet; Build Job; Collation; Color; Content orientation; Copy preview, Darkness control; Default Original Size; Edge Erase; Edge-to-Edge; ID Copy; Image adjustment; Job build; N or Z-ordering; Number of Copies; Original Size; Original Type; Paper Size; Paper Source; Paper type; Photo; Save Current Settings; Text; Text/Photo; Tray Selection; Two-sided copy, Watermark; reduce/enlarge; Scan mode (book, Z-sided ID); Stamps; Image ov Image shift; Image preview; Paper selection; Scan to job storage; Automatically strainghten; Automatically detect color/monochrome Fax Fax speed* Up to:Up to:Up to:Up to: 30.6 kbps (with optional analog fax accessory) / Letter:3 sec per page Fax resolution Black (best): Up to: 30.0 x 30.0 dpi; Black (standard): 20.0 x 10.0 dpi Fax memory: Up to: 1000 pages; Auto fax reduction supported: Yes; Auto-redialing; Yes; Fax delayed sending; No; Distinctive ring detection supported: No; Fax forwarding supported: Yes (with optional analog fax accessory); phone TAM interface supported: No; Fax polling supported: Yes; Remote retrieval capability supported: No; Junk barrier supported: No; Junk barrier supported: Yes, up to 30 numbers may be blocked; Maximum speed dialing numbers: Up numbers; PC interface supported: Yes; Remote retrieval capability supported: No; Telephone handset supported: No; Junk barrier supported: Yes, up to 30 numbers may be blocked; Maximum speed dialing numbers: Up numbers; PC interface supported: Yes; Remote retrieval capability supported: No; Telephone handset supported: No; University of the Standard Connectivity 1. SuperSpeed USB 3.0 (device); 1. SuperSpeed USB 3.0 (host); 1. Hi-Speed USB 2.0 (host); 1. Gigabit Ethernet 10/100/1000T network; 1. Hardware Integration Pocket 2nd generation (HIP2) Yes, via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Ts, 1000Base-Ts, 802.3az (EEE) support on Fast Ethernet and Gigabit Ethernet; IPsec (standard); 802.11a/b/g/n wireless network (optional) Memory Standard: 6 GB, Maximum	Maximum Number of Copies	Up to 9999 copies
Original Size, Original Type; Paper Size; Paper Source; Paper type; Photo; Save Current Settings; Text; Text/Photo; Tray Selection; Two-sided copy; Watermark; reduce/enlarge; Scan mode (book, 2-sided iii); Stamps; Image over Image shift; Image preview; Paper selection; Scan to job storage; Automatically strainghten; Automatically detect color/monochrome Fax Features Black (best): Up to 33.6 kbps (with optional analog fax accessory) / Letter:3 sec per page Fax resolution Black (best): Up to 300 x 300 dpi; Black (standard): 200 x 100 dpi Fax memory: Up to 1000 pages; Auto fax reduction supported: Yes; Auto-redialing: Yes; Fax delayed sending: No; Distinctive ring detection supported: No; Fax forwarding supported: Yes (with optional analog fax accessory); phone TAM interface supported: Yes (poll to receive only); Fax telephone mode supported: No; Junk barrier supported: Yes, up to 30 numbers may be blocked; Maximum speed dialing numbers: Up numbers; PC interface supported: Yes; Remote retrieval capability supported: No; Telephone handset supported: No Connectivity Standard connectivity 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host); 1 Hi-Speed USB 2.0 (host); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2) Network capabilities Yes, via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-Tx, 100Base-Tx, 100Base-Tx, 802.3az (EEE) support on Fast Ethernet and Gigabit Ethernet; IPsec (standard); 802.11a/b/g/n wireless network (optional) Memory Standard: 6 GB, Maximum: 6 GB Processor speed 1.2 GHz Storage 16 GB encrypted eMMC (located on formatter board for stored jobs and solutions); 16 GB eMMC (located on engine main board for copy/scan functions) Hard disk: Standard, 32 GB eMMC; Optional, minimum 500 GB HDD; Optional 256 GB SSD	Copier resize	25 to 400%
Fax speed ⁴ Up to:Up to 33.6 kbps (with optional analog fax accessory) / Letter:3 sec per page Fax resolution Black (best): Up to 300 x 300 dpi; Black (standard): 200 x 100 dpi Fax memory: Up to 1000 pages; Auto fax reduction supported: Yes; Auto-redialing: Yes; Fax delayed sending: No; Distinctive ring detection supported: No; Fax forwarding supported: Yes (with optional analog fax accessory); phone TAM interface supported: No; Fax polling supported: Yes (poll to receive only); Fax telephone mode supported: Yes, Up to 30 numbers may be blocked; Maximum speed dialing numbers: Up numbers; PC interface supported: Yes; Remote retrieval capability supported: No; Telephone handset supported: No Connectivity Standard connectivity 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host); 1 Hi-Speed USB 2.0 (host); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2) Network capabilities (Yes, via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-T, 100Base-T, 802.3az (EEE) support on Fast Ethernet and Gigabit Ethernet; IPsec (standard); 802.11a/b/g/n wireless network (optional) Memory Standard: 6 GB, Maximum: 6 GB Processor speed 1.2 GHz Storage 16 GB encrypted eMMC (located on formatter board for stored jobs and solutions); 16 GB eMMC (located on engine main board for copy/scan functions) Hard disk: Standard, 32 GB eMMC; Optional, minimum 500 GB HDD; Optional 256 GB SSD	Copier settings	Book Copy; Booklet; Build Job; Collation; Color; Content orientation; Copy preview, Darkness control; Default Original Size; Edge Erase; Edge-to-Edge; ID Copy; Image adjustment; Job build; N or Z-ordering; Number of Copies; N-up; Original Size; Original Type; Paper Size; Paper Source; Paper type; Photo; Save Current Settlings; Text; Text/Photo; Tray Selection; Two-sided copy; Watermark; reduce/enlarge; Scan mode (book, Z-sided ID); Stamps; Image overlay; Image preview; Paper selection; Scan to job storage; Automatically detect color/monochroms
Back (best): Up to 300 x 300 dpi; Black (standard): 200 x 100 dpi Fax memory: Up to 1000 pages; Auto fax reduction supported: Yes; Auto-redialing: Yes; Fax delayed sending: No; Distinctive ring detection supported: No; Fax forwarding supported: Yes (with optional analog fax accessory); phene TAM interface supported: No; Fax polling supported: Yes (poll to receive only); Fax telephone mode supported: No; Junk barrier supported: Yes, up to 30 numbers may be blocked; Maximum speed dialing numbers: Up numbers; PC interface supported: Yes; Remote retrieval capability supported: No; Telephone handset supported: No Connectivity Standard connectivity 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host); 1 Hi-Speed USB 2.0 (host); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2) Network capabilities Yes, via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-T, 100Base-T, 802.3az (EEE) support on Fast Ethernet and Gigabit Ethernet; IPsec (standard); 802.11a/b/g/n wireless network (optional) HP ePrint; Apple AirPrint™; Mopria™ Certified; Roam optional; NFC Touch-to-print (optional) Memory Standard: 6 GB, Maximum: 6 GB Processor speed 1.2 GHz Storage 16 GB encrypted eMMC (located on formatter board for stored jobs and solutions); 16 GB eMMC (located on engine main board for copy/scan functions) Hard disk: Standard, 32 GB eMMC; Optional, minimum 500 GB HDD; Optional 256 GB SSD	Fax	
Fax Features Patures P	Fax speed ⁴	Up to:Up to 33.6 kbps (with optional analog fax accessory) / Letter:3 sec per page
phone TAM interface supported: No; Fax polling supported: Yes (poll for ecceive only); Fax telephone mode supported: No; Junk barrier supported: Yes, up to 30 numbers may be blocked; Maximum speed dialing numbers: Up numbers; PC interface supported: Yes; Remote retrieval capability supported: No; Telephone handset supported: No; Junk barrier supported: Yes, up to 30 numbers may be blocked; Maximum speed dialing numbers: Up numbers; PC interface supported: Yes; Remote retrieval capability supported: No; Telephone handset supported: No; Junk barrier supported: Yes, up to 30 numbers may be blocked; Maximum speed dialing numbers: Up numbers; PC interface supported: Yes; Remote retrieval capability supported: No; Telephone handset supported: No; Junk barrier supported: Yes, up to 30 numbers may be blocked; Maximum speed dialing numbers: Up numbers: U	Fax resolution	Black (best): Up to 300 x 300 dpi; Black (standard): 200 x 100 dpi
Standard connectivity 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host); 1 Hi-Speed USB 2.0 (host); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2) Yes, via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-T, 100Base-T, 802.3az (EEE) support on Fast Ethernet and Gigabit Ethernet; IPsec (standard); 802.11a/b/g/n wireless network (optional) Memory Standard: 6 GB, Maximum: 6 GB Processor speed 1.2 GHz Storage 16 GB encrypted eMMC (located on formatter board for stored jobs and solutions); 16 GB eMMC (located on engine main board for copy/scan functions) Hard disk: Standard, 32 GB eMMC; Optional, minimum 500 GB HDD; Optional 256 GB SSD	Fax Features	Fax memory: Up to 1000 pages; Auto fax reduction supported; Yes; Auto-redialing; Yes; Fax delayed sending; No; Distinctive ring detection supported: No; Fax forwarding supported: Yes (with optional analog fax accessory); Fax phone TAM interface supported: No; Fax polling supported: Yes (poll to receive only); Fax telephone mode supported: No; Junk barrier supported: Yes, up to 30 numbers may be blocked; Maximum speed dialing numbers: Up to 1000 numbers: Up to 10
Network capabilities Ves., via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-Tx, 100Base-Tx, 1000Base-Tx, 10	Connectivity	
Mobile printing capability HP ePrint; Apple AirPrint**; Mopria** Certified; Roam optional; NFC Touch-to-print (optional)	Standard connectivity	1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host); 1 Hi-Speed USB 2.0 (host); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2)
Memory Standard: 6 GB; Maximum: 6 GB Processor speed 1.2 GHz Storage 16 GB encrypted eMMC (located on formatter board for stored jobs and solutions); 16 GB eMMC (located on engine main board for copy/scan functions) Hard disk: Standard, 32 GB eMMC; Optional, minimum 500 GB HDD; Optional control of the processor	Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gigabit Ethernet; IPsec (standard); 802.11a/b/g/n wireless networking (optional)
Processor speed 1.2 GHz Storage 2.3 GHz	Mobile printing capability	HP ePrint; Apple AirPrint ^{ID} ; Mopria TM Certified; Roam optional; NFC Touch-to-print (optional)
Storage 16 GB encrypted eMMC (located on formatter board for stored jobs and solutions); 16 GB eMMC (located on engine main board for copy/scan functions) Hard disk: Standard, 32 GB eMMC; Optional, minimum 500 GB HDD; Optional 256 GB SSD	Memory	Standard: 6 GB; Maximum: 6 GB
Storage 256 GB SSD	Processor speed	1.2 GHz
Duty cycle (monthly) Letter: Up to 80,000 pages; A4: Up to 80,000 pages; Recommended monthly page volume: 2000 to 10000	Storage	16 GB encrypted eMMC (located on formatter board for stored jobs and solutions); 16 GB eMMC (located on engine main board for copy/scan functions) Hard disk: Standard, 32 GB eMMC; Optional, minimum 500 GB HDD; Optional, 256 GB SSD
, , , , , , , , , , , , , , , , , , ,	Duty cycle (monthly)	Letter: Up to 80,000 pages; A4: Up to 80,000 pages; Recommended monthly page volume: 2000 to 10000

HP Color LaserJet Enterprise MFP 5800dn Printer series

Model	HP Color LaserJet Enterprise MFP 5800dn Printer
Product number	60NZ9A
Paper handling	- Control of the Cont
Input	550-sheet input tray, 100-sheet multi-purpose tray, Up to 650 sheets Standard; Up to 10 envelopes
Output	Up to 250 sheets Standard
Duplex Options	Automatic
Auto document feeder capacity	Standard, 100 sheets; Duplex ADF scanning: Yes
Envelope feeder	No O
Standard paper trays	Standard: 2; Maximum: up to 5
Media types	Paper (plain, light, intermediate, light bond, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, extra heavy glossy, cardstock, card glossy), color transparency, labels, letterhead, envelope, preprinted, prepunched, colored, rough, opaque film, user-defined
Media weight	Tray 1: 16 to 58 lb (plain), 32 to 58 lb (glossy); Tray 2: 16 to 58 lb (plain), 32 to 58 lb (glossy); optional 550-sheet input trays: 16 to 58 lb (plain), 32 to 58 lb (glossy)
Media sizes	Tray 1: letter, legal, executive, statement, Oficio, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, envelopes (No. 9, No. 10, Monarch); Tray 2, optional 1x550-sheet feeders: letter, legal, executive, statement, Oficio, 4 x 6 in, 5 x 7 in, 5 x 8 in
Media Sizes Custom	Tray 1: 2.52 x 5 to 8.5 x 47.24 in; Tray 2, optional 1x550-sheet feeders: 4 x 5.83 to 8.5 x 14 in
Dimensions (W x D x H) ¹²	19.7 x 18.1 x 23.0 in; 547 x 460 x 583 mm; Maximum : 34.8 x 31.9 x 32.6 in; 885 x 810 x 828 mm
Weight	~83.6 lb; ~38 kg
What's in the box ¹	HP Color Laser Jet Multifunction Printer; HP Black Original Laser Jet Toner Cartridge (~7,000 yield), HP Cyan, Magenta and Yellow Original Laser Jet Toner Cartridges (~3,000 yield each) (toner cartridges installed); Documentation (Hardware Install Guide); Power cord
Replacement cartridges ²	W2130A HP 213A Black Original Laser let Toner Cartridge (~3,000 pages); W2131A HP 213A CyanOriginal Laser let Toner Cartridge (~3,000 pages); W2133A HP 213A Yellow Original Laser let Toner Cartridge (~3,000 pages); W2133A HP 213A High Yield Stapenta Original Laser let Toner Cartridge (~3,000 pages); W2133X HP 213X High Yield Stapenta Original Laser let Toner Cartridge (~6,000 pages); W2133X HP 213X High Yield Wagenta Original Laser let Toner Cartridge (~6,000 pages); W2133Y HP 213Y Extra High Yield Magenta Original Laser let Toner Cartridge (~18,000 pages); W2131Y HP 213Y Extra High Yield Magenta Original Laser let Toner Cartridge (~12,000 pages); W2131Y HP 213Y Extra High Yield Magenta Original Laser let Toner Cartridge (~12,000 pages); W2133Y HP 213Y Extra High Yield Magenta Original Laser let Toner Cartridge (~12,000 pages); W2133Y Extra High Yield Magenta Original Laser let Toner Cartridge (~12,000 pages); W2133Y Extra High Yield Magenta Original Laser let Toner Cartridge (~12,000 pages); W2133Y Extra High Yield Magenta Original Laser let Toner Cartridge (~12,000 pages); W2133Y Extra High Yield Magenta Original Laser let Toner Cartridge (~12,000 pages); W213Y Extra High Yield Magenta Original Laser let Toner Cartridge (~12,000 pages); W213Y Extra High Yield Magenta Original Laser let Toner Cartridge (~12,000 pages); W213Y Extra High Yield Magenta Original Laser let Toner Cartridge (~12,000 pages); W213Y Extra High Yield Magenta Original Laser let Toner Cartridge (~12,000 pages); W213Y Extra High Yield Magenta Original Laser let Toner Cartridge (~12,000 pages); W213Y Extra High Yield Magenta Original Laser let Toner Cartridge (~12,000 pages); W213Y Extra High Yield Magenta Original Laser let Toner Cartridge (~12,000 pages); W213Y Extra High Yield Magenta Original Laser let Toner Cartridge (~12,000 pages); W213Y Extra High Yield Magenta Original Laser let Toner Cartridge (~12,000 pages); W213Y Extra High Yield Magenta Original Laser let Toner Cartridge (~12,000 pages); W213Y Extra High Yield W21X Extra High Y
Orderable supplies	HP Laser Jet 110V Fuser Kit 52760A; HP Laser Jet 220V Fuser Kit 52761A; HP Laser Jet 110V Enhanced Fuser Kit 52766A; HP Laser Jet 220V Enhanced Fuser Kit 52767A; HP Laser Jet Image Transfer Belt 52768A; HP Laser Jet Image Transfer Belt Kit 52769A; HP Laser Jet Tray 2 Roller Kit 527H2A; HP Laser Jet MP Tray Roller Kit 527H3A; HP Laser Jet ADF Maintenance Kit 6H121A
Warranty features	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region.
Energy star certified	Yes
Energy efficiency compliance ³	CECP; IT ECO Declaration: Blue Angel; SEPA; EPEAT® Gold registered; KOECO
Control panel	8.0 in (20.3 cm) touchscreen with color graphics
Display	8.0 in (20.3 cm) Color Graphic Display (CGD) with touchscreen; rotating (adjustable angle)
Software included	No software solutions are included in the Box only on http://hp.com http://123.hp.com;
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript Level 3 emulation (Euro symbol bullt-in); 1 internal Unicode Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts
Compatible operating systems	Windows 11; Windows 10; Windows 7; Chrome OS; Citrix; Linux; macOS 12 Monterey; macOS 11 Big Sur; macOS 10.15 Catalina; Mobile OS; iOS; Android; Windows Client OS
Compatible network operating systems	Windows Server; SAP; Novell; UNIX; Citrix; Linux
Minimum system requirements	PC:2 GB available hard disk space; Internet connection; or USB port; Internet browser. For additional OS hardware requirements see microsoft.com;; Mac: 2 GB available hard drive space; Internet connection; or USB port; Internet browser. For additional OS hardware requirements see apple.com;
Power ⁹	Power supply type: Built in 110V or 220 V Power Supply (not dual voltage, power supply varies by part number with option code identifier); Power supply required: Input voltage: 100 to 127 VAC, 60 Hz, Input voltage: 200 to 240 VAC, 50 Hz (Not dual voltage, product varies by part number with # Option code identifier); Power consumption: 655 watts (Printing/Copying), 50.1 watts (Ready), 0.9 watts (Sleep), 0.09 watts (Manual Off); Typical electricity consumption (TEC) number: 0.552 kWh/week (Energy Star 3.0); 0.551 kWh/week (Blue Angel)
Acoustics	Acoustic power emissions: 6.3 B(A)
Operating environment	Operating temperature range: 50 to 91°F; Recommended operating temperature: 59 to 80.6°F; Storage temperature range: 4 to 104°F; Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 30 to 70% RH
Security management	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WIA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (luses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security locks lot; USB port disablement; hardware integration pocket for security solutions; Hardware-based Memory ShieldTM with Control Flow Integrity (FI) in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs,); Security management: Compatible with Device Security Syslog Messages processed and accessable in Arcsight and Splunk SIEMs

Data sheet | HP Color LaserJet Enterprise MFP 5800dn Printer series

- 1 For yield information on the cartridge(s) included with your printer, see https://www.hp.com/go/toneryield. Yield values measured in accordance with ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. Poclared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see https://www.hp.com/go/toneryield 3 EPEAT registration varies by country. See https://www.epeat.net for registration status by country.

 4 Based on Standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution take longer and use more memory.

 5 Measured using ISO/IEC 24734 Feature Performance Test, excludes first set of test documents. For more information see https://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity..
- complexity.

 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see https://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

 Measured using ISO/IEC 17629. For more information see https://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

 Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Blue Angel value typically based on measurement of 230V device.

 Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).

 Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

 For Scan software, we support: Windows (JPG, RAW(BMP), PDF, TIFF, PNG, RTF) and Mac (JPG, JPG-2000, TIFF, PNG, PDF, Searchable PDF, RTF, TXT)

- $^{\rm 12}$ Maximum dimensions means doors, paper trays, and ADF (if applicable) are fully open.

To learn more, visit hp.com