

GUC3C4HP

Dock Pro™ 60 USB-C 4K Station with Game+ Mode



- Dock a laptop, tablet, Android™ phone or Nintendo Switch™ via a single USB-C port
- Dock and work on a Samsung Galaxy Note® tablet via Samsung DeX® mode with a keyboard, mouse & monitor
- Connect an HDMI® display/TV to view content up to 4K UltraHD*
- Use as a portable Nintendo Switch dock while traveling
- Charge the host device with up to 60W of power delivery pass-through

One Dock for the Mobile Pro

Designed to expand your mobile work with Samsung DeX-compatible Samsung smartphones, tablets, Android 8.1+ devices, and Windows/Mac OS laptops and tablets, the Dock Pro 60 enlarges your view and supports 4K UHD displays, connects a keyboard and mouse, and charges your device.

One Dock for Apple Devices


Expand the functionality of your iPad with the latest iPadOS with support for a 4K UHD display, keyboard and mouse to take full advantage of the newest iPad's capabilities. The Dock Pro 60 is Thunderbolt 3 compatible enabling Mac users to connect for a full mobile workstation that fits in your pocket.

One Dock for the Mobile Gamer

Dock, charge with confidence, and view your Nintendo Switch game play on a display or TV while on the go. The Dock Pro 60's small form factor makes it the ideal travel companion for your Switch. Want a big screen game experience while traveling? Connect your Android smartphone to the Dock Pro 60 to play your mobile games on a hotel TV or conference room display!

h2.moreMargin { margin-top: 12px; } .row.margin-bottom { margin-bottom: 45px; }





Requirements

Package Contents

- Windows 10 (32/64 bit) and above **
- Mac OS X 10.12 and above **
- Android 7 and above
- iPad Pro 10.13 and above
- Mobile Desktop must be supported on Android device for extended screen; other Android devices support mirror mode

- 1x GUC3C4HP
- 1x 19 Inch (50cm) USB-C Cable
- 1x QSG
- 1x Warranty Card

**Laptops must support DP Alt mode via USB-C

Specifications

Function	GUC3C4HP	Dimensions	GUC3C4HP
Upstream Port		Unit Dimensions	
USB-C	USB 3.1 Gen 1, up to 5Gbps (detached)	Height	0.47" (1.2 cm)
Downstream Port		Depth	2.7" (6.9 cm)
HDMI	1.4b, up to 4K@30Hz resolution	Length	3.6" (9.2 cm)
USB-A	1x USB 2.0 and 1x USB 3.0	Inner Pack	
USB-C	Power Delivery only	Width	5.3" (13.5 cm)
Power		Height	9" (22.86 cm)
Power Delivery Pass-Thru	PD 2.0 / 60W (A total of up to 60W can be delivered to the connected laptop or tablet)	Length	9.2" (23.37 cm)
Power Consumption		Inner Pack Qty.	6 pcs
5V/1.5A (7.5W)		Unit Package Dimensions	
Operating System Requirements		Width	3.6" (9.1 cm)
Mac	Mac OSX 10.12 and above	Height	0.5" (1.27 cm)
Windows	Windows 10 (32/64 bit) and above	Length	2.7" (6.9 cm)
Android	Android 7 and above, with support of DP Alt Mode over USB-C	Master Carton	
Environment		Width	19.2" (48.8 cm)
Humidity	0?80% RH, Non-condensing	Height	10.2" (25.9 cm)
Operation Temperature	32 - 104°F (0?40°C)	Depth	22.8" (57.9 cm)
Storage Temperature	-4 - 140°F (-20?60°C)	Master Carton Qty.	48 pcs
		Weight	
		Master Carton Wt.	23.15 lbs (10.5 kg)
		Inner Pack Wt.	2.65 lbs (1.2 kg)
		Unit Pack Wt.	0.35 lbs (0.16 kg)