

# M11-8M

## USB/HDMI Document Camera



- 8MP Camera
- USB HDMI Connectivity
- USB 3.0 Powered
- UVC/UAC Compliant
- Built-in Annotation
- 3Yr Warranty

### Compact. Versatile. Ready to go!

The AVer M11-8M is the sleek and affordable document camera designed to meet the needs of changing learning environments. With HDMI and plug and play USB power and connectivity, the M11-8M is ready to share in the classroom or through many popular video conferencing platforms for distance learning.




### Distance Learning Ready

The M11-8M is UVC/UAC compliant with plug and play USB connectivity and features a built-in mic. It supports integration with all popular video conferencing applications such as Zoom, Google Hangouts and Microsoft Teams so you're ready to tackle distance learning.

### Smart Connectivity & Power

Powered by USB, with an additional HDMI connection it's quick and easy to power on, connect to PC or your external display! The M11-8M can connect to PCs, Chromebooks and Macs to suit your mixed computing needs.






### Compact design

The M11-8M has a sleek vertical design with a mechanical arm that collapses to less than 12 inches by 5 inches to maximize space in the classroom or on your desk at home. The smart swivel head provides 180 degree image rotation so you can capture objects from many angles with the document camera in place.

### Software is as simple as one touch

With our updated AVerTouch software for Windows and Mac, it's never been quicker and easier to go from set-up to show time. Build and edit new creative content with powerful multitasking and editing tools and save to the Cloud with a simple click. The M11-8M also works with our trusted Sphere Lite software on Chrome.



### Strong clarity and versatility

The 8MP camera outputs video with 1080p at 60 fps to give you all you need to share content in the classroom or online. The built-in annotation capability with a mouse via HDMI opens creativity and important information highlights in your lessons!



## Specifications

Image					
Sensor	1/3.06" CMOS sensor	Pixel count	8MP	Frame rate	Max.60fps (display)
Output resolution	3168x2376@8 fps(USB), 1920x1080@60fps(HDMI,USB), 1280x720(USB,HDMI), 1024x768(USB), 800x600(USB), 640x480(USB), 720x480(HDMI)			Image rotation (FW)	0/180
Image mirror/freeze	On/Off (default: off)	Image white balance/exposure	Auto/manual	Image brightness/contrast/saturation	Manual
Preview mode	Normal/motion/high quality	Playback	Yes	PIP/PBP	Yes
Optics/Mechanism					
Lens rotation (MD)	Right:90°, left:90°, up:90°, down:45°	Lens F-number	2.0	Shooting area	A3, 16.53" x 12.4" (420mm x 315mm)
Zoom	20X digital zoom	Pan	Yes	Focus	Auto

Input/Output Connections					
<b>HDMI out</b>	1 (support display), 1080p	<b>USB-A port</b>	USB disk (FAT32, 32GB)	<b>USB-mini port</b>	1 (mini USB, data change to PC, 480Mbps)
<b>Built in mic</b>	Yes	<b>SD card slot</b>	1 (micro SD card, FAT32, 32GB)	<b>Image rotation (FW)</b>	0/180
Function					
<b>OSD</b>	Yes				
<b>Debugging mode</b>	Enable/disable debugging mode to capture log file for troubleshoot (default : off)	<b>FW update</b>	Can update fw by SW	<b>Microscope adapter</b>	N/A
Compatibility					
<b>USB UVC/UAC compliant</b>	Yes	<b>Support SW</b>	AVerTouch: Windows/MAC Sphere Lite: Chrome		
<b>Operating systems (computer)</b>	Windows 7, 10; Mac OS 10.13 or above; Chrome OS 75 or above			<b>Operating systems (tablet)</b>	iOS 11 or above/Android 5.0 or above
Indication					
<b>Power indication</b>	1				
Accessories					
<b>Cable</b>	USB cable (1.5M)	<b>QR code sheet</b>	Yes		
Internal Storage					
<b>Storage for temporary data</b>	120 pictures				
External Storage					
<b>USB flash drive</b>	Support FAT32, 32GB	<b>SD card</b>	Up to 32GB		
Lighting					
<b>Light source</b>	Embedded LED lamp 0.5W				
Others					
<b>Net dimension</b>	Operation (A3 shooting area), 14.19" x 4.59" x 11.94" (360.4mm x 116.7mm x 303.4mm) (H*W*D) Folded: 11.66" x 4.59" x 5.63" (296.1mm x 116.7mm x 143.1mm) (H*W*D)				
<b>Net weight</b>	1.83lbs + 0.66/-0.66lbs (0.83kg + 0.3/-0.3kg)	<b>Dimension (with package)</b>	14.25" x 5.98" x 5.67" (L*W*H)	<b>Gross weight (with package)</b>	2.86lbs (1.3kg)
<b>Power Source</b>	mini-USB in, 5V/0.9A	<b>Power consumption</b>	Lamp on: 4W max Lamp off: 3.5W max	<b>Warranty card</b>	3 years
<b>Quick guide</b>	English, Chinese_TC, Japanese, German, French, Italian, Spanish (Via QR code)		<b>Language</b>	English, Chinese_TC, Chinese_SC, Japanese, German, Italian, French, Spanish, Finnish, Polish, Russian, Indonesia	

Note: Specifications subject to change without notice



AVer Information Inc. Americas averusa.com. 668 Mission Court, Fremont, CA 94539

T:408.263.3828 F:408.263.8132 Toll free:1.877.528.7824

©Copyright 2020, AVer Information Inc. All rights reserved. Specifications subject to change without notice.