

# 16-Port PS/2 USB Combo KVM with 17" Rack Mount LCD Bundle

GCL1716



- Integrated KVM console featuring a 17" LCD monitor , keyboard and touchpad
- 1024 x 768 resolution on 17" rack mount LCD provides a sharp video display
- Adjustable depth to fit different sizes of racks
- Multi platform OS support - Windows®, Mac, Sun Solaris™ , and Linux®
- Easy to operate - computer selection via front panel LED's, intuitive OSD (on screen display), and hotkeys
- \*Cascade up to 2 levels - control up to 256 computers from a single console
- Security - 2 level password protection for OSD
- Maximum video resolution: up to 2048 x 1536

- \*\* Front USB Port - Fully compliant with USB 1.1 for system upgrades and shared peripherals
- Rack mountable in a 19" (1U) system rack
- Custom ASIC provides an auto-sensing function that recognizes the position of each station on the installation
- Fully Supports DDC2B

\*(Firmware update is now available at <http://www.iogear.com/support/dm/>)

\*\* Only systems connected with the USB KVM cables will be able to access the front USB port for system upgrades and shared peripherals.


IOGEAR's new 16- port KVM and LCD KVM console bundle offers a space-saving, streamlined approach to IT environments by integrating a keyboard, 17" LCD monitor, and touchpad in one unit. The 16-port KVM is bundled as the additional tool to manage the servers.

The LCD display is built into the cover; the keyboard and touchpad are built into the base. Setup is fast and easy. There is no software to configure, no installation routines, and no incompatibility problems. Slide the console module section out; flip the cover up; and you are ready to go to work. When finished, flip the cover down and slide the console module back into the rack.

The bundled IOGEAR KVM GCS1716 allows you to manage all sixteen (16) computers with a single keyboard, monitor and mouse. Just think of the time, space and money you'll save. The capacity can be increased to control up to 256 computers by cascading with additional GCS1716s.

Many other features are included in this bundle, such as: built-in Auto-Scan mode lets you conveniently monitor every attached computer for a specified amount of time, while our On Screen Display technology allows you to assign a unique name to each computer and access it via a slick, menu-driven interface. For further convenience and flexibility, the LCD drawer also supports an external keyboard, monitor, and mouse console, which allows a second user to take control of the KVM either remotely or locally. (Remote operation requires additional equipment).

# 16-Port PS/2 USB Combo KVM with 17" Rack Mount LCD Bundle



## Requirements:

Computers with PS/2 or serial mouse\* connections, or PS/2 connections, and a VGA connection

\*Additional serial to PS/2 adapter required

\*Additional USB to PS/2 adapter required for Mac support

## Package Contents:

- 1 x 17" Rack Mount LCD
- 1 x GCS1716, 16-Port Combo KVM w/ Standard Rack Mounting Kit
- 2 x Custom KVM cable sets (1 USB & 1 PS/2)
- 1 x Console cable
- 1 x Firmware upgrade cable
- 1 x Grounding wire
- 1 x Foot pad set (4 pads)
- 1 x Power adapter
- 1 x User manual
- 1 x Warranty card

# 16-Port PS/2 USB Combo KVM with 17" Rack Mount LCD Bundle

## SPECIFICATIONS

Function		Dimensions	
Computer Connections		Unit Package Dimensions	
Direct	16	Width	30.5in.
Daisy Chain or Cascading	256 (via Cascade)	Height	6.75in.
Port Selection	Hotekys, OSD, Button	Depth	37.5in.
Connectors		Weight	
Console	1 x SPHD-18 Male (Yellow)	Unit Pack Wt.	52lb
Computer/KVM	16 x SPHD-15 Female (Yellow)		
Power	1 x DC Jack		
USB	1 x USB 1.1 Type A Female		
Reset Switch	1 x Semi-Recessed Push Button		
Switches			
F/W Upgrade	1 x Slide Switch		
Port Selection	16 x Push Button		
Emulation			
Keyboard	PS/2, USB		
Mouse	PS/2, USB		
Video Resolution	VGA 2048x1536, DDC2B (for KVM); 1024x768 (for LCD)		
Power			
Voltage	DC 5.3V		
Amps	2.4A		
Scan Interval	1-255 sec		
Environment			
Operation Temperature	0-50C		
Storage Temperature	-20-60C		
Humidity	0-80% RH, Non-condensing		
Housing			
Case	Metal		