

# Product data sheet

Specifications



## Battery Manager Current Sensor

AP9920CS



⚠ To be discontinued on: Dec 31, 2030

⚠ To be discontinued

### Overview

Lead time	Usually Ships within 4 Weeks
-----------	------------------------------

### Main

Provided Equipment	Installation guide
--------------------	--------------------

### Physical

Color	Blue Gray
Height	6.7 in (17.1 cm)
Width	3.4 in (8.6 cm)
Depth	3.3 in (8.3 cm)
Net Weight	1.85 lb(US) (0.84 kg)
Mounting preference	No preference
Mounting Mode	Not rack-mountable

### Environmental

Ambient Air Temperature for Operation	23.0000000000...113.0000000000 °F (-5...45 °C)
Operating altitude	0...10000 ft
Ambient Air Temperature for Storage	-13.0000000000...149.0000000000 °F (-25...65 °C)
Storage altitude	0...30000 ft (0.0000000000...9144.0000000000 m)

### Ordering and shipping details

GTIN	731304221432
------	--------------

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	9.3 in (23.5 cm)
Package 1 Width	5.6 in (14.3 cm)
Package 1 Length	3.5 in (8.9 cm)
Package 1 Weight	2.235 lb(US) (1.014 kg)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

# Contractual warranty

Warranty	2 year (manufacturer's defect)
----------	--------------------------------

Sustainability



**Green Premium™ label** is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)




Take-back   Transparency   RoHS/REACH

Resource performance

 Take-Back Program Available

Well-being performance

 Lead Free

Certifications & Standards

Reach Regulation	<a href="#">REACH Declaration</a>
Eu Rohs Directive	Compliant <a href="#">EU RoHS Declaration</a>
Environmental Disclosure	<a href="#">Product Environmental Profile</a>
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.
Circularity Profile	<a href="#">End of Life Information</a>