

# Product data sheet

Specifications



## UPS Communications Cable Simple Signalling USB to RJ45

AP9827

Product availability: Stock - Normally stocked in distribution facility

### Overview

Lead time Usually in Stock

### Main

Cable length 6 ft (1.8 m)

Number of cables 1

### Physical

Color Black

Net Weight 1.01 lb(US) (0.46 kg)

Mounting Location Front

Mounting Mode Not rack-mountable

Connector B USB 2.0 type A

Connector A RJ45

### Output

Number of port 0

### Environmental

Storage Relative Humidity 0...95 %

Storage altitude 0...50000 ft (0.0000000000...15240.0000000000 m)

Ambient Air Temperature for Operation 32...113 °F (0...45 °C)

Relative Humidity 0...95 %

Operating altitude 0...10000 ft

Ambient Air Temperature for Storage 5...113 °F (-15...45 °C)

### Ordering and shipping details

Category 80230-IG SEBA TO SEUSA

Discount Schedule BMS1

GTIN 731304202998

Returnability No

Country of origin PH

### Packing Units

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

<b>Unit Type of Package 1</b>	PCE
<b>Number of Units in Package 1</b>	1
<b>Package 1 Height</b>	9.02 in (22.9 cm)
<b>Package 1 Width</b>	2.008 in (5.1 cm)
<b>Package 1 Length</b>	4.02 in (10.2 cm)
<b>Package 1 Weight</b>	1.01 lb(US) (0.46 kg)

## Contractual warranty

<b>Warranty</b>	2 years repair or replace
-----------------	---------------------------

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Energy Efficient Take-back Transparency RoHS/REACH

## Resource performance

 Energy Efficient Product

 Take-Back Program Available

## Certifications & Standards

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Compliant

[EU RoHS Declaration](#)

Environmental Disclosure

[Product Environmental Profile](#)

Weee

The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Circularity Profile

[End of Life Information](#)

California Proposition 65

WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)