

Product data sheet

Specifications



APC NetShelter Rack PDU Advanced, Metered, 7.4kW, 1Phase, 230V, 32A, 332P6, 40 Outlets

APDU10150ME

Overview

Lead time Usually in Stock

Main

Colour Black

product or component type PDU

PDU type Metered

Cord length 9.8 ft (3.0 m)

Complementary

Input Voltage 230 V 1 phase

Height 58.7 in (149.0 cm)

Width 2.2 in (5.6 cm)

Output Voltage 230 V

Depth 3.0 in (7.5 cm)

net weight 13.7 lb(US) (6.2 kg)

mounting location Side

Mounting preference No preference

Input Plug Type IEC 60309 32 A 2P + PE

mounting mode Rack-mounted

Rack units 0U

Mounting position Vertical

Communication port protocol 1000BASE-T
10/100BASE-T

[In] rated current 32 A

Permissible voltage 200...240 V

Input current limits 32 A

Load capacity 7400 VA

Network frequency 50/60 Hz

Outlet type and quantity 20 C13/C15/C19/C21
20C13/C15

Environment

Product certifications	TAA compliance UKCA
Standards	CE EN 62368-1
Ambient air temperature for operation	23.0000000000...140.0000000000 °F (-5...60 °C)
Relative humidity	5...95 %
Operating altitude	0...10000 ft
Ambient air temperature for storage	-13.0000000000...149.0000000000 °F (-25...65 °C)
Storage Relative Humidity	5...95 %
Storage altitude	0...50000 ft (0.0000000000...15240.0000000000 m)

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	67.7 in (172 cm)
Package 1 Width	4.6 in (11.6 cm)
Package 1 Length	8.2 in (20.8 cm)
Package 1 Weight	18.08 lb(US) (8.2 kg)

Contractual warranty

Warranty	3 years repair or replace
-----------------	---------------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

Reach Free Of Svhc

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Compliant
[EU RoHS Declaration](#)

China Rohs Regulation [China RoHS declaration](#)
Pro-active China RoHS declaration (out of China RoHS legal scope)

Environmental Disclosure [Product Environmental Profile](#)

Weee The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Circularity Profile [End of Life Information](#)