



AP9551



Lead time Usually in Stock

### Main

Color	Black	
Product or Component Type	PDU	
PDU Type	Basic	
Cord length	12 ft (3.7 m)	
Number of cables	1	
Provided Equipment	Rack Mounting brackets Toolless Mounting Kit User Manual	

## Complementary

Input Voltage	100 V 120 V
Height	24.02 in (61 cm)
Width	1.65 in (4.2 cm)
Output Voltage	120 V
Depth	1.7 in (4.4 cm)
Net Weight	4.9 lb(US) (2.2 kg)
Mounting Location	Side
Mounting preference	No preference
Input Plug Type	NEMA L5-20P
Mounting Mode	Rack-mounted
Rack units	0U
Mounting position	Vertical
Line Rated Current	16 A
Acceptable Input Voltage	90132 V
Max line current	20 A
Input current limits	20 A
Load Capacity	1920 VA
Input Frequency	50/60 Hz
Outlet type and quantity	14 NEMA 5-15R

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

## **Environment**

Product Certifications	cUL Listed CSA	
	UL Listed	
	OE EISTER	
Ambient Air Temperature for Operation	32113 °F (045 °C)	
Relative Humidity	095 %	
Operating altitude	010000 ft	
Ambient Air Temperature for Storage	-13149 °F (-2565 °C)	
Storage Relative Humidity	095 %	
Storage altitude	050000 ft (0.000000000015240.0000000000 m)	

# Ordering and shipping details

GTIN	731304021247	
Country of origin	IN	

## **Packing Units**

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	25.5 in (64.8 cm)	
Package 1 Width	6.0 in (15.2 cm)	
Package 1 Length	7.008 in (17.8 cm)	
Package 1 Weight	6.44 lb(US) (2.92 kg)	

## **Contractual warranty**

Warranty 2 years repair or replace



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >









Energy Efficient Take-back Transparency RoHS/REACh

#### Resource performance

**9** E

**Energy Efficient Product** 



Take-Back Program Available

#### Well-being performance



Lead Free

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information