SureLab SL-D500



DATASHEET / BROCHURE



The SL-D500 is a compact, lightweight and portable photo production printer, for 10x15cm simplex and duplex photos, calendars and cards.

The SL-D500 is ideal for photo retailers, copy shops, designers and artists, as well as events, hospitality and photo box markets. This compact and lightweight production printer is space-efficient, portable and stackable. It produces the same high-quality images as the SL-D1000(A) and is ideal for the production of 10x15cm simplex and duplex photos, calendars and cards.

Compact, lightweight and portable
The SL-D500 features a small footprint and is the lightest and most compact SureLab printer in the Epson range. This is particularly useful when the printer needs to be transported to an event or moved to a different location onsite.

Seamless integration
As the SL-D500 is compact and lightweight, up to three printers can be stacked to form a production tower to improve productivity. It can also work seamlessly alongside Epson DTG, signage and LFP printers.

Enhanced connectivity
This photo production printer includes USB, LAN and Wi-Fi connectivity for ease of use. Epson Cloud Solution PORT and Order Controller also support the SL-D500.

More sustainable solution
The SL-D500 has been designed to minimise the environmental impact: compact and lightweight, reduced energy consumption per print, and a heat-free system.

KEY FEATURES

- **Compact and stackable design**
  Fits seamlessly into most work environments
- **Connectivity**
  USB, LAN and Wi-Fi
- **Integration**
  Works alongside other SureLabs, Epson DTG, signage and LFP printers
- **Reduced user intervention**
  70ml CISS ink system. 100 sheet ASF
- **Vibrant, high-quality images**
  10x15cm simplex and duplex photos, calendars and cards

EPSON®

PRODUCT SPECIFICATIONS

PRINT TECHNOLOGY	
Printing Method	Epson Micro Piezo drop-on-demand inkjet technology, High-performance print head technology designed for robust printing environments, Variable Sized Droplet Technology
Minimum Droplet Size	With Variable-Sized Droplet Technology
Print Speed - Standard [prints/h]	180 - 10 x 15 cm (4 x 6 ")
Max. Print speed	250 - 4x6" (10x15cm) Prints/h
INK	
Ink Technology	Ultrachrome® D6r-S
Ink Set	6 colours
Available Colours	Black, Cyan, Light Cyan, Light Magenta, Magenta, Yellow
Ink volume per colour	70 ml
MEDIA	
Media Handling	Auto Sheet Feeder (Simplex, Duplex)
Print Size (Duplex Feeder)	9 cm x 13 cm to 10 cm x 15 cm , 3,5 inches x 5 inches to 4 inches x 6 inches
Borderless printing on	102x152mm (4x6")
GENERAL	
Environmental Conditions - Temperature	Operating: 10 - 35 °C (except Matte), Storage: -20 - 40 °C
Environmental Conditions - Humidity	Operating 20 - 80 % (except Matte, no condensation), Storage 5 - 85 % (no condensation)
Power Consumption	Operating (approx.)18 W Ready Mode (approx.)4 W
Available Software	Printer Driver (standard bundling), System Application (standard bundling), Order Controller (optional), Epson Cloud Solution Port
Interfaces	Hi-Speed USB - compatible with USB 2.0 specification, Ethernet interface (100 Base-TX / 10 Base-T), Wireless LAN IEEE 802.11b/g/n
Noise Level	Operating (Sheet):46 dB (A)
Product dimensions	299 x 350 x 154 mm (Width x Depth x Height)
Product dimensions with tray	299 x 400 x 154 mm (Width x Depth x Height)
Installation Space (Footprint)	299 x 400 mm (Width x Depth); 0,12 m_2
Product weight	7 kg without media and ink
Product Life	100.000 prints in 10 x 15 cm
Available Apps	Epson SmartPanel, Epson Connect Service, Mopria Print Service, Epson iPrint
Controlpanel	Color, Diagonal1 inch
Device Security	Kensington lock connection
PRODUCT SAFETY	
Product Safety Warnings	Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction. Contains 2,4,7,9-tetramethyldec-5-yne-4,7-diol. May produce an allergic reaction. Always follow the information on the product label.
OTHER	
Warranty	36 months Carry in Optional warranty extension available

PRODUCT SPECIFICATIONS

PRINT TECHNOLOGY	
Printing Method	Epson Micro Piezo drop-on-demand inkjet technology, High-performance print head technology designed for robust printing environments, Variable Sized Droplet Technology
Minimum Droplet Size	With Variable-Sized Droplet Technology
Print Speed - Standard [prints/h]	180 - 10 x 15 cm (4 x 6 ")
Max. Print speed	250 - 4x6" (10x15cm) Prints/h
INK	
Ink Technology	Ultrachrome® D6r-S
Ink Set	6 colours
Available Colours	Black, Cyan, Light Cyan, Light Magenta, Magenta, Yellow
Ink volume per colour	70 ml
MEDIA	
Media Handling	Auto Sheet Feeder (Simplex, Duplex)
Print Size (Duplex Feeder)	9 cm x 13 cm to 10 cm x 15 cm , 3,5 inches x 5 inches to 4 inches x 6 inches
Borderless printing on	102x152mm (4x6")
GENERAL	
Environmental Conditions - Temperature	Operating: 10 - 35 °C (except Matte), Storage: -20 - 40 °C
Environmental Conditions - Humidity	Operating 20 - 80 % (except Matte, no condensation), Storage 5 - 85 % (no condensation)
Power Consumption	Operating (approx.)18 W Ready Mode (approx.)4 W
Available Software	Printer Driver (standard bundling), System Application (standard bundling), Order Controller (optional), Epson Cloud Solution Port

Interfaces	Hi-Speed USB - compatible with USB 2.0 specification, Ethernet interface (100 Base-TX / 10 Base-T), Wireless LAN IEEE 802.11b/g/n
Noise Level	Operating (Sheet):46 dB (A)
Product dimensions	299 x 350 x 154 mm (Width x Depth x Height)
Product dimensions with tray	299 x 400 x 154 mm (Width x Depth x Height)
Installation Space (Footprint)	299 x 400 mm (Width x Depth); 0,12 m_2
Product weight	7 kg without media and ink
Product Life	100.000 prints in 10 x 15 cm
Available Apps	Epson SmartPanel, Epson Connect Service, Mopria Print Service, Epson iPrint
Controlpanel	Color, Diagonal1 inch
Device Security	Kensington lock connection

PRODUCT SAFETY

Product Safety Warnings	Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction. Contains 2,4,7,9-tetramethyldec-5-yne-4,7-diol. May produce an allergic reaction. Always follow the information on the product label.

OTHER

Warranty	36 months Carry in Optional warranty extension available

LOGISTICS INFORMATION

SKU	C11CK56301BX
EAN code	8715946710044
Country of Origin	Philippines
Layer	2 Units

SureLab SL-D500

WHAT'S IN THE BOX

- Power cable
- Printer
- CD Manual
- Driver and Utilities (CD)
- Setup guide
- Maintenance Tank

SUPPLIES

- T54C Black SURELAB SL-D500
- T54C Light Magenta SURELAB SL-D500
- T54C Cyan SURELAB SL-D500
- T54C Magenta SURELAB SL-D500
- T54C Yellow SURELAB SL-D500
- T54C Light Cyan SURELAB SL-D500
- SureLab Photo Paper Gloss-DS(225) 10cmx15cm 800sheets
- SureLab Photo Paper Gloss-DS(190) 10cmx15cm 800sheets
- SureLab Photo Paper Luster-DS(225) 10cmx15cm 800sheets
- SureLab Photo Paper Luster-DS(190) 10cmx15cm 800sheets
- SureLab Photo Paper Gloss (250) 10cmx15cm 400sheets
- SureLab Photo Paper Luster (250) 10cmx15cm 400sheets
- SureLab Photo Paper Gloss (250) 9cmx13cm 400sheets
- SureLab Photo Paper Luster (250) 9cmx13cm 400sheets
- Roller Assembly Kit SL-D500

● WF-78xx / ET-58xx / ET-166xx / L65xx / L151xx Maintenance Box C12C934591

Epson Deutschland GmbH
Schiessstraße 49
D-40549 Düsseldorf
Info-Line: 02159 92 79 500
Telefax: +49 (0) 211 54229-001
www.epson.de

Epson in Österreich
Info-Line: 01 253 49 78 333
www.epson.at
Epson in der Schweiz
Info-Line: 022 592 7923
www.epson.ch

Alle Marken und eingetragenen Warenzeichen sind das Eigentum der Seiko Epson Corporation oder der jeweiligen Rechteinhaber.
Diese Produktinformationen können ohne vorherige Ankündigung geändert werden.

EPSON®