





# NetShelter 4 Post Open Frame Rack 44U Square Holes

AR203A

### Overview

Lead time Usually in Stock

### Main

Number of rack unit	44U
Provided equipment	Installation guide

## **Physical**

Colour	Black
Height	83.9 in (213 cm)
Width	23.6 in (60 cm)
Depth	29.4 in (74.7 cm)
net weight	89.09 lb(US) (40.41 kg)
mounting location	Front Rear
Mounting preference	No preference
mounting mode	Not rack-mountable
Maximum mounting depth	29.13 in (73.99 cm)
minimum mounting depth	29.13 in (73.99 cm)
rack width	19"
Permanent permissible load	2000 lb(US) (907.2 kg) static

### **Conformance**

Standards	EIA-310E	
Glandarus	EIA-3 IUE	

## **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	82.008 in (208.3 cm)
Package 1 Width	4.4 in (11.3 cm)
Package 1 Length	10.000000000 in (25.4 cm)
Package 1 Weight	89.99 lb(US) (40.82 kg)

### **Contractual warranty**

Warranty

5 year repair or replace



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >







Take-back Transparency RoHS/REACh

### Resource performance



Take-Back Program Available

### Well-being performance

✓ Reach Free Of Svhc
 ✓ Toxic Heavy Metal Free
 ✓ Mercury Free
 ✓ Rohs Exemption Information

### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information