

Product data sheet

Specifications



Rack PDU, Basic, Zero U, 32A, 230V, (20)C13 & (4)C19

AP7553

Overview

Lead time Usually in Stock

Main

| | |
|---------------------------|---|
| Colour | Black |
| Product or component type | PDU |
| PDU type | Basic |
| Cord length | 3.05 m |
| Number of cables | 1 |
| Provided equipment | Installation guide Rack mounting brackets Toolless mounting kit |

Complementary

| | |
|--------------------------|-------------------------------------|
| Input Voltage | 200 V 208 V 230 V |
| Height | 161.9 cm |
| Width | 5.6 cm |
| Output Voltage | 230 V |
| Depth | 4.4 cm |
| Net weight | 5.57 kg |
| Mounting location | Side |
| Mounting preference | No preference |
| Input Plug Type | IEC 60309 32 A 2P + E |
| Mounting mode | Rack-mounted |
| Rack units | 0U |
| Mounting position | Vertical |
| Input current limits | 32 A |
| Load capacity | 7400 VA |
| Network frequency | 47...63 Hz |
| Outlet type and quantity | 20 IEC 60320 C13 4 IEC 60320 C19 |

Environment

| | |
|--|-----------------------------------|
| Product certifications | CE VDE |
| Ambient air temperature for operation | 0...45 °C |
| Relative humidity | 0...95 % |
| Operating altitude | 0...10000 ft |
| Ambient air temperature for storage | -25...65 °C |
| Storage Relative Humidity | 0...95 % |
| Storage altitude | 0.0000000000...15240.0000000000 m |

Packing Units

| | |
|-------------------------------------|----------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 212.1 cm |
| Package 1 Width | 15.2 cm |
| Package 1 Length | 12.7 cm |
| Package 1 Weight | 6.466 kg |

Contractual warranty

| | |
|-----------------|---------------------------|
| Warranty | 2 years repair or replace |
|-----------------|---------------------------|

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)




Energy Efficient Take-back Transparency RoHS/REACH

Resource performance

 Energy Efficient Product

 Take-Back Program Available

Well-being performance

 Lead Free

Certifications & Standards

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Compliant

[EU RoHS Declaration](#)

Environmental Disclosure

[Product Environmental Profile](#)

Weee

The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Circularity Profile

[End of Life Information](#)