# WorkForce Pro WF-C579RDWF



# Our latest A4 RIPS MFD delivers fast print, scan and copy speeds with a smaller footprint, low TCO and low environmental impact.

Increase your business productivity with less intervention, a fast first page out time, and secure printing rules and workflow processes, all while reducing your printing costs and environmental impact. High ink yields of up to 50,000 pages in black and 20,000 in colour, fast duplex scanning speeds, and a wide-range of workflow solutions for businesses make this a powerhouse for offices.

# Low running costs

High ink yields lower the need to order and replace supplies frequently, and help to deliver predictable print costs and a competitive Total Cost of Ownership (TCO). Also, inkjet technology with fewer replacement parts, lowers the hidden costs of servicing and intervention.

#### High productivity

A fast First Page Out Time (FPOT) of 4.8 secs in black and 5.3 secs in colour from ready mode, print speeds of up to 24ppm in colour and mono (ISO speed), and a fast duplex scan speed of 60ipm help to keep productivity high. An improved durability of 240k pages helps print more for longer. A maximum paper capacity of 1,330 sheets means less time spent refilling.


#### Low environmental impact

In addition to speeding up printing, the lack of heat needed by our inkjet technology also helps to cut the environmental impact of print by providing a low power solution with fewer supplies. The high ink yield means less waste from supplies, and you can rest assured from a lack of toner dust and ozone gas emissions.

#### Built for business

It's compatible with a wide-range of solutions. Boost productivity and monitor print usage via server-based Epson Print Admin; control, analyse and manage your printer fleet with Epson Device Admin; or manage advanced push scan functions with Document Capture Pro. Benefit from our partner solutions like Nuance, PaperCut and Y Soft that can be adapted to meet specific business needs.

# DATASHEET / BROCHURE



# **KEY FEATURES**

- Low running costs Benefit from a low Total Cost of Ownership
- Fast FPOT 4.8secs in black and 5.3 secs in colour from ready mode
- High scan speeds 60ipm single-pass duplex ADF
- Lower your environmental impact Low energy consumption reduces CO2 footprint, no ozone gas emissions
- Use with a wide range of solutions Print and scan management software



# PRODUCT SPECIFICATIONS

TECHNOLOGY		
Printing Method	PrecisionCore™ Print Head	
Nozzle Configuration	800 Nozzles Black, 800 Nozzles per Color	
Minimum Droplet Size	3.8 pl, With Variable-Sized Droplet Technology	
Ink Technology	Replaceable Ink Pack System (RIPS)	
Category	Office Workgroup	
All-in-One Functions	Print, Scan, Copy, Fax	
PRINT		
First Page Out	Monochrome 4.8 Seconds, Colour 5.3 Seconds	
Printing Speed ISO/IEC 24734	4 24 pages/min Monochrome, 24 pages/min Colour	
Duplex Printing Speed ISO/IEC 24734	15 A4 Pages/min Monochrome, 15 A4 Pages/min Colour	
Maximum Printing Speed	34 pages/min Monochrome (plain paper 75 g/m²), 34 pages/min Colour (plain paper 75 g/m²)	
Printing Resolution	4,800 x 1,200 DPI	
Printing Volume	50,000 pages per month	
	The maximum number of printed pages per month based on the performance capabilities of	
	the printer, including ISO rated print speeds and paper handling capabilities.	
Recommended Duty Cycle	400 - 4,500 pages per month	
Colours	Black, Cyan, Yellow, Magenta	
For detailed information on p	rinting speeds please visit http://www.epson.eu/testing.	
SCAN		
Scanning Speed	30 ipm ( Monochrome, Single-sided, 200 dpi, ADF ); 30 ipm ( Colour, Single-sided, 200 dpi,	
	ADF ); 60 ipm ( Monochrome, Double-sided, 200 dpi, ADF ); 60 ipm ( Colour, Double-sided, 200	
	dpi, ADF ); 5 sec/page ( Monochrome, 200 dpi, Flatbed ); 5 sec/page ( Colour, 200 dpi, Flatbed	
	dpi, ADF ); 5 sec/page ( Monochrome, 200 dpi, Flatbed ); 5 sec/page ( Colour, 200 dpi, Flatbed );	
Optical Resolution	);	
Optical Resolution Optical Resolution (ADF)		
Optical Resolution (ADF)	); 1,200 DPI x 2,400 DPI (Horizontal x Vertical)	
•	); 1,200 DPI x 2,400 DPI (Horizontal x Vertical) 1,200 DPI x 2,400 DPI (Horizontal x Vertical)	
Optical Resolution (ADF) Advanced document	); 1,200 DPI x 2,400 DPI (Horizontal x Vertical) 1,200 DPI x 2,400 DPI (Horizontal x Vertical) Scan to Email, Scan to FTP, Scan to Network folders, Computer (Epson Document Capture	
Optical Resolution (ADF) Advanced document integration	); 1,200 DPI x 2,400 DPI (Horizontal x Vertical) 1,200 DPI x 2,400 DPI (Horizontal x Vertical) Scan to Email, Scan to FTP, Scan to Network folders, Computer (Epson Document Capture Pro), USB Memory Device / Card	
Optical Resolution (ADF) Advanced document integration Output formats	); 1,200 DPI x 2,400 DPI (Horizontal x Vertical) 1,200 DPI x 2,400 DPI (Horizontal x Vertical) Scan to Email, Scan to FTP, Scan to Network folders, Computer (Epson Document Capture Pro), USB Memory Device / Card JPEG, TIFF, PDF	
Optical Resolution (ADF) Advanced document integration Output formats Scanner type	); 1,200 DPI x 2,400 DPI (Horizontal x Vertical) 1,200 DPI x 2,400 DPI (Horizontal x Vertical) Scan to Email, Scan to FTP, Scan to Network folders, Computer (Epson Document Capture Pro), USB Memory Device / Card JPEG, TIFF, PDF	
Optical Resolution (ADF) Advanced document integration Output formats Scanner type FAX	); 1,200 DPI x 2,400 DPI (Horizontal x Vertical) 1,200 DPI x 2,400 DPI (Horizontal x Vertical) Scan to Email, Scan to FTP, Scan to Network folders, Computer (Epson Document Capture Pro), USB Memory Device / Card JPEG, TIFF, PDF Contact image sensor (CIS)	
Optical Resolution (ADF) Advanced document integration Output formats Scanner type FAX Type of fax	); 1,200 DPI x 2,400 DPI (Horizontal x Vertical) 1,200 DPI x 2,400 DPI (Horizontal x Vertical) Scan to Email, Scan to FTP, Scan to Network folders, Computer (Epson Document Capture Pro), USB Memory Device / Card JPEG, TIFF, PDF Contact image sensor (CIS) Walk-up black and white and colour fax capability Up to 33.6kbps / Approx. 3 sec/page	
Optical Resolution (ADF) Advanced document integration Output formats Scanner type FAX Type of fax Fax Transmission Speed Error correction mode	); 1,200 DPI x 2,400 DPI (Horizontal x Vertical) 1,200 DPI x 2,400 DPI (Horizontal x Vertical) Scan to Email, Scan to FTP, Scan to Network folders, Computer (Epson Document Capture Pro), USB Memory Device / Card JPEG, TIFF, PDF Contact image sensor (CIS) Walk-up black and white and colour fax capability	
Optical Resolution (ADF) Advanced document integration Output formats Scanner type FAX Type of fax Fax Transmission Speed Error correction mode Fax speed dials (max)	); 1,200 DPI x 2,400 DPI (Horizontal x Vertical) 1,200 DPI x 2,400 DPI (Horizontal x Vertical) Scan to Email, Scan to FTP, Scan to Network folders, Computer (Epson Document Capture Pro), USB Memory Device / Card JPEG, TIFF, PDF Contact image sensor (CIS) Walk-up black and white and colour fax capability Up to 33.6kbps / Approx. 3 sec/page CCITU/ITU Group3 fax with Error Correction Mode 200 names and numbers	
Optical Resolution (ADF) Advanced document integration Output formats Scanner type FAX Type of fax Fax Transmission Speed Error correction mode	); 1,200 DPI x 2,400 DPI (Horizontal x Vertical) 1,200 DPI x 2,400 DPI (Horizontal x Vertical) Scan to Email, Scan to FTP, Scan to Network folders, Computer (Epson Document Capture Pro), USB Memory Device / Card JPEG, TIFF, PDF Contact image sensor (CIS) Walk-up black and white and colour fax capability Up to 33.6kbps / Approx. 3 sec/page CCITU/ITU Group3 fax with Error Correction Mode	

#### WorkForce Pro WF-C579RDWF

# WHAT'S IN THE BOX

- Warranty Documents
- Quick Setup Guide
- Driver and utilities (CD)
- User manual (CD)
- Power cable
- Initialization Ink Supply Units



# PRODUCT SPECIFICATIONS

WorkForce Pro WF-C579RDWF

COPY		
Copy Speed	Up to 22 ipm Black, Up to 22 ipm Colour	
	*Simplex ADF 600 x 600 dpi (ISO/ IEC 24735)	
Copy resolution (dpi)	600 x 1200	
Reduction / Enlargement	25 % - 400 %	
Maximum number of copies	999	
Maximum Copy Size	A4	
0.01112.0711/171/		
CONNECTIVITY		
Network Printing Protocols	LPR, FTP, IPP, LDP, Port 9100, WSD-Print	
Network Management Protocols	HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, ENPC, SLP, WSD, LLTD, SMTP, LLMNR, POP3, IEEE 802.1X, ARP, GARP, EAP, ICMP, IGMP, DNS-SD, HTTPS, XMPP, LDAP, LDAPS,	
FIOLOCOIS	SNMP 3.0, SNMP Trap	
Network Scanning Protocols		
Interfaces	Hi-Speed USB - compatible with USB 2.0 specification, Ethernet Interface (1000 Base-T/ 100-	
1110112000	Base TX/ 10-Base-T), Wireless LAN IEEE 802.11b/g/n, Wi-Fi Direct, USB 2.0 Type A (2x)	
WLAN Security	WEP 64 Bit, WEP 128 Bit, WPA PSK (TKIP), WPA2 PSK (AES), WPA2 Enterprise (AES)	
Network Protocol	TCP/IPv4, TCP/IPv6, HTTP, HTTPS, IPSEC	
PAPER / MEDIA HANDLING		
Paper Formats	A4 (21.0x29.7 cm), A5 (14.8x21.0 cm), A6 (10.5x14.8 cm), B5 (17.6x25.7 cm), B6 (12.5x17.6 cm),	
	C4 (Envelope), C6 (Envelope), DL (Envelope), No. 10 (Envelope), Letter, Legal, 9 x 13 cm, 10 x	
	15 cm, 13 x 18 cm, 16:9, HLT, EXE, User defined	
Automatic Document Feed	50 pages	
Compatible Paper Weight	64 g/m² - 256 g/m²	
Duplex	Yes	
Standard Paper input	250 Sheets Standard, 80 Sheets MP tray	
Output Tray Capacity	150 Sheets	
Paper Tray Capacity	330 Sheets Standard, 1,330 Sheets Maximum	
Standard paper tray(s)	80-Sheet Multi-Purpose Tray, 250-sheet paper tray	
Optional paper tray(s)	500-Sheet paper tray	
Rear paper path (special	Yes	
media)		
Number of paper trays	2	
PAPER FEED RASF		
Paper Input Name	RASF	
Paper Formats	A4, A5, A6, B5, B6, C4 (Envelope), C6 (Envelope), DL (Envelope), No. 10 (Envelope), Letter, 10	
	x 15 cm, 13 x 18 cm, 16:9, Legal, Executive	
Custom sizes	Min 64x 127 mm to Max 215.9x 6,000 mm	
Compatible paper weight	64 g/m² - 300 g/m²	
Paper Capacity 1	80 Sheets of Plain Paper, 80gsm	
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper	
PAPER FEED C1		
Paper Input Name	C1	
Paper Formats	A4, A5, A6, B5, B6, C4 (Envelope), C6 (Envelope), DL (Envelope), No. 10 (Envelope), Letter, HLT, Executive	
Custom sizes	Min 89x 127 mm to Max 215.9x 355.6 mm	
Compatible paper weight	64 g/m <sup>2</sup> - 300 g/m <sup>2</sup>	
Paper Capacity 1	250 Sheets of Plain Paper, 80gsm	
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper	
inodia type	ו מוויד מאסו, הסטיטיט ד מאסו, טטוטער מאסו, בפונטווטמט, טוטאט דוטנט דמאטו	



# PRODUCT SPECIFICATIONS

WorkForce Pro WF-C579RDWF

PAPER FEED C2		
Paper Input Name	C2	
Paper Formats	A4, A5, A6, B5, B6, Letter, HLT, LGL, Executive	
Custom sizes	Min 100x 148 mm to Max 215.9x 355.6 mm	
Compatible paper weight	64 g/m² - 160 g/m²	
Paper Capacity 1	500 Sheets of Plain Paper, 80gsm	
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead	
wedia type	rian raper, necycleu raper, colour raper, Letterneau	
PAPER FEED DUPLEX		
Paper Input Name	Duplex	
Paper Formats	A4, A5, A6, B5, B6, Letter, HLT, Legal, Executive	
Custom sizes	Min 148x 210 mm to Max 216x 297 mm	
Compatible paper weight	64 g/m² - 160 g/m²	
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead	
PAPER FEED C3		
Paper Input Name	C3	
Paper Formats	A4, A5, A6, B5, B6, Letter, HLT, Legal, Executive	
Custom sizes	Min 100x 148 mm to Max 215.9x 355.6 mm	
Compatible paper weight	64 g/m <sup>2</sup> - 160 g/m <sup>2</sup>	
Paper Capacity 1	500 Sheets of Plain Paper, 80gsm	
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead	
GENERAL		
Energy Use	29 Watt (standalone copying, ISO/IEC 24712 pattern), 1.3 Watt (sleep mode), 14 Watt (Ready),	
	0.2 Watt (Power off), TEC 0.19 kWh/week	
Supply Voltage	AC 220 V - 240 V, 50 Hz - 60 Hz	
Product dimensions	425 x 535 x 413 mm (Width x Depth x Height)	
Product weight	23 kg	
Compatible Operating	Citrix XenApp 7.6 and above, Citrix XenDesktop Version 7.6, Mac OS 10.10.x, Mac OS 10.7.x,	
Systems	Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X 10.11.x, Mac OS X 10.12.x, Mac OS X 10.6.8 or later,	
	Windows 10, Windows 7, Windows 7 x64, Windows 8, Windows 8 (32/64 bit), Windows 8.1,	
	Windows 8.1 x64 Edition, Windows Server 2003 R2 x64, Windows Server 2008 (32/64bit),	
	Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows	
	Server 2016, Windows Vista, Windows Vista (32/64 bit), Windows Vista x64, Windows XP SP2	
	or higher, Windows XP SP3, Windows XP x64, Windows Server 2003 R2, XP Professional x64	
	Edition, XP Professional x64 Edition SP2	
Sound Power	Operation: 6.7 B (A)	
Noise	Operation: 53 dB (A)	
Mobile and Cloud printing	Epson Connect (iPrint, Email Print, Remote Print Driver, Scan-to-Cloud), Apple AirPrint,	
services	Google Cloud Print	
Power supply	220V, 240V	
ADDITIONAL FEATURES		
Features	Touchscreen, Direct Print, Direct scan-to-print without PC, Direct print from USB	
Panel	Type: Color, Touchscreen, Diagonal: 10.9 cm	
Media Handling	ADF 2-sided copy (A4, plain paper), Automatic duplex (A4, plain paper), Portrait & Landscape	
	printing, Thick Media Support	
Security Functions	Limit access function with Epson Web Config, Secure confidential printing with PIN code	
	release, LDAP Address Book, IPsec, IEEE802.1x, SSL (Server authentication), Panel Admin	
	Mode	
OTHER FEATURES		
Emulations	PCL5c, PCL6, ESC/P-R, PostScript 3, PDF 1.7	



#### SUPPLIES

- WorkForce Pro WF-C529R / C579R Magenta XL Ink Supply Unit
- WorkForce Pro WF-C529R / C579R Yellow XL Ink Supply Unit
- WorkForce Pro WF-C529R / C579R Cyan XL Ink Supply Unit
- WorkForce Pro WF-C529R / C579R Black XL Ink Supply Unit
- WorkForce Pro WF-C529R / C579R Black XXL Ink Supply Unit
- WorkForce Pro WF-C529R / C579R Cyan XXL Ink Supply Unit
- WorkForce Pro WF-C529R / C579R Magenta XXL Ink Supply Unit
- WorkForce Pro WF-C529R / C579R Yellow XXL Ink Supply Unit
- Maintenance box

# **OPTIONAL ACCESSORIES**

- 500-Sheet Paper Cassette C12C932871
- Low Cabinet for WF-5000 series 7112286

# LOGISTICS INFORMATION

sku	C11CG77401BY
EAN code	8715946653433
Country of Origin	Indonesia
Layer	2 Units
Layer Block	2 Units

 C13T01C300
 5,000 pages

 C13T01C400
 5,000 pages

 C13T01C200
 5,000 pages

 C13T01C100
 10,000 pages

 C13T01D100
 50,000 pages

 C13T01D100
 20,000 pages

 C13T01D200
 20,000 pages


 C13T01D300
 20,000 pages

 C13T01D400
 20,000 pages

 C13T01D400
 20,000 pages

#### WorkForce Pro WF-C579RDWF

#### INK YIELD DATA



\* Approx. page yield based on ISO/IEC 24711/24712 or ISO/ IEC 29102/29103. Actual yield will vary depending on images printed and usage conditions. For more information visit http://www.epson.eu/pageyield



For more information please contact: Home users: 0343 90 37766 Business users\*: 0871 42 37766 Republic of Ireland: 01 436 7742 Or visit us at https://www.epson.co.uk/contactus \* 10p per minute plus network extras.

Web: www.epson.co.uk www.epson.ie

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice. Last extracted: 2021-12-09

