

# Product data sheet

Specifications



## RACK PDU, BASIC, VERTICAL, 220-240V, 32A, (20) C13, (6) C19

AP6009A

### Overview

Lead time Usually in Stock

### Main

Product or Component Type	PDU
PDU Type	Basic
Cord length	10 ft (3.05 m)
Number of cables	1
Provided Equipment	Installation guide Safety guide

### Complementary

Input Voltage	230 V
Height	64.02 in (162.6 cm)
Width	2.2 in (5.6 cm)
Output Voltage	230 V
Depth	1.7 in (4.3 cm)
Net Weight	13.62 lb(US) (6.18 kg)
Mounting Location	Side
Mounting preference	No preference
Input Plug Type	IEC 60309 32 A 2P+E
Mounting Mode	Not rack-mountable
Rack units	0U
Mounting position	Vertical
Acceptable Input Voltage	200...240 V
Input current limits	32 A
Load Capacity	7400 VA
Input Frequency	50/60 Hz
Outlet type and quantity	20 IEC 60320 C13 6 IEC 60320 C19

### Environment

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

<b>Product Certifications</b>	CE EAC IRAM VDE
<b>Ambient Air Temperature for Operation</b>	32...122 °F (0...50 °C)
<b>Relative Humidity</b>	5...95 %
<b>Operating altitude</b>	0...10000 ft
<b>Ambient Air Temperature for Storage</b>	5...149 °F (-15...65 °C)
<b>Storage Relative Humidity</b>	5...95 %
<b>Storage altitude</b>	0...50000 ft (0.0000000000...15240.0000000000 m)

## Ordering and shipping details

<b>GTIN</b>	731304327783
-------------	--------------

## Packing Units

<b>Unit Type of Package 1</b>	PCE
<b>Number of Units in Package 1</b>	1
<b>Package 1 Height</b>	73.8 in (187.5 cm)
<b>Package 1 Width</b>	5.3 in (13.5 cm)
<b>Package 1 Length</b>	8.9 in (22.6 cm)
<b>Package 1 Weight</b>	17.6 lb(US) (8 kg)

## Contractual warranty

<b>Warranty</b>	2 years repair or replace
-----------------	---------------------------

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Energy Efficient Take-back Transparency RoHS/REACH

## Resource performance

 Energy Efficient Product

---

 Take-Back Program Available

---

## Well-being performance

 Lead Free

---

## Certifications & Standards

Reach Regulation

[REACH Declaration](#)

---

Eu Rohs Directive

Compliant

[EU RoHS Declaration](#)

---

Environmental Disclosure

[Product Environmental Profile](#)

---

Circularity Profile

[End of Life Information](#)

---