

USB-C to Mini DisplayPort Adapter Cable, 4K 60Hz, Black, 6 ft. (1.83 m)

MODEL NUMBER: U444-006-MDP











Connects your existing Mini DisplayPort (mDP) monitor or projector to the USB-C or Thunderbolt 3 port on your tablet, laptop, notebook, smartphone or PC. Saves you the clutter and expense of additional cables, adapters and displays.

Features

Connects a Mini DisplayPort Display to Your USB-C or Thunderbolt 3 DeviceCompatible with USB-C or Thunderbolt 3 source devices that support USB DisplayPort Alternate Modeldeal for giving video presentations, editing multiple documents, or streaming 4K video for digital signageSupports USB 3.1 Gen 1 data transfer rates up to 5 GbpsSupports DisplayPort 1.2 specificationsExtend 4K video from your primary display to another, duplicate the same video on both, or convert a secondary display to be the primary display

Crystal-Clear 4K Video and Digital AudioSupports UHD video resolutions up to 3840 x 2160 (4K) @ 60 HzSupports 36-bit Deep Color (12 bits per channel)Supports per-lane transfer rates of 5.4 Gbps (HBR2), 2.7 Gbps (HBR) and 1.62 Gbps (RBR)

Reversible USB-C ConnectorFumble-free reversible USB-C plug connects in either direction for quick connection every time

Premium ConstructionGold-plated connectors and contacts for maximum conductivity and minimum data lossFoil and braid shielding protects against EMI/RFI line noise that can distort or destroy dataIntegral strain relief helps cable and connectors move freely without stress or crackingDurable PVC jacket designed to last a long time

Ready for Instant UsePlug-and-play operation with no software, drivers or external power required6 ft. length easy to manage in crowded environmentsBackward compatible with non-4K displays

Highlights

- Supports USB DisplayPort
 Alternate Mode for transmitting audio/video
- Supports UHD video resolutions
 up to 4K @ 60 Hz
- Supports USB 3.1 Gen 1 data transfer rates up to 5 Gbps
- Reversible USB-C plug connects in either direction
- Plug-and-play operation with no software or drivers required

System Requirements

- Source device with USB-C or Thunderbolt 3 port that supports USB DisplayPort Alternate Mode
- Display device with Mini
 DisplayPort input

Package Includes

U444-006-MDP USB 3.1 Gen 1
 USB-C to Mini DisplayPort 4K
 Adapter Cable (M/M), 6 ft.

Specifications

OVERVIEW		
UPC Code	037332193841	
Technology	USB 3.1 (Gen 1); USB; DisplayPort	
VIDEO		



Max Supported Video Resolution	MDP: 3840 X 2160 (4K) @ 60HZ	
HDR Support	Yes	
INPUT		
Bus Powered	Yes	
Product Length (in.)	72	
Product Length (cm.)	182.88	
Product Length (ft.)	6	
Product Length (m.)	1.83	
Troduct Longin (III.)	1.60	
BATTERY		
Battery Charging (5V/1.5A Port)	No	
PHYSICAL		
	Disale	
Color	Black	
Cable Jacket Rating	VW-1	
Cable Length (ft.)	6	
Cable Length (m)	1.828	
Material of Construction	PVC, ABS	
Shipping Dimensions (hwd / cm)	22.86 x 17.78 x 1.27	
Shipping Dimensions (hwd / in.)	9.00 x 7.00 x 0.50	
Shipping Weight (kg)	0.09	
Shipping Weight (lbs.)	0.19	
Unit Packaging Type	Polybag	
Unit Weight (kg)	0.08	
Unit Weight (lbs.)	0.18	
ENVIRONMENTAL		
Operating Temperature Range	32 to 113 F (0 to 45 C)	
Storage Temperature Range	14 to 158 F (-10 to 70 C)	
BTUs	2.1 BTU/Hr	
Power Consumption (Watts)	0.6	
Operating Humidity Range	10% to 85% RH, non-condensing	
Storage Humidity Range	5% to 90% RH, non-condensing	
CONNECTIONS		
CONNECTIONS		
Side A - Connector 1	USB C (MALE)	



Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com

Side B - Connector 1	MINI DISPLAYPORT (MALE)	
Connector Plating	Gold	
FEATURES & SPECIFICATIONS		
Displayport Specification	1.2	
HDCP Specification	1.3	
USB Specification	USB 3.0 (up to 5 Gbps); USB 3.1 Gen 1 (up to 5 Gbps)	
Driver Required	No	
STANDARDS & COMPLIANCE		
Certifications	Tested to CE, FCC, RoHS, REACH	
WARRANTY		
Product Warranty Period (Worldwide)	3-year limited warranty	

© 2021 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: https://www.tripplite.com/products/product-certification-agencies