

# Product data sheet

Specifications



## APC Smart-UPS Ultra Tower Isolation/Step-Down Transformer, 5kVA, 8x 5-20R & 2x L6-20R & 1x L6-30R & 1x L14-30R NEMA outlets

SRTL5KTF

### Overview

Lead time Usually in Stock

### Main

Main Input Voltage 208 V

product or component type Uninterruptible power supply (UPS)

Main Output Voltage 120 V

Other Output Voltage 240 V

Rated power in VA 5 kVA

Input Connection Type NEMA L6-30P

Cable length 3 ft (0.9 m)

Number of cables 1

provided equipment User manual

### Physical

Colour Black

Height 17.008 in (43.2 cm)

Width 5.1 in (13 cm)

Depth 26.0 in (66 cm)

net weight 125.002 lb(US) (56.7 kg)

Mounting preference No preference

mounting mode Rack-mounted with kit

### Input

Load capacity 5000 VA

Network frequency 50/60 Hz

### Output

Max current draw 5000 A

Number of power socket outlets 12

Number of power socket outlets 8 NEMA 5-20R

### Conformance

Product certifications	CSA
Standards	UL 1778

## Environmental

Ambient air temperature for operation	32.0000000000...104.0000000000 °F (0...40 °C)
Relative humidity	0...95 % non-condensing
Operating altitude	0...10000 ft
Ambient air temperature for storage	5.0000000000...113.0000000000 °F (-15...45 °C)
Storage Relative Humidity	0...95 % non-condensing
Storage altitude	0...50000 ft (0.0000000000...15240.0000000000 m)

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	13.7 in (34.7 cm)
Package 1 Width	38.6 in (98 cm)
Package 1 Length	23.7 in (60.3 cm)
Package 1 Weight	140.0 lb(US) (63.5 kg)

## Contractual warranty

Warranty	5 years repair or replace
----------	---------------------------

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency

## Well-being performance

 Mercury Free

---

**Reach Regulation**

[REACH Declaration](#)

---

**Eu Rohs Directive**

Compliant with Exemptions

---

**China Rohs Regulation**

[China RoHS declaration](#)

Product out of China RoHS scope. Substance declaration for your information

---

**Environmental Disclosure**

[Product Environmental Profile](#)

---

**Weee**

The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

---

**Circularity Profile**

[End of Life Information](#)

---