

GUC3CDHD

USB-C Dual HD Portable Dock (TAA Compliant)

- Supports up to 4K (4096 x 2160 @30Hz) for single monitor viewing
- Connect a USB-C laptop to two 1080P HDMI displays
- Enjoy High Definition audio via HDMI
- Provides one USB-A 3.1 port for peripherals
- Fold-in cable design



USB-C to Dual HD Portable Dock

Get more out of your new USB-C or Thunderbolt 3 laptop with the USB-C to Dual HD Portable Dock. Create a dual HDMI monitor¹ workstation to expand your productivity and efficiency. The Portable Dock provides a USB type-A port for use with a keyboard, mouse, hard drive or printer and is the ideal companion for quick, easy connectivity while on-the-go.

Mirror or Extend Your Monitors

The USB-C to Dual HD Portable Dock allows you to mirror or extend your Windows-based USB-C laptop to two additional monitors or mirror your USB-C or Thunderbolt 3 MacBook to another monitor. When using a Windows USB-C laptop with two other monitors, your laptop screen can be utilized as a third monitor for separate task windows.


Brilliant 4K or Dual HD Monitor Setup

Experience the remarkable visuals of 4K, at four times the resolution of standard HD. The Portable Dock's dual monitor functionality supports crystal clear video quality to 4096 x 2160 for a higher level of enjoyment while streaming movies, playing video games or working and creating from your office. Get full 1080p HD quality video when using a dual monitor setup.

¹ Mac OS does not support monitor extending (MST), and can only operate in mirror mode.

- | | |
|---|--|
| <ul style="list-style-type: none"> • Supports up to 4K (4096 x 2160 @30Hz) for single monitor viewing • Connect a USB-C laptop to two 1080P HDMI displays | <ul style="list-style-type: none"> • Enjoy High Definition audio via HDMI • Provides one USB-A 3.1 port for peripherals • Fold-in cable design • USB bus-powered |
|---|--|





Requirements

- USB-C (Thunderbolt 3 compatible) device with DP Alt Mode Support
- Host system with MST-enabled, GUC3CDHD can operate in extend mode; without MST, GUC3CDHD operates in mirror mode
- Windows 10+
- Mac OS X 10.12+ (Mac OS does not support MST)

Package Contents

- 1 x GUC3CDHD
- 1 x USB Type-C cable
- 1 x Quick Start Guide
- 1 x Warranty Card

Specifications

Function	GUC3CDHD	Dimensions	GUC3CDHD
Cable Connections		Unit Dimensions	
Input	1 x USB-C	Height	1" (2.54cm)
Cable Length	3.3 ft.	Depth	3.75" (9.53cm)
Cable Type	USB-C to USB-C	Length	4.75" (12.07cm)
Connectors		Inner Pack	
USB	1 x USB-A 3.1 Gen1	Width	7" (17.78cm)
Video Output	2x HDMI (Single: 4096 x 2160@30Hz; Dual Monitor at 1080p)	Height	9" (22.86cm)
LEDs		Length	6.5" (16.51cm)
Power On	White: Monitor and USB-A connection is good	Inner Pack Qty.	3
USB Peripherals		Unit Package Dimensions	
Orange: USB-C cable doesn't have sufficient power to run USB-A devices, needs to plug in USB-A device's original external power adapter		Width	6.25" (15.88cm)
		Height	9" (22.86cm)
		Length	2.25" (5.72cm)
Operating System Requirements		Master Carton	
Mac	Mac OS X 10.12+	Width	14.75" (37.47cm)
Windows	Windows 10 and above	Height	10.5" (26.67cm)
		Depth	13.5" (34.29cm)
		Master Carton Qty.	12
		Weight	
		Master Carton Wt.	10 lb (4.54kgs)
		Inner Pack Wt.	2.1 lb (0.95Kgs)
		Unit Pack Wt.	0.6 lb (0.27Kgs)
		Unit Wt.	0.25 lb (0.11Kgs)