

NON-TOUCH DIGITAL DISPLAY

Focus on what you really need for a conferencing

Conventional meeting room painpoints



LOCATION

Traditional meeting room

EQUIPMENT

Projector, screenshare gears, separate audiod and carmera devices

PAINPOINTS

- I. Unclear image due to the negativity of ambient light
- 2. The graphic and texture is not sharp enough for an FHD resolution projector
- 3. Extra expense on screensharing hardware
- 4. Smart solution for blocking privacy info while screensharing
- 5. Additional audio and camera do not perform well due to negetive location because was not bundle solution originally

WHAT WE REALLY NEED IS...



Real-time presentation



System compatibility



Smart management



Screenshare



4k resolution



High brightness



Versatile connectivity



Safety

What MAXHUB Non-touch digital display is built for



Spectacular image quality

4K resolution and high brightness guarantee graphic accuracy of every detail



Design for bussiness

Slin bezel with high in screen size, support multiple options of connectivity



Wireless sharing

MAXHUBshare APP offers you the ability of access and privicy management while screensharing



Win/iOS/Android

Whatever devide you use, MAXHUB Share is compatible with Windows, iOS and Android to boost your success



Control by remote

MAXHUB DMS allow IT to manage devices remotely,from setting to content dispaly, make sure everthing under control



Built-in player

Help our client save cost when needing a display product with essential functionality of media player



ND43PNC | 43 inch



ND55PNC | 55 inch



ND65PNA | 65 inch




ND75PNA | 75 inch



ND86PNA | 86 inch



ND98PNA | 98 inch



Superior visual performance







Portrait Mode


Compatible wireless screenshare


Compatible built-in MAXHUB share APP maximium up to 4 devices could be projected at one time




When enabling safety mode, verifying code is required before sharing ensures it is safe and controllable.

Besides, with the feature of apps filter, user could personalize the settings to block apps poping notes, no worries sensitive info get exposed carelessly





Security access



Privacy protection

Smart built-in system

Android 8.0



Optional OPS



Multiple connectivities



HDMI IN*2 USB 2.0*2 USB 3.0*1 DP IN*1 VGA IN*1 AUDIO IN*1 AUDIO OUT*1 SPDIF*1 LAN IN*1 RS232*1


Support DNI for streaming



OPS compatible with ND65PNA, ND75PNA and ND86PNA only

MAXHUB one-stop unified management solutions

IT remote maintenance



Operation data analysis



Device remote control



Product series specification

MAXHUB Non-touch digital display						
Model	ND43PNC	ND55PNC	ND65PNA	ND75PNA	ND86PNA	ND98PNA
Size	43''	55''	65''	75"	86"	98''
Weight(kg)	9.35	13.75	22.95	29.30	49.35	69.55
Brightness	450 nit	450 nit	450 nit	450 nit	450 nit	350 nit
Resolution	4K UHD	4K UHD	4k UHD	4k UHD	4k UHD	4k UHD
Viewing angle	178°(H/V)	178°(H/V)	178°(H/V)	178°(H/V)	178°(H/V)	178°(H/V)
OPS capable	No	No	OPS62	OPS62	OPS62	No
WIFI module	8822BU	8822BU	SI01B	SI01B	SI01B	SI07B
Audio output power	2x8W	2x8W	2x12W	2x12W	2x12W	2×10W+15W
Thickness of bezel	Even bezel in 9.9mm	Even bezel in 9.9mm	Up/right/left 9mm, bottom 13mm	Up/right/left 9mm, bottom 13mm	Up/right/left 14mm, bottom 23mm	Up/right/left 20.5mm, bottom 43.5mm
Portrait mode	Yes	Yes	No	No	No	No
Mounting model	WIB4722A	WIB4722A	WIB9040A	WIB9040A	WIB9040A	WIB9060F
Life time	≥30000 Hours	≥30000 Hours	≥30000 Hours	≥30000 Hours	≥30000 Hours	≥30000 Hours

MAXHUB

Corporate Office Address

CVTE India Pvt Ltd, 306-307, F3, Elegance Tower, Jasola Vihar, New Delhi, 110025, India











www.maxhub.com/in