Product data sheet

Specifications



APC Smart-UPS XL Battery Pack 24V

SUA24XLBP

Overview

Lead time

Usually in Stock

Main

product or component type	Battery
Number of cables	1
Battery type	Lead-acid battery
Provided equipment	User manual

Batteries & Runtime

Number of battery filled slots	0
Number of battery free slots	0
Number of battery replacement quantity	1
Replacement battery	RBC11

Physical

Colour	Black
Height	8.5 in (21.6 cm)
Width	6.7 in (17 cm)
Depth	17.3 in (43.9 cm)
net weight	69.14 lb(US) (31.36 kg)
Mounting preference	No preference
mounting mode	Not rack-mountable
Two post mountable	0
USB compatible	No

Output

Harmonic distortion	Less than 5 % at full load	
Output frequency	4753 Hz for 50 Hz nominal sync to mains 5763 Hz for 60 Hz nominal sync to mains	
Crest factor	Up to 5 : 1	
Wave type	Sine wave	

Environmental

Ambient air temperature for operation	32.000000000104.000000000 °F (040 °C)	
Relative humidity	095 %	
Operating altitude	010000 ft	
Ambient air temperature for storage	5.000000000113.0000000000 °F (-1545 °C)	
Storage Relative Humidity	095 %	
Storage altitude	050000 ft (0.00000000015240.000000000 m)	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	15.2 in (38.7 cm)
Package 1 Width	12.6 in (32 cm)
Package 1 Length	23.3 in (59.1 cm)
Package 1 Weight	73.15 lb(US) (33.18 kg)

Contractual warranty

Warranty

2 years repair or replace

Sustainability Screen

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Take-back Transparency RoHS/REACh

Resource performance

Take-Back Program Available

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information