

Water 3.0 240

P/N: CL-W233-PL12SW-A

• Features

ARGB Sync

Release the full CPU Horsepower

- Support MB RGB LED 5V Sync, ASUS, Gigabyte, MSI , ASRock
- 16.8 million color RGB spectrum
- Top of the line liquid cooler, equipped with power and performance. No Refills Needed.
- Dual 120mm powerful fan offers the best cooling performance
- Special LED Water Block Design
- Universal Socket Compatibility



•Specification




Compatibility(CPU Socket)		Intel LGA 2066/20113/2011/1366/1156/1155/1151/1150 AMD FM2/FM1/AM4/AM3+/AM3/AM2+/AM2
Water Block	Material	Copper
Pump	Motor Speed	3600 RPM
	Rated Voltage	12 V & 5V
	Power Input	12V – 3.9 W , 5V – 1.06 W
Fan	Dimension	120 x 120 x 25 mm
	Speed	PWM 500~1500 R.P.M (2510-4PIN)
	Noise Level	25.8 dB-A
	Rated Voltage	12 V & 5V
	Power Input	12V- 1.44 W, 5V – 1.6W (one fan)
	Max. Air Flow	56.45 CFM
	Max. Pressure	1.59 mm-H2O
	LED Control	ARGB controller or 5V addressable RGB header on motherboard
Radiator	Dimension	270 x 120 x 27 mm
Tube	Length	326mm
	Material	Rubber
Weight		1230 g

Water 3.0 240 ARGB Sync

• Appearance



High Performance Water Block



High Efficiency Radiator



Powerful Cooling Fan




ARGB Controller



Parts

Water 3.0 240 ARGB Sync

•Angle View



RGB Spectrum Mode:
A gorgeous and seamless transition through the entire range of 16.8 million RGB colors

Ripple Mode:
RGB Colors ripple out across the fan and water block



Flow Mode:
RGB or Single color flow in a clockwise direction

Pulse Mode:
A slow fade in and fade out of your color choice

Sync with Motherboard RGB Software

Designed to synchronize with ASUS Aura Sync, GIGABYTE RGB Fusion, MSI Mystic Light Sync and AsRock Polychrome. It supports motherboards that have a 5V addressable RGB header, allowing you to control the lights directly from the above-mentioned software without installing any extra lighting software or controllers. For more details, please visit ASUS, GIGABYTE, MSI and AsRock official websites.



Aura Addressable Header

Asus



Digital Pin Header

GIGABYTE



JRAINBOW Header

MSI



Addressable RGB LED Header

ASRock

*Caution: the motherboard signal connector only supports 5V header.

Pure 12 ARGB Sync Radiator Fan TT Premium Edition

• Detail Features



ARGB Controller

ARGB controller or
5V addressable RGB header
on motherboard



16.8 million colors

design for radiator cooling



Application

Support ASUS, Gigabyte and
MSI RGB Sync software

Water 3.0 240 ARGB Sync

P/N: CL-W233-PLI2SW-A

Water 3.0 240

ARGB Sync

Release the full CPU Horsepower



TT thermaltake