

# WorkForce Pro EP-C7000DW



Keep costs low and productivity high with this reliable A3+ business inkjet printer with a fast FPOT for small to medium workgroups.

A reliable A3+ workgroup printer perfect for the business environment, from small offices to large corporates. Ideal for those who may have traditionally used lasers and want to cut costs, increase productivity and reduce downtime, while also reducing their environmental impact and improving their CSR reputation.

#### Reduce printing costs and minimise your outgoings

With a low total cost of ownership (TCO) this printer makes this an attractive choice for businesses on a budget. Designed for workgroups, businesses can avoid the hidden employee productivity costs associated with downtime. With less chance of breakdowns, and fewer interruptions, keep productivity high. Giving great value for money, these low-cost ink cartridges offer a high ink yield of up to 11,500 pages in mono and 8,000 pages in colour without changing the ink.\*

#### Save time and increase productivity

Delivering a fast First Page Out Time (FPOT) of 5.5 seconds from ready mode,\*\* spend less time waiting for prints. With fewer replacement parts, reduce intervention and minimise interruptions with this reliable and robust printer. With up to 3 x 500 sheet optional cassettes, and a maximum of 1,835 pages change paper less frequently too.

#### Reduce your environmental impact with this energy-efficient printer

Improve your businesses sustainability, while keeping productivity high and energy costs low. With Heat-Free printing technology, benefit from low-power consumption without compromising on an ultra-sharp output.

#### Built for business

A range of software and tools provide secure print options, and help manage devices remotely. Wireless connectivity also supports printing from mobile devices. And with its user-friendly 6.1 colour LCD, it's intuitive to operate.

## KEY FEATURES

- Up to A3+ colour printer for business quality documents**  
 High quality double-sided printer, with fast print speeds of up to 25ppm and a first page out time as little as 5.5 seconds from ready \*\*
- Print up to 11,500 pages in mono and 8,000 pages in colour without changing the ink\***  
 Minimise intervention and reduce running costs with high ink yield supplies
- Low energy consumption**  
 Thanks to Heat-Free printing technology, keep energy bills low and reduce your impact on the environment
- With a high paper capacity of up to 1,835 pages, change paper less frequently**  
 With optional additional paper trays, minimise paper changes. Cabinet options available too.
- Suite of software solutions to support your business**  
 Software and tools provide secure print options, and help manage devices remotely. Wireless connectivity also supports printing from mobile devices.

## PRODUCT SPECIFICATIONS

### TECHNOLOGY

Printing Method	PrecisionCore™ Print Head
Nozzle Configuration	800 Nozzles Black, 800 Nozzles per Color
Minimum Droplet Size	5 pl, With Variable-Sized Droplet Technology
Ink Technology	DURABrite™ Pro
Category	Office Workgroup, Office Departmental
All-in-One Functions	Print

### PRINT

Number of colours	4 colour
First Page Out	Monochrome 5.5 Seconds, Colour 5.5 Seconds
Printing Speed ISO/IEC 24734	25 pages/min Monochrome, 24 pages/min Colour
Duplex Printing Speed	17 A4 Pages/min Monochrome, 16 A4 Pages/min Colour
ISO/IEC 24734	
Printing Speed ISO/IEC 24734 (A3)	13 pages/min Monochrome, 13 pages/min Colour
Duplex Printing Speed	11 A4 Pages/min Monochrome, 11 A4 Pages/min Colour
ISO/IEC 24734 (A3)	
Maximum Printing Speed	35 pages/min Monochrome (plain paper 75 g/m <sup>2</sup> ), 35 pages/min Colour (plain paper 75 g/m <sup>2</sup> )
Printing Resolution	4,800 x 1,200 DPI
Printing Volume	75,000 pages per month
	The maximum number of printed pages per month based on the performance capabilities of the printer, including ISO rated print speeds and paper handling capabilities.
Recommended Duty Cycle	500 - 5,000 pages per month
Colours	Black, Cyan, Yellow, Magenta

For detailed information on printing speeds please visit <http://www.epson.eu/testing>.

### CONNECTIVITY

Network Printing Protocols	IPP, LDP, Port 9100, WSD
Network Management Protocols	SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SLP, WSD, LLTD, Ping
Network Protocol	IPv4, IPv6
Interfaces	USB 2.0-A (2x), USB 3.0 Type B, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Wireless LAN IEEE 802.11a/b/g/n, USB host
WLAN Security	WEP 64 Bit, WEP 128 Bit, WPA2 Enterprise, WPA2 PSK (AES)
Network Protocol	TCP/IPv4, TCP/IPv6

## WorkForce Pro EP-C7000DW

### WHAT'S IN THE BOX

- Main unit
- Phone cable
- Quick Setup Guide
- Warranty card

## PRODUCT SPECIFICATIONS

WorkForce Pro EP-C7000DW

### PAPER / MEDIA HANDLING

Paper Formats	A3+, A3 (29.7x42.0 cm), A4 (21.0x29.7 cm), A5 (14.8x21.0 cm), A6 (10.5x14.8 cm), B5, C4 (Envelope), C6 (Envelope), No. 10 (Envelope), Letter, 10 x 15 cm, 13 x 18 cm, 20 x 25 cm, 16:9, Legal
Compatible Paper Weight	64 - 300g/m <sup>2</sup>
Duplex	Yes (A4/A3, plain paper)
Standard Paper input	335 Sheets Standard, 85 Sheets MP tray, 250 Sheets paper tray
Output Tray Capacity	250 Sheets
Paper Tray Capacity	335 Sheets Standard, 1,835 Sheets Maximum
Standard paper tray(s)	85-Sheet Multi-Purpose Tray, 250-sheet paper tray
Optional paper tray(s)	3 x 500 sheet paper tray
Maximum paper input	1,835
Rear paper path (special media)	Yes
Number of paper trays	3

### PAPER FEED RASF

Paper Input Name	RASF
Paper Formats	A3+, A3, A4, A5, A6, B4, B5, B6, C4 (Envelope), C5 (Envelope), C6 (Envelope), DL (Envelope), Letter, 10 x 15 cm, 13 x 18 cm, 16:9, HLT, User defined, Legal, Executive, SRA3, Tabloid
Custom sizes	Min55x 330 mm to Max 127x 1,200 mm
Compatible paper weight	64 g/m <sup>2</sup> - 300 g/m <sup>2</sup>
Paper Capacity 1	85 80gsm
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper

### PAPER FEED C1

Paper Input Name	C1
Paper Formats	A3, A4, A5, A6, B4, B5, B6, Letter, HLT, Legal, Executive, Tabloid
Compatible paper weight	64 g/m <sup>2</sup> - 200 g/m <sup>2</sup>
Paper Capacity 1	80gsm
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead

### PAPER FEED DUPLEX

Paper Input Name	Duplex
Paper Formats	A3, A4, A5, A6, B4, B5, B6, Letter, HLT, Legal, Executive
Compatible paper weight	64 g/m <sup>2</sup> - 150 g/m <sup>2</sup>

### GENERAL

Energy Use	0.8 Watt (sleep mode), 37 Watt (Printing), 8.5 Watt (Ready), 0.1 Watt (Power off), TEC 0.14 kWh/week
Supply Voltage	AC 220 V - 240 V
Product dimensions	613 x 650 x 386 mm (Width x Depth x Height)
Product weight	35.4 kg
Compatible Operating Systems	Mac OS 10.10.x, Mac OS 10.14. x, Mac OS 10.15. x, Mac OS 11. x, Mac OS 12. x, Mac OS X 10.11.x, Mac OS X 10.12.x, Mac OS X 10.13.x, Windows 10 (32/64 bit), Windows 11, Windows 7 (32/64 bit), Windows 8 (32/64 bit), Windows 8.1 (32/64 bit), Windows Server 2003 R2 x64, Windows Server 2003 SP2, Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Server 2019, Windows Server 2022, Windows Vista (32/64 bit), Windows XP Professional x64 Edition SP2 or later, Windows XP SP3 or later (32-bit), macOS 11 or later
Sound Power	Operation:6.7 B (A)
Noise	Operation:52 dB (A)
Mobile and Cloud printing services	Epson Connect (iPrint, Email Print), Apple AirPrint, Google Cloud Print
Power supply	220V, 240V

## PRODUCT SPECIFICATIONS

### ADDITIONAL FEATURES

Memory	2,048 MB
Features	Direct print from USB
Panel	Type: Color, Touch-panel, Diagonal:6.1 cm
Media Handling	Automatic duplex, Rear specialty media feed, Thick Media Support
Security Functions	Limit access function with Epson Web Config, Secure confidential printing with PIN code release, LDAP Address Book, IPsec, IEEE802.1x, SSL (Server authentication), Panel Admin Mode

### PRODUCT SAFETY

Product Safety Warnings	Contains 2,4,7,9-tetramethyldec-5-yne-4,7-diol. May produce an allergic reaction. Contains 2-methylisothiazol-3(2H)-one. May produce an allergic reaction. Always follow the information on the product label.
-------------------------	--

### OTHER FEATURES

Emulations	PCL5c, PCL6, ESC/P-R, PostScript 3, PDF 1.7
------------	---

### OTHER

Warranty	12 months On-site service Optional warranty extension available
----------	--

## PRODUCT SPECIFICATIONS

### TECHNOLOGY

Printing Method	PrecisionCore™ Print Head
Nozzle Configuration	800 Nozzles Black, 800 Nozzles per Color
Minimum Droplet Size	5 pl, With Variable-Sized Droplet Technology
Ink Technology	DURABrite™ Pro
Category	Office Workgroup, Office Departmental
All-in-One Functions	Print

### PRINT

Number of colours	4 colour
First Page Out	Monochrome5.5 Seconds, Colour5.5 Seconds
Printing Speed ISO/IEC 24734	25 pages/min Monochrome, 24 pages/min Colour
Duplex Printing Speed ISO/IEC 24734	17 A4 Pages/min Monochrome, 16 A4 Pages/min Colour
Printing Speed ISO/IEC 24734 (A3)	13 pages/min Monochrome, 13 pages/min Colour
Duplex Printing Speed ISO/IEC 24734 (A3)	11 A4 Pages/min Monochrome, 11 A4 Pages/min Colour
Maximum Printing Speed	35 pages/min Monochrome (plain paper 75 g/m <sup>2</sup> ), 35 pages/min Colour (plain paper 75 g/m <sup>2</sup> )
Printing Resolution	4,800 x 1,200 DPI
Printing Volume	75,000 pages per month The maximum number of printed pages per month based on the performance capabilities of the printer, including ISO rated print speeds and paper handling capabilities.
Recommended Duty Cycle	500 - 5,000 pages per month
Colours	Black, Cyan, Yellow, Magenta

For detailed information on printing speeds please visit <http://www.epson.eu/testing>.

### CONNECTIVITY

Network Printing Protocols	IPP, LDP, Port 9100, WSD
Network Management Protocols	SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, SLP, WSD, LLTD, Ping
Network Protocol	IPv4, IPv6
Interfaces	USB 2.0-A (2x), USB 3.0 Type B, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Wireless LAN IEEE 802.11a/b/g/n, USB host
WLAN Security	WEP 64 Bit, WEP 128 Bit, WPA2 Enterprise, WPA2 PSK (AES)
Network Protocol	TCP/IPv4, TCP/IPv6

## WorkForce Pro EP-C7000DW

### WHAT'S IN THE BOX

- Main unit
- Phone cable
- Quick Setup Guide
- Warranty card

## PRODUCT SPECIFICATIONS

WorkForce Pro EP-C7000DW

### PAPER / MEDIA HANDLING

Paper Formats	A3+, A3 (29.7x42.0 cm), A4 (21.0x29.7 cm), A5 (14.8x21.0 cm), A6 (10.5x14.8 cm), B5, C4 (Envelope), C6 (Envelope), No. 10 (Envelope), Letter, 10 x 15 cm, 13 x 18 cm, 20 x 25 cm, 16:9, Legal
Compatible Paper Weight	64 - 300g/m <sup>2</sup>
Duplex	Yes (A4/A3, plain paper)
Standard Paper input	335 Sheets Standard, 85 Sheets MP tray, 250 Sheets paper tray
Output Tray Capacity	250 Sheets
Paper Tray Capacity	335 Sheets Standard, 1,835 Sheets Maximum
Standard paper tray(s)	85-Sheet Multi-Purpose Tray, 250-sheet paper tray
Optional paper tray(s)	3 x 500 sheet paper tray
Maximum paper input	1,835
Rear paper path (special media)	Yes
Number of paper trays	3

### PAPER FEED RASF

Paper Input Name	RASF
Paper Formats	A3+, A3, A4, A5, A6, B4, B5, B6, C4 (Envelope), C5 (Envelope), C6 (Envelope), DL (Envelope), Letter, 10 x 15 cm, 13 x 18 cm, 16:9, HLT, User defined, Legal, Executive, SRA3, Tabloid
Custom sizes	Min55x 330 mm to Max 127x 1,200 mm
Compatible paper weight	64 g/m <sup>2</sup> - 300 g/m <sup>2</sup>
Paper Capacity 1	85 80gsm
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper

### PAPER FEED C1

Paper Input Name	C1
Paper Formats	A3, A4, A5, A6, B4, B5, B6, Letter, HLT, Legal, Executive, Tabloid
Compatible paper weight	64 g/m <sup>2</sup> - 200 g/m <sup>2</sup>
Paper Capacity 1	80gsm
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead

### PAPER FEED DUPLEX

Paper Input Name	Duplex
Paper Formats	A3, A4, A5, A6, B4, B5, B6, Letter, HLT, Legal, Executive
Compatible paper weight	64 g/m <sup>2</sup> - 150 g/m <sup>2</sup>

### GENERAL

Energy Use	0.8 Watt (sleep mode), 37 Watt (Printing), 8.5 Watt (Ready), 0.1 Watt (Power off), TEC 0.14 kWh/week
Supply Voltage	AC 220 V - 240 V
Product dimensions	613 x 650 x 386 mm (Width x Depth x Height)
Product weight	35.4 kg
Compatible Operating Systems	Mac OS 10.10.x, Mac OS 10.14. x, Mac OS 10.15. x, Mac OS 11. x, Mac OS 12. x, Mac OS X 10.11.x, Mac OS X 10.12.x, Mac OS X 10.13.x, Windows 10 (32/64 bit), Windows 11, Windows 7 (32/64 bit), Windows 8 (32/64 bit), Windows 8.1 (32/64 bit), Windows Server 2003 R2 x64, Windows Server 2003 SP2, Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Server 2019, Windows Server 2022, Windows Vista (32/64 bit), Windows XP Professional x64 Edition SP2 or later, Windows XP SP3 or later (32-bit), macOS 11 or later
Sound Power Noise	Operation:6.7 B (A) Operation:52 dB (A)
Mobile and Cloud printing services	Epson Connect (iPrint, Email Print), Apple AirPrint, Google Cloud Print
Power supply	220V, 240V

## PRODUCT SPECIFICATIONS

WorkForce Pro EP-C7000DW

### ADDITIONAL FEATURES

Memory	2,048 MB
Features	Direct print from USB
Panel	Type: Color, Touch-panel, Diagonal:6.1 cm
Media Handling	Automatic duplex, Rear specialty media feed, Thick Media Support
Security Functions	Limit access function with Epson Web Config, Secure confidential printing with PIN code release, LDAP Address Book, IPsec, IEEE802.1x, SSL (Server authentication), Panel Admin Mode

### PRODUCT SAFETY

Product Safety Warnings	Contains 2,4,7,9-tetramethyldec-5-yne-4,7-diol. May produce an allergic reaction. Contains 2-methylisothiazol-3(2H)-one. May produce an allergic reaction. Always follow the information on the product label.
-------------------------	--

### OTHER FEATURES

Emulations	PCL5c, PCL6, ESC/P-R, PostScript 3, PDF 1.7
------------	---

### OTHER

Warranty	12 months On-site service Optional warranty extension available
----------	--

---

## SUPPLIES

---

● Maintenance box	C13T671400	90,000 pages
● WorkForce Pro EM-C7100/EP-C7000 Series Ink XL Black	C13T13X140	5,800 pages
● WorkForce Pro EM-C7100/EP-C7000 Series Ink XL Cyan	C13T13X240	4,600 pages
● WorkForce Pro EM-C7100/EP-C7000 Series Ink XL Magenta	C13T13X340	4,600 pages
● WorkForce Pro EM-C7100/EP-C7000 Series Ink XL Yellow	C13T13X440	4,600 pages
● WorkForce Pro EM-C7100/EP-C7000 Series Ink XXL Black	C13T14B140	11,500 pages
● WorkForce Pro EM-C7100/EP-C7000 Series Ink XXL Cyan	C13T14B240	8,000 pages
● WorkForce Pro EM-C7100/EP-C7000 Series Ink XXL Magenta	C13T14B340	8,000 pages
● WorkForce Pro EM-C7100/EP-C7000 Series Ink XXL Yellow	C13T14B440	8,000 pages
● Optional Cassette Maintenance Roller	C13S210049	
● Standard Cassette Maintenance Roller	C13S210048	

---

## OPTIONAL ACCESSORIES

---

- Authentication Device Table-P2  
C12C939531
- High Cabinet  
C12C933561

## LOGISTICS INFORMATION

SKU	C11CL37401BY
EAN code	8715946732725
Country of Origin	Indonesia
Layer	1 Units
Layer Block	1 Units



For more information please contact:

Home users: 0343 90 37766  
Business users\*: 0871 42 37766  
Republic of Ireland: 01 436 7742  
Or visit us at <https://www.epson.co.uk/contactus>  
\* 10p per minute plus network extras.

Web: [www.epson.co.uk](http://www.epson.co.uk)  
[www.epson.ie](http://www.epson.ie)

1. Approx. page yield based on ISO/IEC 24711/24712.  
Actual yield will vary depending on images printed and  
usage conditions. For more information visit  
[www.epson.eu/pageyield](http://www.epson.eu/pageyield)

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners.  
Product information is subject to change without prior notice.  
Last extracted: 2025-09-10

**EPSON**<sup>®</sup>