Specifications



# APC NetShelter Rack PDU, Metered-by-Outlet W/ Switching, 0U, 5.0kW 200V and 208V 30A, (21) C13 and (3) C19 outlets [TAA]

AP8641US

~	•
Ove	rview
•••	

Lead time

Usually in Stock

#### Main

Color	Black
Product or Component Type	PDU
PDU Type	Metered
Cord length	9.84 ft (3.00 m)
Number of cables	1
Provided Equipment	CAN Port Terminator Installation guide Rack Mounting brackets Safety guide Serial configuration cable

## Complementary

Input Voltage	200 V
input voltage	
	208 V
	230 V
Height	72.01 in (182.9 cm)
Width	2.20 in (5.6 cm)
Output Voltage	200 V
	208 V
Depth	2.01 in (5.1 cm)
Net Weight	18.14 lb(US) (8.23 kg)
Mounting Location	Side
Mounting preference	No preference
Input Plug Type	NEMA L6-30P
Mounting Mode	Rack-mounted
Rack units	0U
USB compatible	No
Mounting position	Vertical
Line Rated Current	24 A
Permissible voltage	200240 V
Max line current	30 A
Input current limits	30 A

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Load Capacity	4992 VA
Input Frequency	50/60 Hz
Outlet type and quantity	21 IEC 60320 C13 3 IEC 60320 C19

#### Environment

Product Certifications	cUL Listed PSE UL Listed VCCI Class A TAA compliance
Standards	FCC Part 15 class A ICES-003
Ambient air temperature for operation	23113 °F (-545 °C)
Relative Humidity	595 %
Operating altitude	010000 ft
Ambient Air Temperature for Storage	-13149 °F (-2565 °C)
Storage Relative Humidity	595 %
Storage altitude	050000 ft (0.00000000015240.000000000 m)

# Ordering and shipping details

GTIN	731304435334
Country of origin	US

## **Packing Units**

-	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	80.24 in (203.8 cm)
Package 1 Width	4.65 in (11.8 cm)
Package 1 Length	6.38 in (16.2 cm)
Package 1 Weight	23.1 lb(US) (10.5 kg)

## **Contractual warranty**

Warranty

2 years repair or replace

## C Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

#### Environmental Data explained >

How we assess product sustainability  $\geq$ 

${\mathcal Q}$ Environmental footprint	
Carbon footprint (kg CO2 eq, Total Life cycle)	68642
Environmental Disclosure	Product Environmental Profile

#### **Use Better**

Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant with Exemptions
REACh Regulation	REACh Declaration

#### Use Again

$^{\circlearrowright}$ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	No