Fujitsu recommends Windows® 7.



Data Sheet Fujitsu LIFEBOOK A512 Notebook

Your Everyday Partner

The Fujitsu LIFEBOOK A512 is a solid everyday notebook with a high-definition 39.6cm (15.6-inch) anti-glare LCD in 16:9 widescreen format. You can also enjoy media on your TV via HDMI. Integrated WLAN and Bluetooth® provide you with great connectivity and the spill-resistant keyboard with num pad provides extra reliability and usability.

Everyday performance for everyday tasks

- Best price/value ratio with Intel® Celeron™, Pentium™ or Core™ i3 processors and the latest Intel® HM75 chipset
- Integrated WLAN and Bluetooth®

View and connect with the world

- Comfortable viewing experience with 39.6cm (15.6-inch) HD anti-glare display
- HD webcam plus integrated digital microphone for voice and video chat

Comfort, convenience and everyday security

- Ergonomic comfort for daily work with a full-size keyboard plus num pad
- Convenient Anytime USB Charge function for mobile phones and other USB devices
- Computrace® enabled BIOS for data security





















Components

Processor	Intel® Pentium® processor B960 (2.2 GHz, 2 MB)
	Intel® Core™ i3-2328M processor (2.2 GHz, 3 MB) *
	Intel® Celeron® processor B830 (1.8 GHz, 2 MB)
	Intel® Celeron® processor B820 (1.7 GHz, 2 MB)
	*Processor only for retail, SMB, education and government
	Intel® Core™ i7 processor
Operating systems	
Operating system	Windows® 7 Professional 64-bit
. , ,	Windows® 7 Home Premium 64-bit
	Windows® 7 Home Basic (EM) 64-bit
Memory modules	2 GB (1 module(s) 2 GB) DDR3, 1600 MHz, PC3-12800, SO DIMM
	4 GB (1 module(s) 4 GB) DDR3, 1600 MHz, PC3-12800, SO DIMM
Base unit memory	LIFEBOOK A512 Anti-Glare
Supported capacity RAM (min.)	2 GB
Supported capacity RAM (max.)	16 GB
Memory slots total	2
Memory slot type	SO DIMM (DDR3, 1600 MHz)
Memory notes	DDR3 1600 MHz will be clocked with 1333 MHz in combination with 2nd generation Intel® CPU.
Hard disk drives (internal)	SATA, 5400 rpm, 750 GB, 2.5-inch, S.M.A.R.T.
mercy (meemer)	SATA, 5400 rpm, 500 GB, 2.5-inch, S.M.A.R.T.
	SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
Hard disk notes	
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software.
	Accessible capacity may vary, also depending on asca software.
Wireless technologies	
Bluetooth	v4.0 + EDR
Integrated WLAN	Intel® Centrino® Wireless N2230 (IEEE 802.11b/g/n)
Optical drive options	DVD Super Multi
Base unit	DVD Super Multi LIFEBOOK A512 Anti-Glare
Base unit General system information	LIFEBOOK A512 Anti-Glare
Base unit General system information	
Base unit General system information Chipset	LIFEBOOK A512 Anti-Glare
Base unit General system information Chipset Product design	LIFEBOOK A512 Anti-Glare
Base unit General system information Chipset Product design Color	LIFEBOOK A512 Anti-Glare Intel ® HM75
Base unit General system information Chipset Product design Color Material	LIFEBOOK A512 Anti-Glare Intel ® HM75 Matte black
Base unit General system information Chipset Product design Color Material Display	LIFEBOOK A512 Anti-Glare Intel ® HM75 Matte black
Base unit General system information Chipset Product design Color Material Display Display	LIFEBOOK A512 Anti-Glare Intel ® HM75 Matte black Matt
Base unit General system information Chipset Product design Color Material Display Display Aspect ratio	LIFEBOOK A512 Anti-Glare Intel ® HM75 Matte black Matt 39.6 cm (15.6-inch), TFT, (HD), LED backlight, anti-glare, 1366 x 768 pixel, 300:1 (min), 200 cd
Base unit General system information Chipset Product design Color Material Display Display Aspect ratio Brightness - typical	LIFEBOOK A512 Anti-Glare Intel ® HM75 Matte black Matt 39.6 cm (15.6-inch), TFT, (HD), LED backlight, anti-glare, 1366 x 768 pixel, 300:1 (min), 200 cd 16:9
Base unit General system information Chipset Product design Color Material Display Display Aspect ratio Brightness - typical Contrast - typical	LIFEBOOK A512 Anti-Glare Intel ® HM75 Matte black Matt 39.6 cm (15.6-inch), TFT, (HD), LED backlight, anti-glare, 1366 x 768 pixel, 300:1 (min), 200 cd 16:9 200 cd
Base unit General system information Chipset Product design Color Material Display Display Display Aspect ratio Brightness - typical Contrast - typical Graphics	LIFEBOOK A512 Anti-Glare Intel ® HM75 Matte black Matt 39.6 cm (15.6-inch), TFT, (HD), LED backlight, anti-glare, 1366 x 768 pixel, 300:1 (min), 200 cd 16:9 200 cd 300:1 (min)
Base unit General system information Chipset Product design Color Material Display Display Aspect ratio Brightness - typical Contrast - typical Graphics Max. resolution external display	LIFEBOOK A512 Anti-Glare Intel ® HM75 Matte black Matt 39.6 cm (15.6-inch), TFT, (HD), LED backlight, anti-glare, 1366 x 768 pixel, 300:1 (min), 200 cd 16:9 200 cd
Base unit General system information Chipset Product design Color Material Display Display Aspect ratio Brightness - typical Contrast - typical Graphics Max. resolution external display Graphics brand name	LIFEBOOK A512 Anti-Glare Intel® HM75 Matte black Matt 39.6 cm (15.6-inch), TFT, (HD), LED backlight, anti-glare, 1366 x 768 pixel, 300:1 (min), 200 cd 16:9 200 cd 300:1 (min) 1920 x 1200 pixel Intel® HD Graphics or HD Graphics 3000 (depending on CPU)
Optical drive options Base unit General system information Chipset Product design Color Material Display Display Aspect ratio Brightness - typical Contrast - typical Graphics Max. resolution external display Graphics brand name Graphics features Graphics notes	LIFEBOOK A512 Anti-Glare Intel ® HM75 Matte black Matt 39.6 cm (15.6-inch), TFT, (HD), LED backlight, anti-glare, 1366 x 768 pixel, 300:1 (min), 200 cd 16:9 200 cd 300:1 (min)

Page 2 / 5 www.fujitsu.com/fts/mobile

Interfaces	1 v.CD Cord Dondon (CD/CDIIC)
Memory card slots	1 x SD-Card Reader (SD/SDHC)
ExpressCard slots	1 (34 mm and 54 mm supported)
USB 2.0 total	3 (1 x Anytime USB Charge functionality)
VGA	<u>1</u>
HDMI	<u>1</u>
Ethernet (RJ-45)	1
DC-in	1
Audio: line-in / microphone	1
Audio: line-out / headphone	1
Kensington Lock support	1
Wired communication	
LAN	10/100/1000 MBit/s Realtek RTL 8111F
Keyboard and pointing devices	
, , ,	Spill-resistant keyboard with number block
	Number of keyboard keys: 106, Keyboard pitch: 19.8 mm, Keyboard stroke: 1.8 mm
	Touchpad
	Status LED
Multimedia	
Audio type	On board
Audio codec	Realtek ALC269 VC2 HD
Audio features	Support of high-definition audio, 2x built-in speakers (stereo), Built-in digital microphone, Sound volume control via
7.00.0 7.00.0	function key (down: Fn+F8; up: Fn+F9)
Camera	Built-in webcam (HD) with Status LED
Power supply	
AC adapter	20 V / 65 W (3.25 A)
Rated voltage range	100 V - 240 V (AC Input)
Rated frequency range	50 Hz - 60 Hz
1st battery	Li-lon battery 6-cell, 4400 mAh, 48 Wh
Runtime 1st battery	up to 6 h
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.
Dimensions / Weight / Environmental	
Dimensions (W x D x H)	378 x 252 x 36.5 mm
Weight	2.5 kg
Weight notes	Weight may vary depending on actual configuration (including battery pack)
Operating ambient temperature	Running: 5 - 35°C; Packed -15 - 60°C
Operating relative humidity	20 - 85 %
Additional Software	
Additional software (preinstalled)	Adobe® Reader®
Additional software (highlistaliea)	CyberLink YouCam
	EasyGuide online user documentation
	Nero Essentials S (burning software)
	Norton Internet Security (incl. Firewall) 60 days version
	Microsoft® Office Starter: reduced-functionality Word and Excel® only, with advertising. No PowerPoint® or Outlook®.
	Buy Office 2010 to use the full-featured software.
Additional software (included as a CD/DVD)	Drivers & Utilities DVD (DUDVD)
Security	
System protection	Kensington Lock support
Audit proof protection	Computrace® ready BIOS

Page 3 / 5 www.fujitsu.com/fts/mobile

Security	
Access protection	User and supervisor BIOS password Hard disk password
Compliance	
Compliance link	https://sp.ts.fujitsu.com/sites/certificates/default.aspx
Product design	
Standard Warranty	1 year
Service level Maintenance and Support Serv	Collect & Return Service / Bring-in Service (depending on country specific requirements) ices - the perfect extension
Recommended Service	3 years Collect & Return
Spare Parts availability	3 years
Service Weblink	http://www.fujitsu.com/fts/services/support

Recommended Accessories

USB-Port Replicator PR07



This Port Replicator is the perfect docking solution for notebooks without a docking connector. Turn your notebook into a desktop complete with two screens for a real productivity boost thanks to the DualView feature. Plus connect to the local area network and to all of your peripherals with a single USB plug.

Order Code: S26391-F6007-L300

Casual Top Case 16



The Casual Top Case 16 protects notebooks with up to 16-inch screens. A padded top-loading notebook compartment with shock-absorbing foam ensures added protection. It is equipped with a front compartment for storage of power adaptors, office supplies or personal items. It is an ideal business case with a practical design.

Order Code: S26391-F1191-L50

Wireless Notebook Mouse WI610



The Wireless Notebook Mouse WI610 uses the latest wireless 2.4 GHz technology, and an ultra-high resolution switchable sensor to give you the precision and reliability you need (1000/1500/2000 dpi). Sporting a stylish silver-black finish, the WI610 wireless mouse is well suited to all environments.

Order Code: S26381-K460-L100

Mobile Bluetooth Communication Speaker



The Fujitsu Mobile Bluetooth Communication Speaker is the perfect audio accessory for your connected mobile life. It is smaller than a tennis ball so you can bring it everywhere and it can connect via Bluetooth so you don't have to worry about cords. An integrated microphone gives you on-the-fly conference call capabilities for all your Bluetooth enabled mobile devices.

Order Code: S26391-F7128-L700

Page 4 / 5 www.fujitsu.com/fts/mobile

More information

Fujitsu OPTIMIZATION Services

In addition to Fujitsu LIFEBOOK A512, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

Learn more about Fujitsu LIFEBOOK A512, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/fts/mobile

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www.fujitsu.com/global/about/environment/



Copyrights

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/

Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

CONTACT

FUJITSU Technology Solutions Website: www.fujitsu.com/fts 2012-10-04 CE-EN All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/terms

Copyright © Fujitsu Technology Solutions