Help me choose



HP DesignJet T and XL Printer series



HP DesignJet T and XL Printer series

High-impact accuracy

These printers are ideal for architectural, engineering, and construction companies (AEC) and geographic information system (GIS) firms. Also, MCAD professional users and workgroups and government agencies. If you need to print, scan, or copy maps, technical drawings, or renderings with precise, accurate line quality and crisp text, be sure to review the specifications on the following pages.





HP DesignJet XL production printers

Large departments and mid-range print production environments

XL series printing solutions specs comparison		HP DesignJet XL 3800 Printer	HP DesignJet XL 3600 Multifunction Printer series	
comp				
Average pri	nting volume ¹	300-700 sqm/month	100-300 sqm/month	
Printer size,	/paper size	1603 mm (W) x 690 mm (D) x 1250 mm (H) 36 in	1500 mm (W) x 660 mm (D) x 1310 mm (H) 36 in	
Scan and c	opy functions	\bigcirc	\bigcirc	
Print speed (line drawings)		6 A1/min 20s for first page out 360 A1/h ²	3 A1/min 29s for first page out 180 A1/h ³	
Scan speed	1	Color: up to 3 in/sec (7.62 cm/sec) Grayscale: up to 10 in/sec (25.4 cm/sec)	Color: up to 3 in/sec (7.62 cm/sec) Grayscale: up to 10 in/sec (25.4 cm/sec)	
Print resolu	tion	Up to 600 x 1200 optimized dpi	Up to 2400 x 1200 optimized dpi	
Scan and c	opy resolution	1200 x 1200 optimized dpi	Up to 600 dpi	
Scan featur	res	Scan to your network folder, USB drive, printer HDD, and scan to email	Scan to your network folder, USB drive, printer HDD, and scan to email	
Print langua	ages (standard)	HP GL, RTL, PS and PDF, TIFF, CALS	HP-GL/2, HP-RTL, TIFF, JPEG, CALS G4	
	orint languages PostScript® cript® upgrade	Adobe PostScript* 3; Adobe PDF 1.7, Interpreter with Adobe PDF Print Engine 5^4	Adobe PostScript* 3; Adobe PDF 1.7, Interpreter with Adobe PDF Print Engine 5	
Scan forma	its (standard)	TIFF, JPEG, PDF	TIFF, JPEG, Multipage TIFF	
Additional s upgrade (op	scan formats PostScript® otional)	PostScript⁴ included	PDF, PDF/A , multipage PDFs	
Ink cartridg	es and printheads	Four Original HP Inks (Flex Tech Inks and Permanent and Water-Resistant Black) and six HP printheads	Six Original HP Inks (Bright Office Inks and Permanent and Water-Resistant Black) and one Universal HP printhead	
Ink cartridg	es capacity	500 ml Original HP Ink cartridges	300 ml Original HP Ink cartridges	
Number of r	rolls/maximum roll length	Two automatic spindleless frontloading roll feeds; rolls up to 650 ft (200 m) long	Two automatic spindleless frontloading roll feeds; rolls up to 650 ft (200 m) long	
Cut sheet s	upport	No	\bigcirc	
Compatible	e media core size	3 in	2 and 3 in	
Media hand	lling: output, capacity	Integrated output stacker, up to 100 A1/D-size capacity	Integrated output stacker, up to 100 A1/D-size capacity	
Memory		256 GB NVMe™	128 GB (file processing, based on 8 GB RAM), 500 GB Encrypted Hard Disk (AES-256 encrypted)	
Interfaces (standard)	Ethernet, Fast Ethernet, Gigabit Ethernet, 10/100/1000Base-T Ethernet (802.3, 802.3u, 802.3ab)	Ethernet, Fast Ethernet, Gigabit Ethernet, 10/100/1000Base-T Ethernet (802.3, 802.3u, 802.3ab)	
Folder supp	ported accessories	F40 folder compatibility ⁵	F40 folder compatibility	
Universal p	rint driver	\bigcirc	\oslash	
PIN printing	l	\bigcirc	\oslash	
HP Web Jet	admin	\bigcirc	\odot	
	Email printing	No	\oslash	
HP Mobile	In-OS printing	\odot	\bigcirc	
Printing	HP Smart app	\bigcirc	\bigcirc	
	Remote printing	\odot	No	
Auto firmware updates		\bigcirc	\odot	
Job accounting functionality		\oslash	\bigcirc	
Manage print queues		\bigcirc	\bigcirc	
HP SmartStream for		\odot	\odot	
HP DesignJet printers HP DesignJet Partner Link Alert Service		\bigcirc	\odot	
HP Command Center		⊘ ⁶	No	

Medium to large workteams

	es printing ons specs arison	HP DesignJet T2600 Multifunction Printer series	HP DesignJet T1700 Printer series	HP DesignJet T1600 Printer series	
Average pri	inting volume ¹	T2600dr: 300 to 600 A1/month; T2600: up to 300 A1/month	T1700dr: 300 to 600 A1/month; T1700: up to 300 A1/month	T1600dr: 300 to 600 A1/month; T1600: up to 300 A1/month	
Printer size	/paper size	36 in (914 mm)/A0	44 in (1118 mm)/B0+	36 in (914 mm)/A0	
Scan and c	opy functions	\bigcirc	No	No	
Print speed	l (line drawings)	19.3 sec/page on A1/D, 180 A1/D prints/hour ³	26 sec/page on A1/D, 116 A1/D prints/hour ³	19.3 sec/page on A1/D, 180 A1/D prints A1/D prints/hour ³	
Scan speed	d	Color: up to 3 in/sec (7.62 cm/sec) Grayscale: up to 10 in/sec (25.4 cm/sec)	No	No	
Print resolu	ition	Up to 2400 x 1200 optimized dpi	Up to 2400 x 1200 optimized dpi	Up to 2400 x 1200 optimized dpi	
Scan and c	opy resolution	Up to 600 dpi	No	No	
Scan featu	res	Scan to your network folder, USB drive, printer HDD, and scan to email	No	No	
Print langua	ages (standard)	HP-GL/2, HP-RTL, TIFF, JPEG, CALS G4	Basic printer: HP-GL/2, TIFF, JPEG, URF, CALS G4	HP-GL/2, HP-RTL, TIFF, JPEG, CALS G4	
	orint languages 9 SKU/PostScript®	Adobe PostScript® 3, Adobe PDF 1.7, Interpreter with Adobe PDF Print Engine 5	PostScript [®] printer: Adobe PostScript [®] 3, Adobe PDF 1.7 ext 3, HP-GL/2, TIFF, JPEG, URF, CALS G4	Adobe PostScript® 3, Adobe PDF 1.7, Interpreter with Adobe PDF Print Engine 5	
Scan forma	ats (standard)	TIFF, JPEG, Multipage TIFF	No	No	
Additional scan formats PostScript® upgrade (optional)		PDF, PDF/A, Multipage PDF	No	No	
Ink cartridges and printheads		Six Original HP Inks (Bright Office Inks and Permanent and Water-Resistant Black) and one Universal HP printhead	Six Original HP Inks and threeUniversal HP printheads	Six Original HP Inks and one Universal HP printhead	
Ink cartridg	jes capacity	130 and 300 ml Original HP Ink cartridges	130 and 300 ml Original HP Ink cartridges	130 and 300 ml Original HP Ink cartridges	
Number of rolls/maximum roll length		T2600dr: Two automatic frontloading roll feeds; rolls up to 300 ft (91.4 m) long T2600: One automatic frontloading roll feed; rolls up to 300 ft (91.4 m) long	One (T1700)/Two (T1700dr) automatic roll feeds; rolls up to 300 ft (91.4 m) long	T1600dr: Two automatic frontloading roll feeds; rolls up to 300 ft (91.4 m) long T1600: One automatic frontloading roll feed; rolls up to 300 ft (91.4 m) long	
Cut sheet s	support	\oslash	\oslash	\oslash	
Compatible	e media core size	2 in; 3 in only with optional accessory	nly with optional accessory 2 in; 3 in only with optional accessory		
Media hana	lling: output, capacity	Integrated output stacker, up to 100A1/D-size capacity and integrated media bin	Integrated media bin	Integrated output stacker, up to 100 A1/D-size capacity and integrated media bin	
Memory		128 GB (file processing, based on 8 GB RAM), 500 GB Encrypted Hard Disk(AES-256 encrypted)	128 GB (based on 4 GB DDR3 RAM) virtual 500 GB SED hard disk	128 GB (file processing, based on 4 GB RAM), 500 GB Encrypted Hard Disk (AES-256 encrypted)	
Interfaces (standard)		Ethernet, Fast Ethernet, Gigabit Ethernet, 10/100/1000Base-T Ethernet (802.3, 802.3u, 802.3ab)	Ethernet, Fast Ethernet, Gigabit Ethernet, 10/100/1000Base-T Ethernet (802.3, 802.3u, 802.3ab)	Ethernet, Fast Ethernet, Gigabit Ethernet, 10/100/1000Base-T Ethernet (802.3, 802.3u, 802.3ab)	
Folder supp	ported accessories	No	No	No	
Universal p	rint driver	\oslash	\oslash	\oslash	
PIN printing]	\oslash	\odot	\oslash	
HP Web Jet	admin	\odot	\odot	\odot	
	Email printing	\odot	\bigcirc	\bigcirc	
HP Mobile	In-OS printing	\odot	\bigcirc	\bigcirc	
Printing	HP Smart app	\bigcirc	\odot	\odot	
	Remote printing	No	No	No	
Auto firmware updates		\odot	\odot	\odot	
Job accounting functionality		\odot	\odot	\odot	
Manage print queues		\odot	\odot	\odot	
HP SmartStream for HP DesignJet printers		No	No	No	
HP DesignJet Partner Link Alert Service		\odot	\odot	\odot	

Small to medium workteams

T series printing solutions specs		HP DesignJet X950, T950 Multifunction Printer	HP DesignJet X950, T950 Printer	HP DesignJet T850 Multifunction Printer	HP DesignJet T850 Printer
compo	arison				戸
Average prin	nting volume ¹	200 to 300 A1/month	200 to 300 A1/month	150 to 200 A1/month	150 to 200 A1/month
Printer size/p	paper size	914 mm (36 in)/A0	914 mm (36 in)/A0	914 mm (36 in)/A0	914 mm (36 in)/A0
Scan and co	py functions	\oslash	No	\oslash	No
Print speed ((line drawings)	21 sec/page on A1, 120 A1 prints/hour ³	21 sec/page on A1, 120 A1 prints/hour ³	25 sec/page on A1, 90 A1 prints/hour ³	25 sec/page on A1, 90 A1 prints/hour ³
Scan speed		Color: up to 1.5 in/sec Greyscale: up to 4.5 in/sec	No	Color: up to 1.5 in/sec Greyscale: up to 4.5 in/sec	No
Print resoluti	ion	Up to 2400 x 1200 optimized dpi	Up to 2400 x 1200 optimized dpi	Up to 2400 x 1200 optimized dpi	Up to 2400 x 1200 optimized dpi
Scan and co	py resolution	Up to 600 dpi	No	up to 600 dpi	No
Scan feature	es	Scan to network folder, USB drive, scan to email and scan to cloud (through HP app)	No	Scan to network folder, USB drive, scan to email and scan to cloud (through HP app)	No
Print languag	ges (standard)	PCL3GUI, HP-GL/2, HP-RTL, JPEG, CALS G4, URF, TIFF, PDF	PCL3GUI, HP-GL/2, HP-RTL, JPEG, CALS G4, URF, TIFF, PDF	PCL3GUI, HP-GL/2, HP-RTL, JPEG, CALS G4, URF, TIFF, PDF	PCL3GUI, HP-GL/2, HP-RTL, JPEG, CALS G4, URF, TIFF
Additional print languages PostScript® SKU/PostScript® upgrade		No	No	No	No
Scan formats (standard)		PDF, JPEG, TIFF	No	PDF, JPEG, TIFF	No
Additional scan formats PostScript® upgrade (optional)		No	No	No	No
Ink cartridges and printheads		130 and 300 ml Original HP Ink cartridges	130 and 300 ml Original HP Ink cartridges	130 and 300 ml Original HP Ink cartridges	130 and 300 ml Original HP Ink cartridges
Ink cartridges capacity		Four Original HP Inks and one Universal HP printhead	Four Original HP Inks and one Universal HP printhead	Four Original HP Inks and one Universal HP printhead	Four Original HP Inks and one Universal HP printhead
Number of ro	olls/maximum roll length	One roll feed; roll up to 300 ft (91 m) long	One roll feed; roll up to 300 ft (91 m) long	One roll feed; roll up to 150 ft (45.7 m) long	One roll feed; roll up to 150 ft (45.7 m) long
Cut sheet su	ipport/tray capacity	100 Half Size	100 Half Size	50 Half Size	50 Half Size
Compatible	media core size	2 in	2 in	2 in	2 in
Media handl	ing: output, capacity	Stacker (up to 40 A1), Sheet organizer (50 Half Size)	Stacker (30 A1) Sheet organizer (50 Half Size)	Stand with output bin	Stand with output bin
Memory		2 GB	1GB	2 GB	1GB
Interfaces (s	standard)	Gigabit Ethernet (1000Base-T), Wi-Fi	Gigabit Ethernet (1000Base-T), Wi-Fi	Gigabit Ethernet (1000Base-T), Wi-Fi	Gigabit Ethernet (1000Base-T), Wi-Fi
	orted accessories	No	No	No	No
Universal pri	int driver	No	No	No	No
PIN printing		No	No	No	No
HP Web Jetadmin		\odot	\oslash	\oslash	\oslash
	Email printing	\odot	\odot	\bigcirc	\oslash
HP Mobile	In-OS printing	\bigcirc	\odot	\oslash	\bigcirc
Printing	HP Smart app	\odot	\oslash	\oslash	\odot
	Remote printing	\oslash	\oslash	\oslash	\oslash
Auto firmware updates		\oslash	\oslash	\bigcirc	
Job accounting functionality		No	No	No	No
Manage print queues		Job reprint	Job reprint	No	No
HP SmartStream for HP DesignJet printers		No	No	No	No
HP DesignJet Partner Link Alert Service		\odot	\oslash	\oslash	\oslash

Small to medium workteams

T series printing solutions specs		HP DesignJet T830 Multifunction Printer	HP DesignJet Studio Printer series	HP DesignJet T600 Printer series	
compo	arison				
Average pri	inting volume ¹	180 A1/month	120 to 150 A1/month	1120 to 150 A1/month	
Printer size,	/paper size	24 in (610 mm)/A1	24 in (610 mm)/A1 36 in (914 mm)/A1	24 in (610 mm)/A1 36 in (914 mm)/A1	
Scan and c	opy functions	\odot	No	No	
Print speed (line drawings)		26 sec/page on A1/D, 81 A1/D prints/hour ³	36 in: 25 sec/page on A1/D; 82 A1/D prints/hour ⁷ 24 in: 26 sec/page on A1/D; 81 A1/D prints/hour ⁷ T630: 36 in and 24 in: 30 sec/page on A1/D; 76 A1/D prints/hour ⁷	T650: 36 in: 25 sec/page on A1/D; 82 A1/D prints/hour ⁷ 24 in: 26 sec/page on A1/D; 81 A1/D prints/hour ⁷ T630: 36 in and 24 in: 30 sec/page on A1/D; 76 A1/D prints/hour ⁷	
Scan speed	d	Color: up to 3.81 cm/sec (1.5 in/sec) Grayscale: up to 11.43 cm/sec (4.5 in/sec)	No	No	
Print resolu	ition	Up to 2400 x 1200 optimized dpi	Up to 2400 x 1200 optimized dpi	Up to 2400 x 1200 optimized dpi	
Scan and c	opy resolution	Up to 600 dpi	No	No	
Scan featur	res	Scan to email, scan to cloud (through HP Smart app), network, USB, computer, mobile	No	No	
Print langua	ages (standard)	TIFF, JPEG, CALS G4, HP PCL 3 GUI, HPGL/2, HP-RTL, URF	HP-GL/2, HP-RTL, JPEG, CALS G4, URF	HP-GL/2, HP-RTL, JPEG, CALS G4, URF	
	orint languages ° SKU/PostScript®	No	No	No	
Scan forma	ats (standard)	JPEG, TIFF, PDF	No	No	
Additional scan formats PostScript® upgrade (optional)		No	No	No	
Ink cartridg	jes and printheads	Four Original HP Inks and one Universal HP printhead	Four Original HP Inks and one HP printhead (C,M,Y,K)	Four Original HP Inks and one HP printhead (C,M,Y,K)	
Ink cartridges capacity		69 and 300 ml matte black; 40, 130, and 300 ml yellow, magenta, and cyan Original HP Ink cartridges	80 ml and 38 ml matte black; 29 ml yellow, magenta, and cyan Original HP Ink cartridges	80 ml and 38 ml matte black; 29 ml yellow, magenta, and cyan Original HP Ink cartridges	
Number of troll length	rolls/maximum	One roll feed; rolls up to 150 ft (45.7 m) long	One roll feed; rolls up to 150 ft (45.7 m) long	One roll feed; rolls up to 150 ft (45.7 m) long	
Cut sheet s	support/tray capacity	50 Half Size	50 Half Size	50 Half Size	
Compatible	e media core size	2 in	2 in	2 in	
Media hand	dling: output, capacity	Integrated media bin	Integrated and retractable media bin	Integrated media bin	
Memory		1GB	1GB	1GB	
Interfaces ((standard)	Gigabit Ethernet (1000Base-T); Wi-Fi 802.11b/g/n; Wi-Fi Direct	Gigabit Ethernet (1000Base-T), Hi-Speed USB 2.0, Wi-Fi 802.11	Gigabit Ethernet (1000Base-T), Hi-Speed USB 2.0, Wi-Fi 802.11	
Folder supp	ported accessories	No	No	No	
Universal p	rint driver	\odot	\odot	\oslash	
PIN printing]	No	No	No	
HP Web Jet	tadmin	\odot	\odot	\odot	
	Email printing	\odot	No	No	
HP Mobile	In-OS printing	\odot	\odot	\odot	
Printing	HP Smart app	\bigcirc	\odot	\bigcirc	
	Remote printing	No	\odot	\bigcirc	
Auto firmware updates		\odot	\odot	\odot	
Job accounting functionality		No	No No		
Manage print queues N		No	No	No	
HP SmartStream for HP DesignJet printers		No	No	No	
HP DesignJ Alert Servic	Jet Partner Link	No	No	No	

Small to medium workteams

Tseri	es printing	HP DesignJet T200		
T series printing solutions specs		Printer series		
comparison				
Average pr	rinting volume ¹	0-100 A1/month		
Printer size	e/paper size	24 in (610 mm)		
Scan and a	copy functions	No		
Print spee	d (line drawings)	T250: 30 sec/page on A1/D; 76 A/D1 prints/hour ⁷ T230: 35 sec/page on A1/D; 68 A/D1 prints/hour ⁷ T210: 45 sec/page on A1/D; 59 A/D1 prints/hour ⁷		
Scan spee	d	No		
Print resolu	ution	Up to 2400 x 1200 optimized dpi		
Scan and a	copy resolution	No		
Scan featu	ures	No		
Print langu	iages (standard)	JPEG, URF		
Additional SKU/PostS	print languages PostScript® Script® upgrade	No		
Scan form	ats (standard)	No		
	scan formats ª upgrade (optional)	No		
Ink cartridges and printheads		Four Original HP Inks and one HP printhead (C,M,Y,K)		
Ink cartride	ges capacity	80 ml and 38 ml matte black; 29 ml yellow, magenta, and cyan Original HP Ink cartridges		
Number of	rolls/maximum roll length	One roll feed; rolls up to 150 ft (45.7 m) long		
Cut sheet :	support/tray capacity	S0 Half Size		
Compatibl	e media core size	2 in		
Media han	dling: output, capacity	Optional media bin		
Memory		512 GB		
Interfaces	(standard)	Gigabit Ethernet (1000Base-T), Hi-Speed USB 2.0, Wi-Fi 802.11		
Folder sup	ported accessories	No		
Universal p	print driver	\bigcirc		
PIN printin	g	No		
HP Web Je	tadmin	No		
	Email printing	No		
HP Mobile	In-OS printing	\bigcirc		
Printing	HP Smart app	\bigcirc		
	Remote printing	\bigcirc		
Auto firmware updates		\odot		
Job accounting functionality		No		
Manage pr	rint queues	No		
HP SmartS HP Design	Stream for Jet printers	No		
HP DesignJ Alert Servic	let Partner Link Ce	No		

Legal footnotes

- 1. Recommended printing volumes based on an average user, but not defining the device's printing capacity.
- 2. Based on comparison of published speed specifications commissioned by HP and performed by Sogeti in February 2023. HP DesignJet XL 3800 top speed of 6 color D pages per minute compared to top speed specifications of mono and color printers from different manufacturers comparable in terms of price range, speed and market relevance based on their worldwide market share as of February 2023 according to IDC. Further details available upon request.
- 3. Mechanical printing time. Printed in Fast mode using Original HP Inks.
- 4. Postscript will be included as default 6 months post introduction.
- 5. HP F40 Folder compatibility will be available 6 months after introduction.
- 6. HP SmartTracker Software and integration with HP Partner Link will be available 12 months after product introduction.
- 7. Mechanical printing time. Printed in Fast mode with Economode on, using HP Bright White Inkjet Paper (bond) and Original HP Inks. Actual performance may vary based on a variety of conditions, including but not limited to network configuration.

For more information, please visit: hp.com/go/designjet

© Copyright 2017, 2023 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. Adobe, PostScript, and Adobe PostScript 3 are trademarks of Adobe Systems Incorporated.

