Product data sheet

Specifications



Legacy Communications SmartSlot Card

AP9620

Overview

Presentation	UPS management SmartSlot Card which supports the UPSLink protocol for SMT, SMX and SURTD Smart-UPS.
Lead time	Usually in Stock
Main	
product or component type	Communication card
provided equipment	RS-232 configuration cable User manual
Physical	
Colour	Black
Height	1.5 in (3.8 cm)

Height	1.5 in (3.8 cm)	
Width	4.8 in (12.1 cm)	
Depth	4.5 in (11.4 cm)	
net weight	0.18 lb(US) (0.08 kg)	
Mounting preference	No preference	
mounting mode	Not rack-mountable	

Environmental

Ambient air temperature for operation	32.000000000113.000000000 °F (045 °C)
Relative humidity	095 %
Operating altitude	010000 ft
Ambient air temperature for storage	23.000000000113.000000000 °F (-545 °C)
Storage Relative Humidity	095 %
Storage altitude	050000 ft (0.00000000015240.000000000 m)

Packing Units

Unit Type of Package 1	PCE
Unit Type of Fackage 1	FCE
Number of Units in Package 1	1
Package 1 Height	2.008 in (5.1 cm)
Package 1 Width	9.3 in (23.5 cm)
Package 1 Length	6.3 in (15.9 cm)
Package 1 Weight	0.747 lb(US) (0.339 kg)

SCC14

10731304283215

Contractual warranty

Warranty

2 years repair or replace

2

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Energy Efficient Take-back Transparency RoHS/REACh

Resource performance

Energy Efficient Product

Take-Back Program Available

Well-being performance

Lead Free

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information