

# HP Color LaserJet Enterprise M751 Printer series



Count on productivity, premium quality, maximum uptime, and the strongest security<sup>1</sup>

HP LaserJet printers power office productivity with a smart, streamlined design that's reliable and hassle-free. Count on premium quality, maximum uptime, and the strongest security<sup>1</sup>—all intended to drive successful organizations forward.

This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: <http://www.hp.com/learn/ds>



HP Color LaserJet Enterprise M751n



HP Color LaserJet Enterprise M751dn

## Professional color printing

- Print premium, professional-quality documents with vivid color images and graphics.
- Special print mode for a wider color range, an extra level of vividness for documents and marketing materials.
- Consistent professional quality and performance - Original HP Toner cartridges with JetIntelligence and drums.
- Look professional on every page with vibrant, high-quality color prints that stand the test of time.

## Minimal interruptions. Maximum productivity.

- Change the toner and drum in seconds. Both are easily accessible and come already installed out of the box.
- Avoid interruptions with an HP LaserJet printer designed for maximum productivity.
- Tailor this printer to meet the needs of your business with a wide range of paper-handling accessories.
- Grab pages and go, without waiting. This HP LaserJet wakes up quickly and prints fast—up to 40 ppm.<sup>2</sup>

## The world's most secure printing<sup>1</sup>

- Each printer in your fleet checks its operating code and repairs itself from attacks.
- Your printer's outgoing network connections are inspected to stop suspicious requests and thwart malware.
- Memory activity is monitored to continually detect and stop attacks
- Firmware is automatically checked during startup to determine if it's authentic code—digitally signed by HP.

<sup>1</sup> Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit <http://hp.com/go/PrintersThatProtect>. For more information: <http://hp.com/go/printersecurityclaims>

<sup>2</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see <http://hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

## Product walkaround

1. 250-sheet output bin
2. Front door (access to JetIntelligence toner cartridges and imaging drums)
3. Automatic two-sided printing<sup>1</sup>
4. 550-sheet tray 2 supports media sizes up to 11 x 17 inches (A3)
5. 2nd generation Hardware Integration Pocket (for connecting accessory and third-party devices)<sup>2</sup>
6. 2.7-inch (6.9 cm) color graphic display with 24-key pad
7. Easy-access USB port<sup>3</sup>
8. 100-sheet multipurpose tray 1 supports media sizes up to 12 x 18 inches (305 x 457 mm) and SRA3
9. Right door (access to the print path)
10. Slot for cable-type security lock
11. 2 Hi-Speed USB 2.0 Host ports
12. Gigabit/Fast Ethernet 10/100/1000Base-TX network port
13. Hi-Speed USB 2.0 device port



## Series at a glance



Model	HP Color LaserJet Enterprise M751n	HP Color LaserJet Enterprise M751dn
Model (product number)	M751n (T3U43A)	M751dn (T3U44A)
Print speed (letter and A4, black and color) <sup>4</sup>	Up to 40 pages per minute (ppm)	
Media sizes supported	Multipurpose tray 1: Up to 12 x 18 inches (305 x 457 mm) and SRA3 Tray 2: Up to 11 x 17 inches (A3)	
Automatic two-sided printing	Not available	√
100-sheet multipurpose tray 1, 550-sheet tray 2	√	
Optional input accessories Add up to two: 1x550-sheet paper tray; Add up to one: 2x550-sheet paper tray and stand, 2,700 sheet high capacity input paper tray and stand, or Cabinet stand	√	
Input capacity (standard/maximum <sup>5</sup> )	Up to 650 sheets/4,450 sheets	
Recommended monthly page volume <sup>6</sup>	Up to 40,000 pages	
Cartridge yields <sup>7</sup> (A/X)	Black: ~7,000/33,000 pages; Color: ~6,000/28,000 pages	
Optional HP High-Performance Secure Hard Disk	√	
Optional wireless networking /NFC touch-to-print/Bluetooth® Low Energy <sup>9</sup>	√	

<sup>1</sup> Automatic two-sided printing is not available on the HP Color LaserJet Enterprise M751n model.

<sup>2</sup> Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. The HP Color LaserJet Enterprise M751 series comes with a second generation HIP.

<sup>3</sup> An administrator must enable the easy-access USB port before use.

<sup>4</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see [hp.com/go/printerclaims](http://hp.com/go/printerclaims). Exact speed varies depending on the system configuration, software application, driver, and document complexity.

<sup>5</sup> Selection of optional paper-handling accessories required to reach maximum input capacity.

<sup>6</sup> Recommended Monthly Page Volume (RMPV): HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

<sup>7</sup> Average black declared yields based on ISO/IEC 19752 and continuous printing. Average color composite (C/M/Y) declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see [hp.com/go/learnaboutsupplies](http://hp.com/go/learnaboutsupplies).

<sup>8</sup> Both models can add wireless networking with selection of the optional HP Jetdirect 2900nw Print Server (J8031A). If selected, you cannot also select the HP Jetdirect 3100w BLE/NFC/Wireless Accessory (3JN69A). Wireless performance is dependent on physical environment and distance from access point and may be limited during active VPN connections.

<sup>9</sup> Bluetooth® and touch-to-print capabilities are optional for both models and can be added by selecting the optional HP Jetdirect 3100w BLE/NFC/Wireless Accessory (3JN69A). If selected, you cannot also select the HP Jetdirect 2900nw Print Server (J8031A). Mobile device must support Near-Field Communication (NFC)-enabled printing. For more information, see [hp.com/go/businessmobileprinting](http://hp.com/go/businessmobileprinting)

## HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

For carepack availability visit: [hp.com/go/cpc](http://hp.com/go/cpc)



### Accessories

<b>2EH31A</b>	HP MFP Analog Fax Accessory 700
<b>2NR09A</b>	HP 2GB 144-Pin DDR3 TAA Version DIMM
<b>3JN69A</b>	HP Jetdirect 3100w BLE/NFC/Wireless Accessory
<b>B5L28A</b>	HP Internal USB Ports
<b>B5L29A</b>	HP High-Performance Secure Hard Disk
<b>B5L31A</b>	HP Foreign Interface Harness
<b>CC543B</b>	HP SmartCard NIPRNet Solution for US Government
<b>E5K48A</b>	HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM
<b>E5K49A</b>	HP 2 GB x32 144-pin (800 MHz) DDR3 SODIMM
<b>F8B30A</b>	HP SmartCard SIPRNet Solution for US Government
<b>T3V27A</b>	HP LaserJet 550-sheet Paper Tray
<b>T3V28A</b>	HP LaserJet Printer Stand
<b>T3V29A</b>	HP Color LaserJet 2x550-sheet Feeder and Stand
<b>T3V30A</b>	HP LaserJet 2700-sheet High Capacity Paper Tray and Stand
<b>X3D03A</b>	HP USB Universal Card Reader

### Supplies

<b>3WT87A</b>	HP LaserJet 110V Fuser Kit
<b>3WT88A</b>	HP LaserJet 3WT88A 220V Fuser Kit
<b>3WT89A</b>	HP LaserJet 3WT89A Transfer Kit
<b>3WT90A</b>	HP LaserJet 3WT90A Toner Collection Unit 1 Black (~90,000 pages)
<b>W2000A</b>	HP 658A Black Original LaserJet Toner Cartridge 1 Black (~7,000 pages)
<b>W2000X</b>	HP 658X High Yield Black Original LaserJet Toner Cartridge 1 Black (~33,000 pages)
<b>W2001A</b>	HP 658A Cyan Original LaserJet Toner Cartridge 1 Cyan (~6,000 pages)
<b>W2001X</b>	HP 658X High Yield Cyan Original LaserJet Toner Cartridge 1 Cyan (~28,000 pages)
<b>W2002A</b>	HP 658A Yellow Original LaserJet Toner Cartridge 1 Yellow (~6,000 pages)
<b>W2002X</b>	HP 658X High Yield Yellow Original LaserJet Toner Cartridge 1 Yellow (~28,000 pages)
<b>W2003A</b>	HP 658A Magenta Original LaserJet Toner Cartridge 1 Magenta (~6,000 pages)
<b>W2003X</b>	HP 658X High Yield Magenta Original LaserJet Toner Cartridge 1 Magenta (~28,000 pages)
<b>W2004A</b>	HP 660A Original LaserJet Imaging Drum

### Services

<b>UB5C3E</b>	- HP 3y NBD w/DMR CLJ M751 SVC
<b>UB5C4E</b>	- HP 4y NBD w/DMR CLJ M751 SVC
<b>UB5C5E</b>	- HP 5y NBD w/DMR CLJ M751 SVC
<b>UB5C6E</b>	- HP 3y 4h 9x5 w/DMR CLJ M751 SVC
<b>UB5C7E</b>	- HP 4y 4h 9x5 w/DMR CLJ M751 SVC
<b>UB5C8E</b>	- HP 5y 4h 9x5 w/DMR CLJ M751 SVC
<b>UB5C9E</b>	- HP 3y ChnlPartsOnly CLJ M751 SVC
<b>UB5D0E</b>	- HP 4y ChnlPartsOnly CLJ M751 SVC
<b>UB5D1E</b>	- HP 5y ChnlPartsOnly CLJ M751 SVC
<b>UB5D2PE</b>	- HP 1y PW NBD w/DMR CLJ M751 SVC
<b>UB6X4PE</b>	- HP 1y PW w/DMR 4h 9x5 CLJ M751 SVC
<b>UB6X6PE</b>	- HP 1y PW ChnlPartsOnly CLJ M751 SVC

Data sheet | HP Color LaserJet Enterprise M751 Printer series  
**HP Color LaserJet Enterprise M751 Printer series**

Model	HP Color LaserJet Enterprise M751n		HP Color LaserJet Enterprise M751dn
Product number	M751n (T3U43A)		M751dn (T3U44A)
AIO functions	Print		
Print			
Print speed <sup>14, 13</sup>	<b>First page out Letter:</b> As fast as 5.7 sec Black; As fast as 6.1 sec Color; <b>First page out A4:</b> As fast as 5.7 sec Black; As fast as 6.1 sec Color; <b>Letter:</b> Up to 40 ppm Black; Up to 40 ppm Color; <b>A4:</b> Up to 41 ppm Black; Up to 41 ppm Color; <b>2-sided Letter:</b> Up to 40 ppm Black; Up to 40 ppm Color; <b>2-sided A4:</b> Up to 41 ppm Black; Up to 41 ppm Color; <b>Print speed (Landscape, A5):</b> Up to 35 ppm Black; Up to 35 ppm Color		
Print resolution	<b>Black (best):</b> Up to 1200 x 1200 dpi; <b>Black (normal):</b> Up to 600 x 600 dpi; <b>Black (fine lines):</b> Up to 1200 x 1200 dpi <b>Color (best):</b> Up to 1200 x 1200 dpi; <b>Color (normal):</b> Up to 600 x 600 dpi; <b>Color (fine lines):</b> Up to 1200 x 1200 dpi		
Print technology	Laser; <b>Print resolution technology:</b> HP ImageREt 4800, Enhanced (600x600 dpi), Fine Lines (1200x1200 dpi), Quickview (300x300 dpi)		
Print cartridges number	4 toner cartridges (1 each for black, cyan, magenta, yellow)		
Standard print languages	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™		
Printer smart software features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB		
Printer management	HP Printer Assistant; HP Utility (Mac); HP Device Toolbox; HP Web JetAdmin Software; HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator)		
Connectivity			
Standard connectivity	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 rear host ports; 1 walkup USB 2.0 host port; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network port; 1 Hardware Integration Pocket 2nd generation (HIP2)		
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-T, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; Psec (standard); 802.11b/g/n wireless networking (optional)		
Wireless capability	Optional, enabled with purchase of a wireless hardware accessory: HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A, (Dual band Wireless Station and Wi-Fi Direct functionality); HP Jetdirect 2900nw Print Server J8031A (Dual band Wireless Station)		
Mobile printing capability	HP ePrint; Apple AirPrint™; Google Cloud Print™; Mopria™ Certified		
Memory <sup>8</sup>	Standard: 1.5 GB; Maximum: 3.5 GB		
Processor speed	1.2 GHz		
Storage	16 GB eMMC / <b>Hard disk:</b> Optional 500 GB HDD; HP Secure High Performance Hard Disk drive 500 GB B5L29A; HP FIPS-140-2 Secure Hard Disk Drive SEL03A		
Duty cycle (monthly) <sup>9</sup>	<b>Letter:</b> Up to 150,000 pages; <b>A4:</b> Up to 150,000 pages; <b>Recommended monthly page volume <sup>10</sup>:</b> Up to 40,000		
Paper handling			
Input	Standard: 100-sheet multipurpose tray, 550-sheet input tray; Up to 650 sheets (80 g/m² paper) ; Up to 10; <b>Maximum:</b> Up to 4450 sheets (80 g/m² paper)		
Output	Standard: 250-sheet output bin; Up to 250 sheets Standard; Up to 50 envelopes; <b>Transparencies:</b> Up to 150 sheets		
Duplex Options	Manual (driver support provided)	Automatic (standard)	
Envelope feeder	No		
Standard paper trays	Standard: 2; <b>Maximum:</b> 6		
Media types	Paper (plain, heavy, extra heavy, glossy, light, recycle, tough), envelopes, labels, glossy film, cardstock, transparencies		
Media weight	100-sheet multipurpose Tray 1: 16 to 80 lb, 550-sheet input Tray 2: 16 to 68 lb, Optional 1x550 and 2x550 tray and stand: 16 to 68 lb, Optional 2700-sheet HCl paper tray and stand: 16 to 68 lb; 100-sheet multipurpose Tray 1: 60 to 300 g/m², 550-sheet input Tray 2: 60 to 256 g/m², Optional 1x550 and 2x550 tray and stand: 60 to 256 g/m², Optional 2700-sheet HCl paper tray and stand: 60 to 256 g/m²		
Media sizes	100-sheet multipurpose Tray 1: Statement, 3 x 5 index card, 4 x 6 index card, 5 x 7 index card, 5 x 8 index card, Letter, Letter-R, Legal, Executive, 11 x 17 in; 8.5 x 13, 12 x 18, Envelopes: #9, #10, Monarch; 550-sheet input Tray 2: Letter, Letter-R, Legal, Executive, 8.5 x 13, 11 x 17 in; Optional 1x550 and 2x550 tray and stand: Letter, Letter-R, Legal, Executive, 8.5 x 13, 11 x 17 in, 12 x 18; Optional 2700-sheet HCl paper tray and stand: Letter; 100-sheet multipurpose Tray 1: A3, A4, A4-R, A5, A6, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS); Office 216x340, 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); Postcard (JIS), Dpostcard (JIS), Envelopes: B5, C5, C6, DL; 550-sheet input Tray 2: A3, A4, A4-R, A5, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS); Office 216x340, 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); Dpostcard (JIS); Optional 1x550 and 2x550 tray and stand: A3, A4, A4-R, A5, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS); Office 216x340, 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); Dpostcard (JIS); Optional 1x550 and 2x550 tray and stand: A3, A4, A4-R, A5, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS); Office 216x340, 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); Dpostcard (JIS); Optional 2700-sheet HCl paper tray and stand: A3, A4, A4-R, A5, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS); Office 216x340, 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); Dpostcard (JIS); Optional 2700-sheet HCl paper tray and stand: A4Standard Media Sizes Supported for all Tray(s) (metric)		
Media Sizes Custom	100-sheet multipurpose Tray 1: 2.5 x 5 to 12.6 x 18 in; 550-sheet input Tray 2: 5.8 x 5.8 to 11.7 x 17 in; Optional 1x550 and 2x550 tray and stand: 5.8 x 5.8 to 12.6 x 18 in; Optional 2700-sheet HCl paper tray and stand: 11 x 8.27 to 11.7 x 8.5 in; 100-sheet multipurpose Tray 1: 64 x 127 to 320 x 457.2 mm; 550-sheet input Tray 2: 148 x 148 to 297 x 431.8 mm; Optional 1x550 and 2x550 tray and stand: 148 x 148 to 320 x 457.2 mm; Optional 2700-sheet HCl paper tray and stand: 279.4 x 210 mm to 297 x 215.9		
Dimensions (W x D x H) <sup>2</sup>	21.9 x 23.2 x 15.7 in; 556 x 589 x 399 mm; <b>Maximum:</b> 41.4 x 39.1 x 17.4 in; 1051 x 992 x 443 mm		
Weight <sup>3</sup>	99.4 lb; 45.1 kg		
What's in the box <sup>1,6</sup>	HP Color LaserJet Enterprise M751n printer; Four preinstalled HP LaserJet toner cartridges; Four preinstalled HP Original LaserJet Imaging Drums (~65,000 pages each color); Guide (Getting started Guide); Power cord <sup>1,6</sup>		HP Color LaserJet Enterprise M751dn printer; Four preinstalled HP LaserJet toner cartridges; Four preinstalled HP Original LaserJet Imaging Drums (~65,000 pages each color); Guide (Getting started Guide); Power cord <sup>1,6</sup>
Page yield (set-up/inbox cartridges) <sup>7</sup>			
Replacement cartridges <sup>8</sup>	HP 658A Black LaserJet Toner Cartridge (~7,000 pages); HP 658A Cyan LaserJet Toner Cartridge (~6,000 pages); HP 658A Magenta LaserJet Toner Cartridge (~6,000 pages); HP 658A Yellow LaserJet Toner Cartridge (~6,000 pages); HP 658X Black LaserJet Toner Cartridge (~33,000 pages); HP 658X Cyan LaserJet Toner Cartridge (~28,000 pages); HP 658X Magenta LaserJet Toner Cartridge (~28,000 pages); HP 658X Yellow LaserJet Toner Cartridge (~28,000 pages); HP 660A Original LaserJet Imaging Drum (~65,000 pages, universal for all 4 colors)		
Orderable supplies	HP LaserJet Toner Collection Unit 3WT90A, HP LaserJet 110V Fuser Kit 3WT87A, HP LaserJet 220V Fuser Kit 3WT88A, HP LaserJet Image Transfer Belt Kit 3WT89A		
Warranty features	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Contact your Contractual Vendor or go to hp.com/support to learn about HP award winning service and support options in your region. (Warranty Code 4G; Warranty ID A001)		
Energy star certified	No	Yes	
Ecolabels	CECP; Blue Angel; EPEAT® Silver registered; ENERGY STAR® certified		
Control panel	2.7-in (6.86 cm) QVGA LCD (color graphics) rotating (adjustable angle) display with 24-key pad		
Display	2.7-in (6.86 cm) QVGA LCD (color graphics) rotating (adjustable angle) display with 24-key pad		
Software included	No software solutions are included in the Box, only on <a href="http://hp.com">http://hp.com</a> ; <a href="http://1123.hp.com">http://1123.hp.com</a> ;		
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and PDS Emulation available at <a href="http://hp.com/go/laserjetfonts">hp.com/go/laserjetfonts</a>		
Compatible operating systems <sup>11</sup>	Windows 11; Windows 10; Windows 8; Windows 8.1; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave		
Compatible network operating systems	Windows 11; Windows Server; Linux; Citrix; UNIX; Novell		
Minimum system requirements	PC: ≥ 2 GB available hard disk space, Internet connection, USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: ≥ 2 GB available hard drive space, Internet connection or USB port, OS hardware requirements see apple.com;		
Power <sup>5, 5</sup>	<b>Power supply type:</b> Built-in 115V or 220V Power Supply; <b>Power supply required:</b> Input voltage: 100 V to 127 V nominal (+/-10%), 50 - 60 Hz nominal (+/- 3 Hz), 12 A; Input voltage: 220 V to 240 V nominal (+/-10%), 50 - 60 Hz nominal (+/- 3 Hz), 6 A. Not dual voltage, power supply varies by part number with # Option code identifier.; <b>Power consumption:</b> 870 watts (max. printing), 850 watts (typical printing) 48 watts (Ready), 0.6 watts (Sleep), 0.6 watts (HP Auto-Off/Auto On), 0.08 watts (Auto-Off), 0.08 watts (Off); <b>Typical electricity consumption (TEC) number:</b> 1.93 kWh/Week (Blue Angel); 0.551 kWh/Week (Energy Star 3.0)		<b>Power supply type:</b> Built-in 115V or 220V Power Supply; <b>Power supply required:</b> Input voltage: 100 V to 127 V nominal (+/-10%), 50 - 60 Hz nominal (+/- 3 Hz), 12 A; Input voltage: 220 V to 240 V nominal (+/-10%), 50 - 60 Hz nominal (+/- 3 Hz), 6 A; <b>Power consumption:</b> 870 watts (max. printing), 850 watts (typical printing) 48 watts (Ready), 0.6 watts (Sleep), 0.6 watts (HP Auto-Off/Auto On), 0.08 watts (Auto-Off), 0.08 watts (Off); <b>Typical electricity consumption (TEC) number:</b> 1.93 kWh/Week (Blue Angel); 0.551 kWh/Week (Energy Star 3.0)
Acoustics <sup>7</sup>	Acoustic power emissions: 6.6 B(A)		
Operating environment	Operating temperature range: 50 to 90.5°F; 10 to 32.5°C Recommended operating temperature: 59 to 80.6°F; 15 to 27°C Storage temperature range: -4 to 104°F; -20 to 40°C Operating humidity range: 10 to 80% RH Recommended operating humidity range: 30 to 70% RH		
Security management	Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in		
Country of origin	Made in Japan		

<sup>1</sup> Standard cartridges included; yields 7,000 black and 6,000 color composite (C/M/Y) pages. Drums included; yields 65,000 black and color pages. <sup>2</sup> Without paper trays extended. <sup>3</sup> With print cartridges. <sup>4</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device. <sup>5</sup> Based on the BA TEC method with the following possible exceptions: 1. printer or less sleep delay setting, Wi-Fi disabled. <sup>6</sup> Average black declared yields based on ISO/IEC 19752 and continuous printing. Average color composite (C/M/Y) declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>. <sup>7</sup> Acoustic values are subject to change. For current information see <http://www.hp.com/support>. Configuration tested: base model, simplex printing, A4 paper at an average of 41 ppm. <sup>8</sup> To achieve maximum memory, purchase a DIMM accessory (TAA compliant only with TAA compliant DIMM). A firmware update may be required for configuration page to accurately reflect the accessory DIMM is installed. <sup>9</sup> Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPS to satisfy the demands of connected individuals or groups. <sup>10</sup> HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. <sup>11</sup> Solution software available on 123.hp.com <sup>12</sup> EPEAT® registered where applicable. EPEAT registration varies by country. See <http://www.epeat.net> for registration status by country. <sup>13</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>14</sup> Measured using ISO/IEC 17629. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>15</sup> Measured using ISO 24734 Feature Test, A5 Landscape Feed. Speed may vary based on content, PC, media orientation, and media type. <sup>16</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>17</sup> Measured using ISO/IEC 17629. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>18</sup> Measured using ISO 24734 Feature Test, A5 Landscape Feed. Speed may vary based on content, PC, media orientation, and media type.

To learn more, visit [hp.com](http://hp.com)

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

