HP Color LaserJet Enterprise 5700dn Printer (AAZ Option Code)



Powerfully compact. Extraordinarily efficient.

Transform your workflows with advanced capabilities in a compact footprint. From print speeds to color panels ⁹, get flexible configurations to meet your needs today and tomorrow. All while protecting your business against evolving cyber threats.

This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: http://www.hp.com/learn/ds



HP Color LaserJet Enterprise 5700dn Printer

More than a printer, in a compact footprint

- Get peak performance with scalable configurations delivering maximum productivity for robust
- Fast print speeds of up to 45 PPM ¹ to help you get everything done faster.
- Maintain productivity and stay up-to-date on the latest features across your fleet with upgradeable HP FutureSmart firmware.²
- Take control of your printing environment with HP Web Jetadmin³ to help manage your fleet and build consistent print experiences.

Customizable and scalable solutions 7

- Get the functionality you need with unprecedented, flexible configurations built to order. Optimize your device to meet your business needs and your budget.
- Choose built-in storage options including HDD and SSD drives to handle data and documents stored on the device.
- Match any office décor with modern designs and the option of five customizable color panels ⁹.

Fast and seamless digitization

- Customize your print experience with cloud-connected HP Workpath apps. Access personalized content and integrate paper and digital workflows.⁴
- Give your team the tools to succeed with the HP Open Extensibility Platform containing hundreds of HP and third-party solutions, and card reader support.
- Make color management simple with HP Custom Color Manager. Match color output of any document-device combination by simply pulling color profiles from the cloud. Get high-quality color profiles without the hassle of expensive color matching systems.

Always on guard with HP Wolf Security

- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- HP Connection Inspector examines network connections. The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can
- Memory ShieldTM and expanded run-time intrusion detection protects memory and other applications. Common Criteria certified⁶ to continually monitor memory activity, detect and stop zero-day attacks in real time [known/unknown] and self-heal.
- Minimize exposure with whitelisting checks, firmware that is automatically checked during start-up to determine if it's authentic code – digitally signed by HP.

¹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

2 Some features enabled by future HP EntureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.

3 HP Web Jetadmin is available for download at no additional charge at hp.com/go/wja

4 Not all MFPs may be compatible with Workpath apps. To enable HP Workpath, some devices may require optional accessory or firmware to be upgraded. Not all apps may be available in all locations. Subscription may be required. Personalized content and integration functions are applicable to supported HP Workpath apps only.

5 HPS most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2022 published features of competitive in-class printers. Only HP Offers a comb of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit: hp.com/go/PrintersThatProtect For more information. rare 4.5 or above. Claim based on HP review of 2022 published features of competitive in-class printers. Only HP offers a combination

information, visit: http://www.hp.com/go/printersecurityclaims

6 Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019-2024. Certification applicable to HP Managed and Enterprise devices running HP FutureSmart Firmware version

^{4.5.1} and later. For more information; https://www.commoncriteriaportal.org/files/epfiles/Certification Report - HP Intrusion Detection.pdf


To learn more about configure to order options, contact your HP or Partner Representative.

Contact your HP or your Partner Representative to learn more about Custom Color Manager

⁹ This product comes with Atmosphere Blue (standard) panels. Panels in other colors (Constellation Yellow, Comet Red, Aurora Purple, Lunar Grey, Cosmic Green) are only available transactionally via HP Configure to Order, or contractually via Managed Print Services. Models offered in China have Lunar Grey (standard) instead of Atmosphere Blue. Please contact your HP or partner representative to learn more about customizable color panels.

Product walkaround

- 1. Automatic 2-sided printing
- 2. HP eMMC storage
- 3. Front door access to All-in-One toner cartridges
- 4. 250-sheet output bin supports media sizes up to Legal (8.5x14 inch)
- 5. 4.3 inch color touchscreen display (10.9 cm)
- 6. Hardware Integration Pocket¹ (for connecting accessories and third-party devices)
- 7. Easy-access USB port²
- 8. Power button
- 9. Right door access to the print path
- 10. 100-sheet multipurpose tray 1 supports media sizes up to Legal (8.5x14 inch)
- 11. 550-sheet tray 2 supports media sizes up to Legal (8.5x14 inch)
- 12. Slot for cable-type security lock⁴
- 13. SuperSpeed USB 3.0 Host Port⁴
- 14. Hi-Speed USB 2.0 Host Port⁴
- 15. Gigabit Ethernet Port⁴
- 16. SuperSpeed 3.0 device port⁴



Series at a glance



Model	HP Color LaserJet Enterprise 5700dn Printer
Product number	6QN28A (AAZ Option Code)
Power Voltage	220V
Functions	Print
Print speed (A4 and letter, black and color) ³	43/45 ppm (A4/letter)
Control panel	4.3 inch color touchscreen display
Recommended Monthly Page Volume	Up to 10,000 pages per month
Input capacity	650/2,300 (std/max)
Output capacity (standard)	250-sheets
Processor	Dual-core 1.4 GHz
Workpath enabled	Yes (with 2GB upgrade)
Extensibility	HP FutureSmart 5, 0XPd

¹ Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.
2 An administrator must enable the easy-access USB port before use.
3 Measured using ISG/IEC 24734, excludes first set of test documents. For more information, see hp.com/go/printer claims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
4 Additional items included on the back of the printer in the Input/Output Plate.

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

For carepack availability visit: hp.com/go/cpc













2NR12A 35H11A HP HID Mobile Access Mifare DES Fire Keystroking Reader HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A 478C2A 4QL32A HP Printing Voice Assistant HP Legic Secure USB Reader Internal USB Expansion Kit HP 2GB DDR3Lx32 120-pin 933MHz TAA DIMM HP Color LaserJet Constellation Yellow 550 sheet Paper Tray HP Color LaserJet Cosmic Green 550 sheet Paper Tray 4XN67A 616H1A 65A28A 65A29A 65A30A HP Color LaserJet Aurora Purple 550 sheet Paper Tray HP Color LaserJet Comet Red 550 sheet Paper Tray HP Color LaserJet Lunar Gray 550 sheet Paper Tray 65A3UA 65A31A 65A32A 65A38A 65A39A 65A4UA 65A41A 65A42A HP Color Laser Jet Constellation Yellow Storage Stand HP Color Laser Jet Cosmic Green Storage Stand HP Color Laser Jet Aurora Purple Storage Stand HP Color Laser Jet Comet Red Storage Stand HP Color LaserJet Lunar Gray Storage Stand 6QN54A 6QN55A 6QN57A 6QY68A HP Color LaserJet Stand HP Color LaserJet Storage Stand HP Color LaserJet Storage Stand HP Color LaserJet 550-sheet Media Tray HP 2GB DDR3Lx32 120-pin 933MHz DIMM

HP Removable Hard Drive Enclosure

OIFJIM	TIF Jetuliett LAN Accessory
9EQ11A	HP 500GB CCC, FIPS Hard Disk Drive
CC543B	HP SmartCard NIPRNet Solution for US Governme
F8R30A	HP SmartCard SIPRNet Solution for US Governme

HP LaserJet 512 GB SED-TAA Full Kit SSD

X3D03A HP USB Universal Card Reader HP HIP2 Keystroke Reader Y7C05A

Supplies	
W2130A	HP 213A Black Original LaserJet Toner Cartridge (~3,500) pages
W2130X	HP 213X High Yield Black Original LaserJet Toner Cartridge (~9,000) pages
W2130Y	HP 213Y Extra High Yield Black Original LaserJet Toner Cartridge (~18,000) pages
W2131A	HP 213A Cyan Original LaserJet Toner Cartridge (~3,000) pages
W2131X	HP 213X High Yield Cyan Original LaserJet Toner Cartridge (~6,000) pages
W2131Y	HP 213Y Extra High Yield Cvan Original LaserJet Toner Cartridge (~12.000) pages
W2132A	HP 213A Yellow Original LaserJet Toner Cartridge (~3,000) pages
W2132X	HP 213X High Yield Yellow Original LaserJet Toner Cartridge (~6.000) pages
W2132Y	HP 213Y Extra High Yield Yellow Original LaserJet Toner Cartridge (~12,000) pages
W2133A	HP 213A Magenta Original LaserJet Toner Cartridge (~3,000) pages
W2133X	HP 213X High Yield Magenta Original LaserJet Toner Cartridge (~6,000) pages
W2133Y	HP 213Y Extra High Yield Magenta Original LaserJet Toner Cartridge (~12,000) pages

Solutions

Accessories

766R7A

RED31Δ

Overview: When it comes to business, the more cost-effective and efficient, the better, HP Document and Workflow Solutions can help improve productivity and drive down costs, enabling employees—and your IT team—to work more efficiently.

Workflow: HP Capture & Route; HP Workpath Apps; HP Intelligent Workflows Capture

Security: HP Access Control: HP Security Manager: HP Advance: HP card readers

Mobile and universal print: HP Universal Print Driver (UPD); HP Print for Chrome Extension; HP For Universal Print Workpath App Management: Embedded Web Server; HP Advance; HP Command Center; HP Insights; HP Security Manager; HP Web JetAdmin

Services

U46S9E HP 3 year Next Business Day with DMR Service for Color LaserJet Enterprise 570x

U45NVE HP 4 year Next Business Day with DMR Service for Color LaserJet Enterprise 570x

U45NWE HP 5 year Next Business Day with DMR Service for Color LaserJet Enterprise 570x

U45NXE HP 3 year 4 hour 9x5 with DMR Service for Color LaserJet Enterprise 570x

U45NYE HP 4 year 4 hour 9x5 with DMR Service for Color LaserJet Enterprise 570x

U45NZE HP 5 year 4 hour 9x5 with DMR Service for Color LaserJet Enterprise 570x

U45P3E~HP 3 year Channel Parts Exchange with DMR Service for Color LaserJet Enterprise 570x

U45P4E~HP~4~year Channel Parts Exchange with DMR Service for Color LaserJet Enterprise~570x

U45P5E HP 5 year Channel Parts Exchange with DMR Service for Color LaserJet Enterprise 570x

U45P6PE HP 1 year Post Warranty Next Business Day with DMR Service for Color LaserJet Enterprise 570x

U45P8PE HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color LaserJet Enterprise 570x

U45PDPE HP 1 year Post Warranty Channel Parts Exchange with DMR Service for Color LaserJet Enterprise 570x

U9JT2E HP Installation Service with network configuration for Workgroup Printer

HP Color LaserJe	et Enterprise 5700dn Printer (AAZ Option Code)	
Model	HP Color LaserJet Enterprise 5700dn Printer	
Product number	6QN2BA (AAZ Option Code)	
AIO functions	Print	
Print		
Print speed, ⁶ , ⁸ , ⁷	First page out Letter: As fast as 6.8 sec Black; As fast as 7.5 sec Color; First page out A4: As fast as 6.9 sec Black; As fast as 7.6 sec Color; Letter: Up to 45 ppm Black; Up to 45 ppm Color; A4: Up to 43 ppm Black; Up to 43 ppm Color Print speed (Landscape, A5): Up to 69 ppm Black;	
Print resolution	Black (best) Up to 1,200 x 1,200 dpi; Black (normal) Up to 600 x 600 dpi; Black (fine lines) Up to 1200 x 1200 dpi Color (best): Up to 1200 x 1200 dpi; Color (normal): Up to 600 x 600 dpi; Color (fine lines): Up to 1200 x 1200 dpi	
Print technology	Laser; Print resolution technology: HP ImageREt 3600, Enhanced (600x600 dpi), Fine Lines (1200x1200 dpi), Quickview (300x300 dpi)	
Print cartridges number	4 (1 each black, cyan, magenta, yellow)	
Standard print languages	HP PCL 6; HP PCL 5c; HP postscript level 3 emulation, native PDF printing (v 1.7)	
Printer smart software features	Apple Air Print™, Mopria-certified, Open Extensibility Platform, FutureSmart Firmware, Instant-on Technology, HP Auto-On/Auto-Off technology, Easy Access USB, Two-Sided Printing, Hardware Integration Pocket, Intuitive 4.3 in (10.9 cm) touchscreen control panel, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, print preview	
Printer management	HP Web JetAdmin; Embedded Web Server; HP Security Manager; HP Insights; HP Advance; HP Command Center; HP Smart Device Services (SDS)	
Connectivity	·	
Standard connectivity	1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host); 1 Hi-Speed USB 2.0 (host); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2)	
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; iPsec (standard); 802.11a/b/g/n wireless networking (optional).	
Mobile printing capability	Apple AirPrint™; NFC touch-to-print (optional); Mopria™ Certified	
Memory	Standard: 1.5 GB; Maximum: 3.5 GB	
Processor speed	1.4 GHz / Storage: 16 GB eMMC / Hard disk: Standard, 16 GB eMMC; Optional, 32 GB eMMC (via CTO); Optional, minimum 500 GB HDD; Optional, 256 GB SSD (via CTO)	
Duty cycle (monthly)	Letter: Up to 80,000 pages; A4: Up to 80,000 pages; Recommended monthly page volume: 2000 to 10000	
Paper handling		
Input	550-sheet input tray, 100-sheet multi-purpose tray; Up to 650 sheets Standard	
Output	Standard: 250-sheet output bin; Up to 250 sheets Standard	
Duplex Options	Automatic	
Envelope feeder	No No	
Standard paper trays	Standard: 2; Maximum: 5	
Media types	Paper (plain, light, intermediate, light bond, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, extra heavy glossy, cardstock, card glossy), color transparency, labels, letterhead, envelope, preprinted, prepunched, colored, rough, opaque film, user-defined	
Media weight	Tray 1: 16 to 58 lb (plain), 32 to 58 lb (glossy); Tray 2: 16 to 58 lb (plain), 32 to 58 lb (plain), 32 to 58 lb (plain), 120 to 220 g/m² (plain), 120 to 220 g/m² (glossy); Tray 2: 60 to 220 g/m² (plain), 120 to 220 g/m² (plain), 120 to 220 g/m² (plain), 120 to 220 g/m² (glossy);	
Media sizes	Tray 1: letter, legal, executive, statement, Oficio, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, envelopes (No. 9, No. 10, Monarch); Tray 2: optional 1x550-sheet feeders: letter, legal, executive, statement, Oficio, 4 x 6 in, 5 x 7 in, 5 x 8 in; Tray 1: A4, A5, A6, RA4, B5, B6, 16k, 10 x 15 cm, Oficio, postcards (JIS single and double) envelopes (OL, C5, B5, C6); Tray 2, optional 1x550-sheet feeders: A4, A5, A6, RA4, B5, B6, 10 x 15 cm, Oficio, postcards (JIS single and double) envelopes (OL, C5, B5, C6); Tray 2, optional 1x550-sheet feeders: A4, A5, A6, RA4, B5, B6, 10 x 15 cm, Oficio, postcards (JIS single and double) envelopes (OL, C5, B5, C6); Tray 2, optional 1x550-sheet feeders: A4, A5, A6, RA4, B5, B6, 10 x 15 cm, Oficio, postcards (JIS) and (JIS) are considered to the constant of the	
Media Sizes Custom	Tray 1: 2.52 x 5 to 8.5 x 47.24 in; Tray 2, optional 1x550-sheet feeders: 4 x 5.83 to 8.5 x 14 in; Tray 1: 64 x 127 to 216 x 1200 mm; Tray 2, optional 1x550-sheet feeders: 101 x 148 to 216 x 356 mm	
Dimensions (W x D x H) ⁹	19.7 x 18.1 x 16.3 in; 500 x 460 x 415 mm; Maximum : 33.9 x 30.3 x 18.5 in; 885 x 770 x 470 mm	
Weight	68.5 lb; 31.14 kg	
What's in the box ²	HP Color LaserJet Single-function Printer; Lunar Gray panels and 220V Power Supply; HP Black Original LaserJet Toner Cartridge (~3,500 yield), HP Cyan, Magenta and Yellow Original LaserJet Toner Cartridges (~3,000 yield each) (toner cartridges installed); Documentation (Hardware Install Guide); Power cord	
Replacement cartridges ⁵	W2130A HP 213A Black Original Laser let Toner Cartridge (~3,500 pages); W2131A HP 213A (yanOriginal Laser let Toner Cartridge (~3,000 pages); W2131X HP 213A (yanOriginal Laser let Toner Cartridge (~3,000 pages); W2131X HP) Yeld (~3,000 pages); W2131X HP) Yeld (~3,000 pages); W2131X HP) Yeld (~3,000 pages); W213X HP) Yeld (~6,000 pages); W2	
Orderable supplies	HP LaserJet 110V Fuser Kit 52760A; HP LaserJet 220V Fuser Kit 52761A; HP LaserJet 110V Enhanced Fuser Kit 52766A; HP LaserJet 220V Enhanced Fuser Kit 52767A; HP LaserJet Image Transfer Belt 52768A; HP LaserJet Image Transfer Belt 52768A; HP LaserJet MP Tray Roller Kit 527H3A	
Warranty features	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region.	
Energy star certified	Yes	
Ecolabels ¹	CECP; IT ECO Declaration; Blue Angel; EPEAT® Gold registered; SEPA; KOECO; ENERGY STAR® certified	
Control panel	4.3 in (10.9 cm) touchscreen with color graphics	
Display	4.3 in (10.9 cm) Color Graphic Display (CGD) with touchscreen; rotating (adjustable angle)	
Software included	No software solutions are included in the Box only on http://hp.com http://123.hp.com;	
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPOS Emulation available at http://www.hp.com/go/laserjetfonts	
Compatible operating systems	Windows 11; Windows 10; Windows Client 05; Android; iO5; Mobile 05; mac0S 10.15 Catalina; mac0S 11 Big Sur; mac0S 12 Monterey; Linux; Chrome 0S	
Compatible network operating systems	Windows Server; SAP; Novell; UNIX; Citrix	
Minimum system requirements	PC:2 GB available hard disk space; Internet connection; or USB port; Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space; Internet connection; or USB port; Internet browser. For additional OS hardware requirements see apple.com;	
Power ³	Power supply type: Built in 110V or 220 V Power Supply (not dual voltage, power supply varies by part number with option code identifier); Power supply required: input voltage: 100V to 127V nominal (+/-10%), 50 - 60Hz nominal (+/-18Hz), 67, Power consumption: 605.3 waits (Printing/Copying), 40.1 waits (Ready), 1.1 waits (Sleep), 0.09 waits (Manual Off); Typical electricity consumption (To Dimber: 0.515 kWh/week (Energy Star 3.0); 0.491 kWh/week (Blue Angel)	
Acoustics	Acoustic power emissions: 6.5 B(A)	
	Operating temperature range: 50 to 91°F; 10 to 32.5°C Recommended operating temperature: 59 to 80.6°F; 15 to 27°C Storage temperature range: 4 to 140°F; -20 to 40°C Operating humidity range: 10 to 80% RH Recommended operating temperature: 59 to 80.6°F; 15 to 27°C Storage temperature range: 4 to 140°F; -20 to 40°C Operating humidity range: 10 to 80% RH Recommended operating temperature: 59 to 80.6°F; 15 to 27°C Storage temperature range: 4 to 140°F; -20 to 40°C Operating humidity range: 10 to 80% RH Recommended operating temperature: 59 to 80.6°F; 15 to 27°C Storage temperature range: 4 to 140°F; -20 to 40°C Operating humidity range: 10 to 80% RH Recommended operating temperature: 59 to 80.6°F; 15 to 27°C Storage temperature range: 4 to 140°F; -20 to 40°C Operating humidity range: 10 to 80% RH Recommended operating temperature: 59 to 80.6°F; 15 to 27°C Storage temperature: 4 to 140°F; -20 to 40°C Operating humidity range: 10 to 80% RH Recommended operating temperature: 59 to 80.6°F; 15 to 27°C Storage temperature: 4 to 140°F; -20 to 40°C Operating humidity range: 10 to 80% RH Recommended operating temperature: 59 to 80.6°F; 15 to 27°C Storage temperature: 4 to 140°F; -20 to 40°C Operating humidity range: 10 to 80% RH Recommended operating temperature: 59 to 80.6°F; 15 to 27°C Storage temperature: 4 to 140°F; -20 to 40°C Operating humidity range: 10 to 80% RH Recommended operating humidity range: 10 to 80% RH Rec	
Operating environment	operating humidity range: 30 to 70% RH	
Security management	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional. HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Hardware-based Memory ShieldTM with Control Flow Integrity (CFI) in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs,); Security management: Compatible with Device Security Syslog Messages processed and accessable in Arcsight and Splunk SIEMs	

¹ EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.peat.net for registration status by country. ² For yield information on the cartridge(s) included with your printer, see https://www.hp.com/go/toneryield.Yield values measured in accordance with ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. ³ Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product utarriary law exercises and the product warranty. Blue Angel exercise based on the country/region where the printer is cold. Do not convert operating voltages. This will damage the printer and void the product warranty. Blue Angel exhalle typically based on measurement of 230V device. ⁵ Declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see https://www.hp.com/go/toneryield. ⁶ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see https://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁷ Measured using ISO/IEC 24734 Feature Performance Test, excludes first set of test documents. For more information see https://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁸ Maximum dimensions means doors, paper trays, and ADF (if applicable) are fully open.

7 learn more wist flow complexity. ⁸ Maximum dimensions means doors, paper trays, and ADF (if applicable) are fully open.

