



APC Netshelter Rack Automatic Transfer Switch, 1U, 10A, 230V, C14 IN, 12 C13 OUT, 50/60Hz

AP4421A

#### Overview

Lead time Usually in Stock

#### Main

Main Input Voltage	230 V AC 1 phase
product or component type	Automatic transfer switch
Main Output Voltage	230 V AC 1 phase
Input Connection Type	IEC 60320 C14 10 A 2P + E
Number of rack unit	1U
provided equipment	Mounting hardware Rack mounting brackets

### **Physical**

Colour	Black
Height	1.7 in (4.4 cm)
Width	17.008 in (43.2 cm)
Depth	9.3 in (23.6 cm)
net weight	8.66 lb(US) (3.93 kg)
mounting location	Front
Mounting preference	No preference
mounting mode	Rack-mounted
Mounting position	Horizontal

### Input

•	•	
Network frequency	50/60 Hz	
[In] rated current	10 A	
Permissible voltage	207253 V	
Max line current	10 A	
Load capacity	2000 VA	

### **Output**

Number of power socket outlets	12 IEC 60320 C13 10 A 2P + E	
Number of power socket outlets	12	
Protection type	Without circuit breaker	

Life Is On Schneider

### Conformance

Product certifications	EN 55022 class A FCC part 15 class A
Standards	EN 55022 class A FCC part 15 class A

### **Environmental**

Ambient air temperature for operation	23.0000000000113.0000000000 °F (-545 °C)
Relative humidity	595 %
Operating altitude	010000 ft
Ambient air temperature for storage	-13.0000000000149.0000000000 °F (-2565 °C)
Storage Relative Humidity	595 %
Storage altitude	0.00000000050000.0000000000 ft (015240 m)

# **Packing Units**

_	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.331 in (11.000 cm)
Package 1 Width	13.780 in (35.000 cm)
Package 1 Length	23.622 in (60.000 cm)
Package 1 Weight	11.949 lb(US) (5.420 kg)
Unit Type of Package 2	P12
Number of Units in Package 2	40
Package 2 Height	49.606 in (126.000 cm)
Package 2 Width	31.496 in (80.000 cm)
Package 2 Length	47.244 in (120.000 cm)
Package 2 Weight	507.064 lb(US) (230.000 kg)

## **Contractual warranty**

Warranty 2 years repair or replace



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >







Take-back Transparency RoHS/REACh

#### Resource performance



Take-Back Program Available

#### Well-being performance

<b>⊘</b>	Toxic Heavy Metal Free	
<b>⊘</b>	Lead Free	
<b>⊘</b>	Mercury Free	
<b>⊘</b>	Rohs Exemption Information	Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information