# **Product datasheet**

Specifications



## Power Cord, C13 to C14, 2.5m

AP9870

## Overview

Lead time

Usually in Stock

#### Main

Product or component type	Power cord
Input Connection Type	IEC 60320 C14
Cable length	2.5 m
Number of cables	1

#### Physical

-	
Colour	Black
Height	3.8 cm
Width	7.6 cm
Depth	20.3 cm
Net weight	0.23 kg
Mounting preference	No preference
Mounting mode	Not rack-mountable

### Input

Network frequency	50/60 Hz
Permissible voltage	90250 V
Max line current	10 A
Input current limits	10 A

### Output

Max current draw	10 A
Number of power socket outlets	1 IEC 60320 C13
Protection type	Without circuit breaker

### Conformance

Product certifications

CSA UL listed VDE

### Environmental

Ambient air temperature for operation	045 °C
Relative humidity	095 %
Operating altitude	010000 ft
Ambient air temperature for storage	-2565 °C
Storage Relative Humidity	095 %
Storage altitude	0.00000000015240.000000000 m

## **Packing Units**

PCE 1 5.1 cm
5.1 cm
10.2 cm
20.3 cm
0.3 kg
CAR
25
25 cm
35 cm
56 cm
9.1 kg
PAL
25
143.99 cm
100 cm
120 cm
9.1 kg

## **Contractual warranty**

Warranty

2 years repair or replace

## Sustainability Screen Premium

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Energy Efficient Take-back Transparency RoHS/REACh

#### **Resource performance**

Energy Efficient Product

Take-Back Program Available

#### Well-being performance

Lead Free

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information