





# APC Step-Down Transformer RM 2U 208V IN 120V OUT w/L5-20 Receptacles

AP9627

#### **Overview**

Lead time Usually in Stock

#### Main

Main Input Voltage	208 V
product or component type	Accessory
Main Output Voltage	120 V
Input Connection Type	NEMA L6-30P
Number of rack unit	2U
Cable length	2 ft (0.6 m)
Number of cables	1
provided equipment	User manual Rack mounting brackets

## **Physical**

Colour	Black
Height	3.5 in (8.9 cm)
Width	17.5 in (44.5 cm)
Depth	24.02 in (61 cm)
net weight	95.20 lb(US) (43.18 kg)
mounting location	Front
Mounting preference	No preference
mounting mode	Rack-mounted

## Input

Input current limits	26 A
Load capacity	5000 VA
Network frequency	60 Hz +/- 3 Hz

## **Output**

Max current draw	20 A
Protection type	Circuit breaker
Efficiency	90 %
Number of newer socket outlets	4 NEMA 1.5 20D

## Conformance

Product certifications	CSA UL listed	
Standards	UL 1778	

## **Environmental**

Ambient air temperature for operation	32.0000000000104.0000000000 °F (040 °C)
Relative humidity	095 %
Operating altitude	010000 ft
Ambient air temperature for storage	-13.0000000000149.0000000000 °F (-2565 °C)
Storage Relative Humidity	095 %
Storage altitude	050000 ft (0.000000000015240.0000000000 m)

# **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	10.000000000 in (25.4 cm)
Package 1 Width	37.5 in (95.3 cm)
Package 1 Length	24.5 in (62.2 cm)
Package 1 Weight	110.2 lb(US) (50 kg)

## **Contractual warranty**

Warranty 2 years repair or replace



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >







Take-back Transparency RoHS/REACh

#### Resource performance



Take-Back Program Available

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information