

# ergotron®

*moving you forward*

## CareFit Combo System

- Flexible workflows: Easy screensharing and one-hand stowing enhances patient interactions
- Comfortable documentation: Offers ergonomic height-adjustment, optional worksurface and intuitive access to tools
- Neat workspace: Concealed cable management minimizes clutter and supports infection control
- Supports uptime: Convenient cord access simplifies maintenance with timely support available from our expert team
- Warm aesthetic: Modular wall mount enhances new and existing healing spaces
- Quality construction: Sturdy design supports multiple configurations and installation options



FOSTER NURSE-PATIENT CONNECTIONS AND  
EASILY ADAPT TO CHANGING WORKFLOWS

## CAREFIT™

Support genuine patient connections and help reduce the risk of errors with the modular CareFit Combo System that enables an efficient and comfortable documentation experience at the point of care. Easy screensharing, one-hand stowing and intuitive access to tools allow nurses to focus on patient care. The design enhances healing spaces with concealed cable management that promotes infection control, serviceability and uptime for IT teams.


# CAREFIT™

Provides *nurses* with renewed control over individual workflows and health to help facilitate efficient documentation and foster patient relationships.

Hidden cable management and simple cord access makes it easy for *IT teams* to maintain or upgrade workstations so they can efficiently get the job done.

## MODULAR – FULL-MOTION – CUSTOMIZABLE

- 1 Personalized, ergonomic monitor positioning for each user with 180° of pan and 5" (13 cm) of independent adjustment
- 2 Full unit extends up to 65" (165 cm) for documentation at a patient's bedside or in a private space
- 3 Wall Track covers create a clean, streamlined look with hidden cabling
- 4 Space-saving design easily folds when not in use to open up more work area
- 5 Support neat, healing spaces with concealed cable management that enhances infection control
- 6 Enable efficient, secure access with space for an RFID employee badge reader




# CAREFIT™



## Thoughtful ergonomics for comfortable caregiving

### INTUITIVE WORKFLOWS

- 1 Extension helps minimize the distance and steps to the patient
- 2 Full unit moves together with a light touch to give caregivers flexibility and choice
- 3 Supports caregiver-patient engagement with independent monitor adjustment
- 4 Convenient scanner access with installation on either side



### SPACE-SAVING STORAGE

- 5 Stows quickly and easily with just one hand needed to flip up the work surface
- 6 Locks in place for secure stowing upright in front of the monitor



# CAREFIT™

## Configure your wall system for your workflow

### STEP 1: SELECT YOUR BASE UNIT



CareFit Combo System 45-618-251



CareFit Combo Arm 45-621-251



CareFit Combo System with Worksurface 45-619-251




CareFit Combo Arm with Worksurface 45-622-251

### STEP 2: CHOOSE YOUR CPU PLACEMENT TO BUILD YOUR WORKSTATION

Wall-mounted CPU

CPU under worksurface tray




# CAREFIT™

## STEP 3: ADD ACCESSORIES TO FIT YOUR UNIQUE NEEDS




**CPU Wall Cabinet**  
**98-543-251**

Clean design keeps CPU secure and extra cables and power brick out of view



**CareFit Combo Extender**  
**98-547-251**

Provides extra reach and flexibility for larger care applications



**CareFit Combo CPU Tray**  
**98-548-251**

Saves valuable wall space by installing under the work surface




**CareFit Combo Wireless Scanner Bracket**  
**98-549-251**

Supports efficient workflows with installation on either side



**CareFit Combo Scanner Bracket**  
**98-551-251**

Supports efficient workflows with installation on either side



**Printer Bracket for Wall Track**  
**98-578-251**

Keeps printer in reach to maximize time with patients; installs on either side



**34" Wall Track**  
**31-018-216**

Enables a sturdy installation;  
*required for CareFit Combo Arm*




**CareFit Wall Track 34" Covers**  
**98-609-030**

Hides cabling for a neat look and supports infection control



*Determine the additional technology you will use in your configuration*

**USING A CPU**



**THE DESIGN ENHANCES HEALING SPACES WITH CONCEALED CABLE MANAGEMENT THAT PROMOTES INFECTION CONTROL, SERVICEABILITY AND UPTIME FOR IT TEAMS.**

**USING AN AIO**



CPU under worksurface tray:  
Total height with CPU box is 44" (111.8 cm)

# CAREFIT™

## Popular configurations for patient-centered documentation



CareFit Combo Arm with Scanner Bracket and Printer Bracket  
(designed for all-in-one workflows)



CareFit Combo Arm with Extender, Wireless Scanner Bracket, and Printer Bracket  
(designed for all-in-one workflows)



CareFit Combo System with Worksurface, Wall Cabinet and Wireless Scanner Bracket



CareFit Combo Arm with Worksurface, Wall Cabinet, Wireless Scanner Bracket and Printer Bracket




CareFit Combo Arm with Worksurface, Extender, CPU Tray and Scanner Bracket




CareFit Combo System with Worksurface, Extender, CPU Tray, Scanner Bracket and Printer Bracket

CareFit Combo System



Folds close to the wall when not in use to maximize space

CareFit Combo System with Worksurface



# CAREFIT™




**Combo Arm**

**Combo Arm with Worksurface**

**Combo System**

**Combo System with Worksurface**

Part # (white)	45-621-251	45-622-251	45-618-251	45-619-251
	Extender 98-547-251			
Typical LCD Size	≤ 27"			
LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.				
Weight Capacity	LCD: 8–22 lbs (3.6–10 kg) Worksurface: 1.5 lbs (0.68 kg)			
Lift	20" (51 cm)			
Tilt	LCD: 25° ↑ 20° / ↓ 5° Worksurface: 90°			
Pan	180°			
Rotation	180°			
VESA	MIS-D (100 x 100 mm & 75 x 75 mm)			
Extension	Adds additional 18.5" (47.1 cm) extension from the wall			
Product Weight	38.9 lbs (17.6 kg)	40.2 lbs (18.2 kg)	45.9 lbs (20.8 kg)	47.3 lbs (21.5 kg)
Shipping Dimensions	44.6" x 18.9" x 11.8" (113.3 x 48 x 29.9 cm)	44.6" x 18.9" x 11.8" (113.3 x 48 x 29.9 cm)	44.6" x 20.9" x 11.8" (113.3 x 53.2 x 29.9 cm)	44.6" x 20.9" x 11.8" (113.3 x 53.2 x 29.9 cm)
Shipping Weight	48.5 lbs (22 kg)	49.4 lbs (22.4 kg)	56.2 lbs (25.5 kg)	57.7 lbs (26.2 kg)
Warranty	5 years			



System with accessory extender (98-547-251) reaches 57.5" (146 cm)



System with worksurface and accessory extender (98-547-251) reaches 65" (165.7 cm)

Download additional resources at [ergotron.com](http://ergotron.com).

For more information:

USA & Canada: 800.888.8458 / +1.651.681.7600 / [insidesales@ergotron.com](mailto:insidesales@ergotron.com)

EMEA: +31.33.45.45.600 / [info.eu@ergotron.com](mailto:info.eu@ergotron.com)

APAC: [apaccustomerservice@ergotron.com](mailto:apaccustomerservice@ergotron.com)

LATAM Sales: Mexico / +1.800.681.1820 / [info.latam@ergotron.com](mailto:info.latam@ergotron.com)

Custom: [custom@ergotron.com](mailto:custom@ergotron.com)

© Ergotron, Inc. 0714.2022

Literature made in the U.S.A.

Content subject to change.

Ergotron devices are not intended to cure, treat, mitigate or prevent any disease.

Patent information available at [www.ergotron.com/patents](http://www.ergotron.com/patents).

WorkFit, StyleView, LearnFit, Neo-Flex, PowerShuttle, LiFeKinnex, CareFit and eKinnex are trademarks of Ergotron.

