

1 Port USB-C™ Wall Charger with 60W of Power Delivery

Product ID: WCH1CUK



This USB C Power Delivery charger provides next-generation technology that can fast charge your USB Type-C phone, tablet, or laptop that requires up to 60W.

Wide Compatibility

This USB-C wall charger is compatible with a vast array of USB Type-C devices such as the MacBook Pro 13-inch, XPS 13, Surface Book 2 and Lenovo ThinkPad X1 Carbon. A 3-foot (1 meter) USB-C to USB-C cable is included but the USB-C AC adapter is also compatible with other cable lengths.

While the USB Type-C power adapter is compatible with any USB-C Power Delivery device, it is recommended to use it with devices that require 60W or less for optimal charging performance.

Safe Charging

The USB-C portable charger comes with multiple forms of protection for your devices such as over-temperature protection, over-current protection, over-voltage protection and short-circuit protection.

The Choice of IT Pros Since 1985

StarTech.com conducts thorough compatibility and performance testing on all our products to ensure we are meeting or exceeding industry standards and providing high-quality products to IT Professionals. Our local StarTech.com Technical Advisors have broad product expertise and work directly with our StarTech.com Engineers to provide support for our customers both pre and post-sales.

WCH1CUK is backed by a StarTech.com 2-year warranty and free lifetime technical support.

Certifications, Reports and Compatibility



Applications

- Charge USB-C devices, including phones, tablets and laptops

Features

- Power your laptop or phone with 60W of Power Delivery using this USB C portable charger
- Universally compatible with USB-C devices that support Power Delivery
- Included USB-C Cable can be connected directly to phones, tablets, or chargers
- Compact size fits easily in your bag for use on the go

	Warranty	2 Years
Performance	MTBF	30,000 hours
Connector(s)	Connector A	1 - BS 1363 Power (UK) Male
	Connector B	1 - USB-C (24 pin) USB Power Delivery only Female
Power	Input Voltage	100 - 240 AC
	Output Current	3A
	Output Voltage	5V DC
		9V DC
		12V DC
		15V DC
		20V DC
Power Consumption (In Watts)	60W	
Power Delivery	60W	
Environmental	Humidity	5% to 95% (non-condensing)
	Operating Temperature	0 to 40°C (32 to 104°F)
	Storage Temperature	-40 to 85°C (-40 to 185°F)
Physical Characteristics	Product Height	2.9 cm [1.1 in]
	Product Length	67.5 mm [2.7 in]
	Product Width	69.7 mm [2.7 in]
	Weight of Product	222.8 g [7.9 oz]
Packaging Information	Package Height	35 mm [1.4 in]
	Package Length	130 mm [5.1 in]
	Package Width	90 mm [3.5 in]
	Shipping (Package) Weight	228 g [8 oz]
What's in the Box	Included in Package	1 - Type-C Charger
		1 - USB-C Cable

Product appearance and specifications are subject to change without notice.