Product data sheet

Specifications





APC Smart-UPS On-Line SRT Rackmount Battery Pack for 2.2kVA Extended runtime model 72V

SRT72RMBP

Overview		
Lead time	Usually in Stock	
Main		
Product or Component Type	Battery	
Number of rack unit	2U	
Battery Type	Lead-Acid battery	
Provided Equipment	Documentation CD Installation guide Rack Mounting brackets	

Batteries & Runtime

Battery Slots Empty	0	
Included Battery Modules	0	
Battery Voltage	72V	
RBC Quantity	2	
Replacement battery		

Physical

Color	Black
Height	3.3 in (8.5 cm)
Width	17.008 in (43.2 cm)
Depth	23.4 in (59.4 cm)
Net Weight	74.7 lb(US) (33.9 kg)
Mounting Mode	Rack-mounted

Conformance

Standards

OSHPD

Environmental

Ambient Air Temperature for Operation	32.000000000104.000000000 °F (040 °C)	
Operating altitude	010000 ft	
Relative Humidity	095 % non-condensing	
Ambient Air Temperature for Storage	5.000000000113.000000000 °F (-1545 °C)	

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Storage altitude	050000 ft (0.00000000015240.000000000 m)
Storage Relative Humidity	095 % non-condensing

Ordering and shipping details

GTIN	731304317715	
Country of origin	РН	
Packing Units		
Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	9.4 in (23.9 cm)	
Package 1 Width	23.6 in (59.9 cm)	
Package 1 Length	32.7 in (83.1 cm)	
Package 1 Weight	89.99 lb(US) (40.82 kg)	
Unit Type of Package 2	РАМ	
Number of Units in Package 2	2	
Package 2 Height	39.4 in (100 cm)	
Package 2 Width	39.4 in (100 cm)	
Package 2 Length	47.2 in (120 cm)	
ackage 2 Weight 206.44 lb(US) (93.64 kg)		

Contractual warranty

Warranty

2 years repair or replace

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Yes

Learn more about Green Premium >

Guide to assess a product's sustainability >



Take-back Transparency RoHS/REACh

Resource performance

Take-Back Program Available

Well-being performance

Mercury Free

Rohs Exemption Information

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information.
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information
California Proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov