

Product data sheet

Specifications



APC Smart-UPS Modular Ultra 15kW Frame, N+1 Redundant, Tower, 24U, 208/120V

SRYLF15T24

Overview

Lead time Usually in Stock

Main

Main Input Voltage 208 V AC

Product or Component Type Frame

Main Output Voltage 240 V AC

Other Output Voltage 240 V

Battery Type Li-Ion (Lithium Ion)

Range of Product Smart-UPS Modular Ultra

General

product web sub-family Network management card

Number of power module 2

Number preinstalled power module 2

Physical

color Black and silver

Height 47.2 in (1198 mm)

Width 23.6 in (600 mm)

Depth 35.4 in (900 mm)

Net Weight 342.2 lb(US) (155.2 kg)

Mounting Mode Rack-mounted with kit

Input

Input Frequency 40 - 70 Hz

Number of input connectors 1 Hard Wire 4-wire (2PH+N+G)

Maximum Input Current per Phase 51 A

Load power factor 0.5 leading to 0.5 lagging

Output

Topology On-Line

Waveform Type Sine wave

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Overload Operation	60 seconds @ 125% and 30 seconds @ 150%
---------------------------	---

Bypass type	Built-in Bypass
--------------------	-----------------

Ordering and shipping details

GTIN	731304622321
-------------	--------------

Country of origin	PH
--------------------------	----

Packing Units

Unit Type of Package 1	PCE
-------------------------------	-----

Number of Units in Package 1	1
-------------------------------------	---

Package 1 Height	52.05 in (132.2 cm)
-------------------------	---------------------

Package 1 Width	29.4 in (74.6 cm)
------------------------	-------------------

Package 1 Length	39.2 in (99.5 cm)
-------------------------	-------------------

Package 1 Weight	353.45 lb(US) (160.32 kg)
-------------------------	---------------------------

Contractual warranty

Warranty	5 YR
-----------------	------

Sustainability


Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

Well-being performance

 **Rohs Exemption Information** [Yes](#)

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive [Compliant with Exemptions](#)

China Rohs Regulation [China RoHS declaration](#)
Product out of China RoHS scope. Substance declaration for your information.
