MODEL: JVU368

360° Al-Powered Webcam with Speakerphone

The Perfect Companion For Video Conference With Al-Powered Technology macOS® / Windows® / Chrome OS™ Compatible



Enhance your conference calls with the 360°Al-Powered Webcam with Speakerphone. This all-in-one virtual meeting device combines HD video and a business-grade speakerphone with Acoustic Echo Cancellation to remove echo and unwanted background noise for audio clarity and to help run your video conferences smoothly. This plug-and-play webcam is ideal for any space, whether to capture a 360° panoramic view of the room or focus on specific presenters with the various display modes. The 360°Al-Powered Webcam with Speakerphone is equipped with a USB-C[®] cable and a USB[™] Type-A connector for added compatibility.













FEATURES

- 360° video conferencing camera
- Built-in omnidirectional microphone
- Advanced Acoustic Echo Cancellation (AEC) technology
 - Uses advanced audio processing so others can hear your voice clearly
- Automatic Gain Control (AGC) function
 - -The volume will adjust to appropriate sound levels when multiple people are talking so everyone's voice can be heard
- Automatic Noise Reduction (ANR) Reduces unwanted background noise
 - -Designed to block noises from the background that can interfere with meetings
- Six display modes deliver exceptional viewing angles with flexibility and versatility
- Adjustable fields of view
- Full HD 1080p video playback @ 30 Hz
- USB™ UVC/UAC plug-and-play
- Touch bar to specify participants' location
- Integrated reverse feature to flip mirrored image
- Easily adjust audio settings and select display modes with built-in buttons
- Supports IR function and IR controller
- Wide Compatibility: Zoom™, Facebook™ Messenger, Skype™, Microsoft Teams™, etc.
- Includes remote control for digital zoom in/out and pan functionality
- High-definition Sony® IMX335 sensor with up to 5MP pixels, 30% pixels enhanced compared with JVU360
- Supports HDR (High Dynamic Range)
- Video AI (Artificial Intelligence) functions:
 - 1) Auto framing for better field of view
 - 2) Detects people automatically and select participants by remote control

SYSTEM REQUIREMENTS

- Compliant with USB™ 3.0, 900mA
- UVC 1.1 & UAC 1.0 support

Windows® 11/10

macOS® 10.14 or later with UVC support

Chrome OS™ with UVC support

Linux[®] (Special configuration required)

HARDWARE	
Warranty	1 Year Limited
Host Connector	USB-C [®] / USB™ 3.0 Type-A
Image Sensor	1/2.8" CMOS Sensor (*Sony® IMX335 Sensor)
Shutter Style	N/A
Privacy Cover	No
Protocol	UVC 1.1 & UAC
Operating Voltage & Current	DC 5V/850 mA ±50 mA
Microphone Sampling Rate	16KHz
Speaker Sampling Rate	48KHz
Mounting Style	N/A
LED Indicator	Blue: In use Purple: Power on Red: Mute

PERFORMANCE

1. Full Screen Mode: 1920(H) x 540(V), 1920(H) x 540(V)



2. Host Mode: 1920(H) x 270(V), 1920(H) x 810(V)



3. Dual Host Mode: 960(H) x 1080(V), 960(H) x 1080(V)



4. Three Speakers Mode 1152(H) x 980(V), 768(H) x 490(V) ,768(H) x 490(V)



5. **360° All Around View Mode:** 1920(H) x 270(V) ~480(H) x 990(V) adjustable



Effective Pixels

300 Al-Fowered Webcarri Willi Speakerphone	JV0300 Datasileet
	6. Single View Mode: 1920(H) x 1080(V) □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □
Megapixels	5 million pixels (5MP) sensor
Output Format	MJPEG, YUV
Frame Rate	30 FPS
Display Output Supported Resolutions	MJPEG: 1920 x 1080 1280 x 720 960 x 540 640 x 480 / 360 320 x 240 YUV: 640 x 480 / 360
Display FOV	1. Full Screen Mode: 2 - 180°(H), 51.1°(V) 2. Host Mode: 360°(H), 119.5°(H), 51.1°(V)

360° Al-Powered Webcam with Speakerphone JVU368 Datasheet 3. Dual Host Mode: 46.5°(H), 47.7°(V) Three speakers Mode: 4. 55.8°(H),47.3°(V), 56.9°(H), 37.1°(V) 5. 360° All Around View Mode: *Zoom in/out 3.6X $360^{\circ}(H) \sim 25.5^{\circ}(H)$ adjustable, $49.2^{\circ}(V)$ 6. Single View Mode: *Zoom in/out 2.75X 119.1°(H) ~ 61.4°(H) adjustable, 84.6°(V) ~ 37.4°(V) adjustable

1-888-689-4088 j5create.com | 6

30 Hz

3W, 4Ω speaker

Built-in omnidirectional microphone

Maximum Display Refresh Rate

Microphone

Speaker

PHYSICAL SPECIFICATIONS	
Color	White, Black
Enclosure Type	ABS
Lens Kit	- LENS: PC+30%GF(Housing) / Glass + COC - VCM (Voice Coil Motor): Holder (LCP) / Stainless Steel piece/ Magnetic Coil
IR controller	Battery: AAA x 2 Color: Black
Cable Length	78.7in (200 cm)
Product Height	7.05 in. (17.9 cm)
Product Width	3.68 in. (9.35 cm)
Product Depth	2.43 in. (6.18 cm)
Product Weight	≒ 14.13 oz (400 g)
Storage Temperature	-4°F to 140°F (-20°C to 60°C)
Storage Humidity	< 90% non-condensing
Operating Temperature	14°F to 104°F (-10°C to 40°C)
Operating Humidity	< 90% non-condensing

SPECIAL NOTES

- When using the JVU368, if you need to connect to a USB™ hub, you must use a USB™ 3.0 hub with an external power supply
- Compliant with USB™ 3.0, 900 mA
- We strongly recommended keeping the camera at a temperature between 14°F to 104°F (-10°C to 40°C) when it is powered on
- Al function status will show on the OSD screen:
 - -Al Detection: Al ON | Al OFF

PACKAGE CONTENTS

- 1 JVU368 360° Al-Powered Webcam with Speakerphone
- 1 Remote Control (JVURC1)
- 2 AAA Batteries (Attached on the packaging)
- 1 Detachable Travel Case
- 1 Quick Installation Guide (QIG)

^{*}Product appearance and specifications are subject to change without notice.

REGULATORY COMPLIANCE

FCC

This equipment has been tested and found to comply with FCC 47 CFR FCC Rules and Regulations Part 15, Subpart B, Class B Digital Device ANSI C63.4-2014, January 2016 (Updated April 2019)..

Operation is subject to the following two conditions:

- This device may not cause harmful interference
- This device must accept any interference, including interference that may cause undesired operation of the device.

CE / UKCA

This equipment is in compliance with the requirements of the following regulations:

CE UK

EN 55032:2015/A1:2020 BS EN 55032:2015/A1:2020

EN IEC 61000-3-2:2019 BS EN IEC 61000-3-2:2019

EN 61000-3-3:2013+A1:2019......BS EN 61000-3-3:2013+A1:2019

EN 55035:2017/A11:2020...... BS EN 55035:2017/A11:2020

RCM

This equipment is in compliance with the requirements of the following regulations:

Australian/New Zealand Standard(s): AS/NZS CISPR 32:2015 + A1 : 2020

VCCI

This equipment is in compliance with the requirements of the following regulations:

CISPR 32: 2016, Class B

BSMI

中文品名: 360°AI 智慧全景視訊攝影機

CNS15998-1 C5284-1(109 年 06 月

CNS 15936 C6459 (105 年 09 月)

Disclaimer

Information in this document is subject to change without notice. The manufacturer does not make any representations or warranties (implied or otherwise) regarding the accuracy and completeness of this document and shall in no event be liable for any loss of profit or any commercial damage, including but not limited to special, incidental, consequential, or other damage. No part of this document may be reproduced or transmitted in any form by any means, electronic or mechanical, including photocopying, recording or information recording and retrieval systems without the expressed written permission of the manufacturer.

LIMITED WARRANTY

j5create offers a limited 1-year warranty. User's wear & tear damage is not included. The user shall call or email j5create customer service with the defect information of the product and obtain a return authorization number. Users are responsible for one-way return freight cost and we will take care of one-way freight back. In order to obtain a return authorization number, users should have the following information handy when calling or emailing the service team:

- (i) a copy of the original purchase invoice to verify your warranty
- (ii) a product serial number
- (iii) a description of the problem
- (iv) customer's name, address, and telephone number

j5create does not warrant that the operation of the product will be uninterrupted or error-free. j5create is not responsible for damage arising from failure to follow instructions relating to the product's use. This warranty does not apply to: (a) consumable parts, unless damage has occurred due to a defect in materials or workmanship; (b) cosmetic damage, including but not limited to scratches, dents, and broken plastic on ports; (c) damage caused by use with non-j5create products; (d) damage caused by natural disasters; (e) damage caused by human misuse (lost, accident, abuse, misuse or other external causes); (f) damage caused by operating the product outside the permitted or intended uses described by j5create; (g) damage caused by service (including upgrades and expansions) performed by anyone who is not a representative of j5create or a j5create Authorized Service Provider; (h) a product or part that has been modified to alter functionality or capability without the written permission of j5create; or (i) if any j5create serial number on the product has been removed or defaced. If such a situation occurs, j5create will calculate the cost of materials and repair for your reference. This warranty is given by j5create in lieu of any other warranties expressed or implied.

LIMITATION OF WARRANTY

THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE TO STATE (OR BY COUNTRY OR PROVINCE). OTHER THAN AS PERMITTED BY LAW, J5CREATE DOES NOT EXCLUDE, LIMIT OR SUSPEND OTHER RIGHTS YOU MAY HAVE, INCLUDING THOSE THAT MAY ARISE FROM THE NONCONFORMITY OF A SALES CONTRACT. FOR A FULL UNDERSTANDING OF YOUR RIGHTS YOU SHOULD CONSULT THE LAWS OF YOUR COUNTRY, PROVINCE OR STATE. TO THE EXTENT NOT PROHIBITED BY LAW IN YOUR STATE, PROVINCE, JURISDICTION OR COUNTRY, THIS WARRANTY AND THE REMEDIES SET FORTH ARE EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, REMEDIES AND CONDITIONS, WHETHER ORAL, WRITTEN, STATUTORY, EXPRESS OR IMPLIED.

J5CREATE'S RESPONSIBILITY FOR MALFUNCTIONS AND DEFECTS IN HARDWARE AND/OR SOFTWARE IS LIMITED TO REPAIR OR REPLACEMENT AS SET FORTH IN THIS WARRANTY. J5CREATE'S LIABILITY DOES NOT EXTEND BEYOND THE REMEDIES PROVIDED FOR IN THIS LIMITED WARRANTY, AND J5CREATE DOES NOT ACCEPT LIABILITY FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES, FOR THIRD-PARTY CLAIMS AGAINST YOU FOR DAMAGES, FOR PRODUCTS NOT BEING AVAILABLE FOR USE, OR FOR LOST OR DAMAGED DATA OR SOFTWARE. J5CREATE DOES NOT WARRANT THAT THE OPERATION OF ANY J5CREATE PRODUCT WILL BE UNINTERRUPTED OR ERROR FREE.

J5CREATE'S LIABILITY IN ANY SITUATION WILL BE NO MORE THAN THE AMOUNT YOU PAID FOR THE SPECIFIC PRODUCT THAT IS THE SUBJECT OF A CLAIM. THIS IS THE MAXIMUM AMOUNT FOR WHICH WE ARE RESPONSIBLE.

EXCEPT FOR THE EXPRESS WARRANTIES CONTAINED IN THIS WARRANTY AND TO THE EXTENT NOT PROHIBITED BY LAW, J5CREATE DISCLAIMS ALL OTHER WARRANTIES AND CONDITIONS, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, INCLUDING WITHOUT LIMITATION, WARRANTIES OF MERCHANTABILITY, MERCHANTABLE QUALITY AND FITNESS FOR A PARTICULAR PURPOSE AND WARRANTIES AND CONDITIONS AGAINST HIDDEN OR LATENT DEFECTS. SOME STATES, PROVINCES, JURISDICTIONS OR COUNTRIES DO NOT ALLOW DISCLAIMERS OF IMPLIED WARRANTIES AND CONDITIONS, SO THIS DISCLAIMER MAY NOT APPLY TO YOU.

TO THE EXTENT SUCH WARRANTIES AND CONDITIONS CANNOT BE DISCLAIMED UNDER THE LAWS OF THE UNITED STATES, CANADA (AND ITS PROVINCES) OR OTHERWISE, J5CREATE LIMITS THE DURATION AND REMEDIES OF SUCH WARRANTIES AND CONDITIONS TO THE DURATION OF THIS EXPRESS LIMITED WARRANTY AND, AT J5CREATE'S OPTION, REPAIR OR REPLACEMENT SERVICES. SOME STATES, PROVINCES, JURISDICTIONS OR COUNTRIES MAY NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY OR CONDITION MAY LAST, SO THE LIMITATION DESCRIBED ABOVE MAY NOT APPLY TO YOU.

NO WARRANTIES OR CONDITIONS, WHETHER EXPRESS OR IMPLIED, WILL APPLY AFTER THE LIMITED WARRANTY PERIOD HAS EXPIRED. SOME STATES, PROVINCES, JURISDICTIONS OR COUNTRIES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY OR CONDITION LASTS, SO THIS LIMITATION MAY NOT APPLY TO YOU.

WARRANTY SUPPORT ONLY APPLIES WHEN THE COVERED PRODUCT IS LOCATED WITHIN THE COUNTRY IN WHICH J5CREATE ORIGINALLY SOLD THE SYSTEM, AS REFLECTED IN J5CREATE'S RECORDS. IF YOU NEED SUPPORT FOR THE PRODUCT OUTSIDE OF THE COUNTRY OF ORIGIN (FOR EXAMPLE, WHILE TRAVELING, OR IF THE SYSTEM HAS BEEN RELOCATED TO A NEW COUNTRY), THEN J5CREATE MAY OFFER YOU OTHER SUPPORT OPTIONS FOR AN ADDITIONAL CHARGE.

For more information please visit our website at http://www.j5create.com

Windows, Skype and Microsoft are trademarks of Microsoft Corp., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. macOS is a trademark of Apple Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. USB and USB-C are trademarks of USB Implementers Forum, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Chrome OS and Google Meet are trademarks of Google LLC, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Cisco is a trademark of Cisco Systems, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Zoom is a trademark of Zoom Video Communications, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. BlueJeans is a trademark of Blue Jeans Network, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Amazon Chime is a trademark of Amazon Services LLC, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. GoToMeeting is a trademark of LogMeln, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Slack is a trademark of Slack Technologies, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Other trademarks and trade names may be used in this document to refer to either the entities claiming the marks and/or names or their products and are the property of their respective owners. All company, product and service names used are for identification purposes only. Use of these names, logos, and brands does not imply endorsement. We disclaim any interest in the marks of others.

Copyright © 2023 j5create. All rights reserved. All trade names are registered trademarks of their respective owners. Features and specifications are subject to change without notice. Product may not be exactly as shown in the diagrams.