

USB 3.0 SuperSpeed Extension Cable (AA M/F), 10 ft.

MODEL NUMBER: U324-010





Highlights

- 10-ft. SuperSpeed USB 3.0
 Extension Cable, A-A
- 10 times faster than USB 2.0, with transfer rates up to 5 Gbps

System Requirements

 Computers and Peripherals with USB 3.0 capabilities

Package Includes

 10 ft. USB 3.0 Super Speed A-A Extension cable

Extends a USB 3.0 cable an additional 10ft.

Description

Tripp Lite's SuperSpeed USB 3.0 10ft Extension cable brings significant performance enhancements to the ubiquitous USB standard, while remaining compatible with the billions of USB enabled devices currently deployed in the market. SuperSpeed USB will deliver 10x the data transfer rate of Hi-Speed USB, up to 5Gbps, as well as improved power efficiency. USB 3.0 utilizes a bi-directional data interface rather than USB 2.0's half-duplex arrangement, where data can only flow in one direction at a time, giving a ten-fold increase in theoretical bandwidth.

Features

- 10ft USB 3.0 SuperSpeed Extension Cable
- SuperSpeed USB is 10 times faster than Hi-Speed USB, with transfer rates up to 5 Gbps.
- SuperSpeed USB is a Sync-N-Go technology that minimizes user wait-time.
- SuperSpeed USB will provide Optimized Power Efficiency...No device polling and lower active and idle power requirements.
- SuperSpeed USB is backwards compatible with USB 2.0. Devices interoperate with USB 2.0 platforms.
 Hostssupport USB 2.0 legacy devices.

Specifications

OVERVIEW	
UPC Code	037332158093
INPUT	





Product Warranty Period (Worldwide)	Lifetime limited warranty
WARRANTY	
Certifications	Tested to CE, FCC, RoHS, REACH
CERTIFICATIONS	
Technology	USB 3.0 (SuperSpeed); USB
USB Specification	USB 3.0 (up to 5 Gbps)
FEATURES & SPECIFICATIONS	
Contact Plating	Gold
Connector Plating	Nickel
Side B - Connector 1	USB 3.0 A (FEMALE)
Side A - Connector 1	USB 3.0 A (MALE)
CONNECTIONS	
Relative Humidity	10% to 85%, Non-Condensing
Storage Temperature Range	-4 to 185 F (-20 to 85 C)
Operating Temperature Range	14 to 140 F (-10 to 60 C)
ENVIRONMENTAL	
Shipping Weight (lbs.)	0.04
Shipping Weight (kg)	0.02
Shipping Dimensions (hwd / in.)	7.00 x 9.00 x 0.50
Shipping Dimensions (hwd / cm)	17.78 x 22.86 x 1.27
Material of Construction	PVC
Color	Blue
Cable Outer Diameter (OD)	5.5MM
Cable Jacket Rating	VW-1
PHYSICAL	
Cable Length (in.)	120
Cable Length (m)	3.1
Cable Length (ft.)	10

© 2020 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies:



Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com

https://www.tripplite.com/products/product-certification-agencies