



# Poly Rove 40 DECT Phone Handset

## Specifications



### Display

**Native resolution:** 240 x 320  
**Panel technology:** Color TFT LCD  
**Display size (diagonal):** 2.4"  
**Display size (diagonal, metric):** 6.1 cm (2.4")

### Connectivity and communications

**Wireless range:** Up to 50 m indoor  
**Wireless range (Imperial):** Up to 165 ft indoor  
**Wireless Technology:**  
 Bluetooth® 4.2  
 DECT frequency: 1920 to 1930 MHz

## Battery

**Battery life:** Up to 18 hours (talk time); Up to 300 hours (standby time)  
**Battery description:** Rechargeable Li-Ion  
**Battery capacity:** 1100 mAh  
**Power features:**  
 External universal AC adapter: 5V 1A DC

### User interface features

**Languages:**  
 Arabic; Chinese; Czech; Danish; Dutch; English; French; German; Hungarian; Italian; Japanese; Korean; Norwegian; Polish; Portuguese; Romanian; Russian

### Audio

**Audio features:**  
 DTMF tone generation (RFC 2833 and in-band)  
**Frequency response (microphone):** 150 Hz to 7 kHz  
**Audio codecs:**  
 G.165, 168 echo cancellation

### Environmental

**Certifications and compliances:** UL 62368-1  
**Operating humidity range:** 5 to 95%  
**Operating Temperature Range (Celsius) / Operating Temperature Range (Fahrenheit):** -10 to 55°C / 14 to 131°F  
**Storage temperature range (Celsius) / Storage temperature range (Fahrenheit):** -40 to 70°C / -40 to 158°F  
**Energy star certified:** ENERGY STAR® certified

### Certifications

**Certified collaboration software:** Zoom  
**Special features:**  
 Unicode UTF-8 character support  
 Push-to-talk

### Management

**Management software:**  
 Polycom Device Management Service for Service Providers (PDMS-SP) Cloud Management

### Display features

Adjustable font size selection (regular, medium, large)

### Security

### Network

**Supported network protocols:**  
 Manual or dynamic host configuration protocol (DHCP) network setup  
 IPv4  
**VoIP features:**  
 Up to Twenty (20) service subscription profile assignments (SP 1 - 20)

# Poly Rove 40 DECT Phone Handset

## Specifications



### Headset and handset compatibility

Headset ports:  
13.5 mm headset jack

Headset and handset compatibility:  
Bluetooth® headset compatibility

### Telephony and call handling features

Telephony and call handling features:  
4 line keys

### Weight and dimensions

Product Primary Color: White  
Weight (Imperial): 0.38 lb  
Weight (metric): 171 g  
Product dimensions (Imperial): 2.2 x 5.8 x 1.5 in  
Product Dimensions (metric): 56.9 x 146.3 x 36.8 mm  
Package dimensions (Imperial): 7.48 x 8.26 x 2.16 in  
Package dimensions (metric): 176 x 163 x 44 mm  
Package weight (Imperial): 0.66 lb  
Package Weight (metric): 300 g  
UPC number: 197497527520  
Product number: 84H77AA

### Country of origin

Country of origin: Made in China

### Warranty

Poly standard one-year limited warranty

### What is in the box

Safety information sheet  
Handset  
Quick start guide  
AC power adapter  
Charging cradle  
Spare battery  
Base station  
Ethernet cable  
Belt clip

### Key Selling Points Footnotes

<sup>1</sup> Microban antimicrobial product protection is a built-in active ingredient that enables products to resist the growth of microbes such as bacteria, mold, and mildew. Microban protection helps products stay cleaner, fresher, and last longer than products with untreated surfaces. <sup>2</sup> Microban antimicrobial product protection available for the Poly Rove 40 handset models. <sup>3</sup> Poly Rove 40 ruggedized handsets are drop proof (up to 6.6 ft/2 m) and IP65 dust-tight and water resistant.