
## **Technical Specifications**

## HP Z24u G3 WUXGA USB-C Display




**Front** 

1. Power button

### **Technical Specifications**

### HP Z24u G3 WUXGA USB-C Display



- 1. OSD control
- 2. Security cable slot
- **3.** Master power switch
- **4.** Power connector
- 5. HDMI port
- **6.** DisplayPort<sup>™</sup> connector
- **7.** DisplayPort<sup>™</sup> connector (out)

#### Back

- **8.** USB Type-C<sup>™</sup> port with DP Alt Mode 1.4, USB upstream data, and maximum power delivery up to 100 W
- 9. RJ-45 (network) jack
- 10. USB port
- 11. USB port (Battery charging 1.2, 7.5W)
- 12. USB port
- **13.** USB port (Battery charging 1.2, 7.5W)



#### **Technical Specifications**

Panel Specifications Display Size (Diagonal) 24"

Panel TechnologyIPSRefresh Rate60 Hz

Panel Bit Depth 8 bit (6bit + FRC)

Aspect Ratio 16:10
Brightness (Typical) 350 nits
Contrast Ratio (Static) 1000:1
Contrast Ratio Minimum (Static) 700:1
Dynamic Contrast Ratio 10M:1
Flicker Free Yes

**Pixel Pitch** 0.270 (mm) x 0.270 (mm)

**Pixels Per Inch (PPI)** 96 PPI **Backlight Lamp Life Minimum (To Half** 30k

**Brightness - In Hours)** 

Backlight TypeEdge-litScreen TreatmentAnti-glareHardness3HHaze25%

**Response Time (Typical)** 5ms GtG (with overdrive)

Horizontal Viewing Angle (Typical 178°

CR>10)

Vertical Viewing Angle (Typical CR>10) 178°

**Panel Active Area (W x H)** 518.4(H)\*324.0(V)

**NOTE:** Performance Specifications Represent The Typical Specifications Provided By HP's Component

Manufacturers; Actual Performance May Vary Either Higher Or Lower.

Color

**sRGB** 99% **DCI-P3 (P3 D65)** 85%

**Color Management** Factory Color Calibrated Yes (Delta E <= 2)

**Calibrated Color Presets** sRGB, BT.709, P3 D65

**RGB Channel Adjust** Yes, Gain **Default Color Temperature** SRGB

Monitor Specifications Bezel 4-sided Micro Edge

Color (Head) Turbo Silver; (Stand) Turbo Silver

 Tilt
 -5 to +20°

 Swivel
 ±45°

 Pivot
 ±90

 Height Adjust Range
 150mm

**VESA Mounting** 100 mm x 100 mm (bracket included)

Security Lock Ready Standard Security Lock Slot

**Detachable Stand** Yes

Warranty (Number of Years)

3/3/0 for LA, NA, EMEA, APJ; (3/3/3 in select APJ Countries)

Low Blue Light Mode

3/3/0 for LA, NA, EMEA, APJ; (3/3/3 in select APJ Countries)

Yes, HP Eye Ease (TÜV Low Blue Light Hardware Solution

certified)

**Display Management Software** HP Display Center

On Screen Display Brightness +, Color, Image, Input, Power, Menu,

Management, Information, Exit

Native Resolution WUXGA (1920 x 1200)
1. Apply to high resolution and/or high frame rate displays only.

**Maximum Resolution** 1920×1200 @ 60HZ



### **Technical Specifications**

ations	
Preset Graphic Modes/Supported Resolutions	Preset Graphic Modes 640 × 480@60Hz 800 × 600@60Hz 1024 × 768@60Hz 1280 × 800@60Hz 1280 × 1024@60Hz 1440 × 900@60Hz 1600 × 900@60Hz 1600 × 1200@60Hz 1680 × 1050@60Hz 1920 × 1080@60Hz
	High Definition video 640*480p@60Hz 720*480p@60Hz 720*480i@60Hz 720*576i@50Hz 720*576p@50Hz 1280*720p@50Hz 1280*720p@60Hz 1920*1080i@50Hz 1920*1080p@50Hz
Minimum Vertical Scan Rate Maximum Vertical Scan Rate Minimum Horizontal Scan Rate Maximum Horizontal Scan Rate Maximum Pixel Clock User Programmable Modes User-Assignable Function Buttons Languages	1920*1080p@60Hz 50 Hz 60 Hz 30.0 kHz 80.0 kHz 170 MHz 10 Yes, 4 buttons 10 (English, Spanish, German, French, Italian, Netherlands, Portuguese, Japanese, T-Chinese and S-Chinese)
DisplayPort™ DisplayPort™ Out HDMI USB Type-C™ Video Input USB- A Ethernet	1 DisplayPort™ 1.4 1 DisplayPort™ 1.4-out 1 HDMI 2.0 1 USB Type-C™ (DP Alt Mode 1.4, power delivery up to 100W) 4 USB-A 3.2 Gen 1 (2 for battery charging 1.2, 7.5W) Yes
Picture-in-Picture, Picture-by-Picture DaisyChain/DisplayPort Multi stream Transport (MST) User Updateable Firmware	Yes Yes
Power Supply Power Source Power Consumption- MAX Energy Saving/Stand By Mode Power Consumption- Typical Power Cable Length	Internal 100 – 240 VAC 50/60 Hz 160 W 0.5 W 32 W 1.9 m



Specs

**Connector Types** 

**Special Features** 

**Power & Operating** 

**ENERGY STAR Data** 

18.7 W

Operational Mode at 100 VAC

## **Technical Specifications**

recininear opecificat	.0113			
	Operational Mode at 115 VAC Operational Mode at 230 VAC	18.7 W 18.7 W		
EU Energy Efficiency Class (ERP Lot-5)	On-mode Power Consumption	18.6 W		
C. C	Annual Power Consumption Energy Efficiency Class	28 kWh E		
Operating Conditions	Operating Temperature - Celsius Operating Temperature - Fahrenheit Non-operating Temperature - Celsius Non-operating Temperature - Fahrenheit Operating Humidity Non-operating Humidity Operating Altitude Non-operating Altitude	5° – 35°C 41° – 95°F –34° – 60°C 29° – 140°F 20 – 80% Relative Humidity 5 – 95% 0 – 5,000 m (16,400 ft.) 0 – 12.192 m (40,000 ft.)	(non-condensing)	
Environmental Features and Certifications	Mercury-free LED display backlighting Arsenic-Free Display Glass Low Halogen	Yes, Mercury-free LED backlighting Yes Yes WW application CE,CB,KC/KCC/NOM/PSB/EAC/GS/TUV-S/ISO 9241-307/		
	Agency Approvals And Certifications	Low Blue Light/ BIS/cTUVus Star/TCO/TCO Certified Edge/VCCI/FCC/BSMI/WEEE	:/CCC/CEL/CECP/SEPA/Energy /UAE/Ukraine/ERP/ISC	
	Microsoft WHQL Certification	Yes		
	ENERGY STAR® Certified	Yes		
	EPEAT® Registered	Yes		
	Regions need to verify by country			
	China Energy Label	CEL Grade 1		
	TCO Certified Edge	Yes		
	TCO Certified	Yes		
	SmartWay Transport Partnership - NA only	Yes (NA sku)		
Contains Recycled Plastics	Contains Recycled Plastics	81.11%		
	Recyclable Packaging (Box, packing materials)	100% recyclable packaging.		
Unit Product/Package Specifications	Product Dimensions (Unpacked with stand) (W x D x H)	53.17 x 19.5 x 52.14 cm	20.93 x 7.68 x 20.53 in	
	Product Dimensions (Packed) (W x D x H)	62.5 x 41.5 x 14.2 cm	24.61 x 16.34 x 5.59 in	
	Display Head Dimensions (Unpacked without stand) (W x D x H)	53.17 x 3.85 x 34.29 cm	20.93 x 1.52 x 13.5 in	
	Base Area Footprint (w x d mm)	232 x 195 mm	9.13 x 7.7 in	
	Bezel Measurements - Metric	Bottom Cover: 521.33mm	Bottom Cover: 20.52 in	
	Product Weight	5.3 kg	11.69 lb	
	(Unpacked with stand)  Product Weight	_		
	(Packed)	8.1 kg	17.86 lb	
	Product Weight (Head Only)	4.03 kg	8.88 lb	

#### **Technical Specifications**

What's in the box? Documentation kit

DP 1.4 Cable (1.8m)

HDMI 2.0 cable (1.8m, Production after May'21)

USB 3.2 Gen1 Type C to C (1.8m)

Power cable VESA Adapter Cable Holder

User Guide and Warranty Languages **User Guide Languages** 

English, Arabic, S. Chinese, T. Chinese, Czech, Danish, Dutch, Finnish, French, German, Greek, Hungarian, Italian, Japanese, Kazakh, Korean, Norwegian, Polish, Brazilian Portuguese, Russian, Slovenian, Spanish, Swedish and

Turkish.

**Warranty Languages** English, Arabic, S. Chinese, T. Chinese, Czech, Danish,

Dutch, Finnish, French, German, Greek, Hungarian, Italian, Japanese, Kazakh, Korean, Norwegian, Polish, Brazilian Portuguese, Russian, Slovenian, Spanish, Swedish and

Turkish.



## **Technical Specifications**

#### **ENVIRONMENTAL DATA**

ENVIRONMENTAL DATA	1				-
Eco-Label Certifications & declarations  Sustainable Impact Specifications	This product has received or is in the process of being certified to the following approvals and may be labeled with one or more of these marks:  IT ECO declaration US ENERGY STAR® FICO EDGE EPEAT® Gold registered in the United States. See http://www.epeat.net for registration status in your country. US Federal Energy Management Program (FEMP)  Ocean-bound plastic in (part(s)) 77.55 % post-consumer recycled plastic Low halogen Outside Box and corrugated cushions are 100% sustainably sourced and recyclable				
Energy Consumption (in accordance with US ENERGY STAR® test method)	115VAC, 60Hz 230VAC, 50Hz 100VAC, 50Hz		100VAC, 50Hz		
Normal Operation		)9 W	18.34 W		18.26 W
Sleep		1 W	0.21 W		0.22 W
Off	0.24 W		0.24 W		0.25 W
Heat Dissipation*	115VAC, 60Hz		230VAC, 50Hz		100VAC, 50Hz
Normal Operation	62 BI	JT/hr	62 BUT/hr		62 BUT/hr
Sleep	1 BU	T/hr	1 BUT/hr		1 BUT/hr
Off		T/hr	1 BUT/hr		1 BUT/hr
Additional Information	<ul> <li>*NOTE: Heat dissipation is calculated based on the measured watts, assuming the service level is attained for one hour.</li> <li>This product is in compliance with the Restrictions of Hazardous Substances (RoHS) directive - 2002/95/EC.</li> <li>This HP product is designed to comply with the Waste Electrical and Electronic Equipment (WEEE) Directive - 2002/96/EC.</li> <li>This product is in compliance with California Proposition 65 (State of California; Safe Drinking Water and Toxic Enforcement Act of 1986).</li> <li>This product is in compliance with the IEEE 1680 (EPEAT) standard at the Silver level, see <a href="http://www.epeat.net">http://www.epeat.net</a></li> <li>Plastics parts weighing over 25 grams used in the product are marked per ISO 11469 and ISO1043.</li> </ul>				
Declaration Materials	This product is 98.5% recycle-able when properly disposed of at end of life.				
Packaging Materials	External:	PAPER/Paper			2085 g
		PLASTIC/Poly	ethylene Expanded - EPE		52 g
RoHS Compliance	extend the res (RoHS) Direction development of We believe the industry-wide additional sub	strictions in the ve to our produc of related legisl e RoHS directive elimination of s stances—includ	terials regulations. We well European Union (EU) Restricts worldwide through the ation in Europe, as well as and similar laws play an insubstances of concern. We ding PVC, BFRs, and certain ectrical and electronics pro	ction of HP GSE. China, II nportar have su phthal	f Hazardous Substances . HP has contributed to the ndia, and Vietnam. at role in promoting pported the inclusion of



## **Technical Specifications**

	We met our voluntary objective to achieve worldwide compliance with the new EU RoHS requirements for virtually all relevant products by July 2013, and we will continue to extend the scope of the commitment to include further restricted substances as regulations continue to evolve.
	To obtain a copy of the HP RoHS Compliance Statement, see HP RoHS position statement.
Material Usage	This product does not contain any of the following substances in excess of regulatory limits (refer to the HP General Specification for the Environment at http://www.hp.com/hpinfo/globalcitizenship/environment/supplychain/gen_specifications.html):  Asbestos Certain Azo Colorants Certain Brominated Flame Retardants – may not be used as flame retardants in plastics Cadmium Chlorinated Hydrocarbons Chlorinated Paraffins Bis(2-Ethylhexyl) phthalate (DEHP) Benzyl butyl phthalate (BBP) Dibutyl phthalate (DBP) Disobutyl phthalate (DBP) Disobutyl phthalate (DIBP) Formaldehyde Halogenated Diphenyl Methanes Lead carbonates and sulfates Lead and Lead compounds Mercuric Oxide Batteries Nickel – finishes must not be used on the external surface designed to be frequently handled or carried by the user. Ozone Depleting Substances Polybrominated Biphenyls (PBBs) Polybrominated Biphenyl Ethers (PBBEs) Polybrominated Biphenyl Ethers (PBBEs) Polychlorinated Biphenyl (PCB) Polychlorinated Terphenyls (PCT) Polyvinyl Chloride (PVC) – except for wires and cables, and certain retail packaging has been voluntarily removed from most applications. Radioactive Substances Tributyl Tin (TBT), Triphenyl Tin (TPT), Tributyl Tin Oxide (TBTO)
Packaging	HP follows these guidelines to decrease the environmental impact of product packaging:
	Eliminate the use of heavy metals such as lead, chromium, mercury and cadmium in packaging materials.
	Eliminate the use of ozone-depleting substances (ODS) in packaging materials.
	<ul> <li>Design packaging materials for ease of disassembly.</li> </ul>
	<ul> <li>Maximize the use of post-consumer recycled content materials in packaging materials.</li> </ul>
	<ul> <li>Use readily recyclable packaging materials such as paper and corrugated materials.</li> <li>Reduce size and weight of packages to improve transportation fuel efficiency.</li> <li>Plastic packaging materials are marked according to ISO 11469 and DIN 6120 standards.</li> </ul>

### **Technical Specifications**

End-of-life Management and Recycling	Hewlett-Packard offers end-of-life HP product return and recycling programs in many geographic areas. To recycle your product, please go to: http://www.hp.com/go/reuse-recycle or contact your nearest HP sales office. Products returned to HP will be recycled, recovered or disposed of in a responsible manner.  The EU WEEE directive (2002/95/EC) requires manufacturers to provide treatment information for each product type for use by treatment facilities. This information (product disassembly instructions) is posted on the Hewlett Packard web site at: http://www.hp.com/go/recyclers. These instructions may be used by recyclers and other WEEE treatment facilities as well as HP OEM customers who integrate and re-sell HP equipment.	
HP, Inc. Corporate Environmental Information	For more information about HP's commitment to the environment:  Global Citizenship Report http://www.hp.com/hpinfo/globalcitizenship/gcreport/index.html Eco-label certifications http://www.hp.com/hpinfo/globalcitizenship/environment/productdesign/ecolabe ls.html ISO 14001 certificates: http://h20195.www2.hp.com/V2/GetDocument.aspx?docname=c04755842 and http://www.hp.com/hpinfo/globalcitizenship/environment/pdf/cert.pdf	
footnotes	<ul> <li>Percentage of ocean-bound plastic contained in each component varies by product</li> <li>Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 standard.</li> <li>External power supplies, WWAN modules, power cords, cables and peripherals excluded.</li> <li>100% outer box packaging and corrugated cushions made from sustainably sourced certified and recycled fibers.</li> <li>Fiber cushions made from 100% recycled wood fiber and organic materials.</li> <li>Plastic cushions are made from &gt;90% recycled plastic.</li> </ul>	



### **Technical Specifications**

Copyright © 2021 HP Development Company, L.P.

The information contained herein is subject to change without notice. The only warranties for HP products are set forth in the express limited warranty statements accompanying such products. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. Microsoft and Windows are registered trademarks or trademarks of Microsoft Corporation in the U.S. and/or other countries. ENERGY STAR is a registered trademark owned by the U.S. Environmental Protection Agency.



## Change Log

April 16, 2021	V1 to V2	Update	VESA Mounting Specs
May 20, 2021	V2 to V3	Add	Environmental Data
June 1, 2021	V3 to V4	Update	Color Management
June 24, 2021	V4 to V5	Update	What's in the box? section
March 22, 2023	V5 to V6	Update	VESA Mounting specs
	V6 to V7		

