10ft (3m) USB-C Charging Cable, Durable and Ultra-Flexible, Side Screw Locking, 240W PD EPR, Laptop Charger Cable, USB-IF Certified, Rugged USB-C Charging Cord - White

Product ID: S2CEPR3MW-USBSL-CABL



Connect a charger or hub to a USB Power Delivery (PD) 3.1-enabled device, using this USB-C Charging Cable. The USB-C charger cord delivers up to 240W of Extended Power Range (EPR) Power Delivery and 5A output for fast charging. The connector markings enable quick visual identification, distinguishing it from other similar-looking or unmarked USB-C cables. Eliminate guesswork and always choose the right Type-C cable to support full 240W charging. NOTE: USB-C video (DP Alt Mode) is not supported

Screw Locking USB-C

This cable features dual locking screws that can securely connect to your USB-C peripherals and can prevent accidental disconnection from your devices. The knurled screws can be removed from the cable completely allowing it to be used as a standard USB-C cable if required.

The screws are designed to fit all devices that use a standard side screw locking input.

Quality Construction

The USB-C EPR Charging Cable features a silicone inner jacket with a braided nylon exterior for optimal flexibility and wear protection. The durable nickel-plated connectors are designed for frequent daily use, and are rated to operate beyond 10,000 insertion cycles.

Charge Mobile Devices On The Go

Charge a USB-C device with a USB-C wall charger, car charger, or power bank. The 3-meter (9.8-foot) USB Type-C cable is the ideal length for desk and larger workstations where extra length is desired.

Power a Laptop

With up to 5A of output, the USB-C Charger Cord supports up to 240W of Power Delivery to charge a USB-C laptop, or fast charge a tablet or smartphone. To use, connect the cable from a USB-C laptop to a USB-C wall charger.

Certifications, Reports and Compatibility



Applications

• Charge high performance laptops or high-draw USB-C PD-enabled devices with 240W of Power Delivery Extended Power Range (EPR)

• Screw-locking USB-C connector attaches securely to workstation panels and hubs to help minimize accidental disconnections

Features

• Charge High-Draw USB-C Devices: Charge high-performance laptops with up to 240W of Power Delivery Extended Power Range (EPR) using this flexible, screw-locking USB-C cable; Performance markings on connectors ensure quick identification without guesswork

• Certified for Safe Charging: Trust this USB-IF Certified Cable for reliable USB 480Mbps and power delivery in critical setups; Certified cables guarantee safe, regulated charging on USB-C PD-enabled devices; NOTE: USB-C video (DP Alt Mode) not supported

• Designed for Everyday Use: Dual-layer jacket combines a silicone inner layer for flexibility with braided nylon exterior for enhanced durability; Designed to withstand frequent bending with nickel-plated connectors rated beyond 10,000 insertions

• Add Screw-Locking Retention: Integrate external enclosures and charging hubs into workstation setups with a screw-locking connector to help mimize accidental disconnections; Charge high-performance laptops such as 16in MacBook Pro Max M-series

• The IT Pro's Choice: Our USB-C cables are rigorously tested in our in-house Innovation Lab for reliable performance, durable construction, and broad compatibility with a variety of devices; Backed by free lifetime 24/5 multi-lingual technical assistance

General		
	UPC	065030934350
	Warranty	Lifetime
Power		
	Power Delivery	240W
Physical & Environmental		

	Color	White
	Material	TPE
	Connector Style	Straight
	Wire Gauge	30 AWG
	Cable Length	10.0 ft [3.0 m]
	Cable OD	0.2 in [4.7 mm]
	Product Length	9.8 ft [3 m]
	Product Width	0.8 in [19.3 mm]
	Product Height	0.3 in [6.8 mm]
	Weight of Product	5.4 oz [154 g]
	Operating Temperature	0&degC - 50&degC (32&degF - 122&degF)
	Storage Temperature	-20&degC - 70&degC (-4&degF - 158&degF)
	Humidity	5% - 85%
Performance		
	Insertion Rating	Rated beyond 10,000 insertions
	MTBF	Rated beyond 10,000 insertions
Hardware		
	Connector Plating	Nickel
	Cable Jacket Material	Silicone with Braided Nylon
Packaging & In-the-Box		
	Included in Package	1 - USB-C Cable with Side Locking Screws
	Package Width	7.9 in [20 cm]
	Package Depth	5.0 in [12.8 cm]
	Package Height	0.0 in [0.1 mm]
	Shipping (Package) Weight	5.7 oz [161.4 g]

Connector(s)

Connector 1 (Quantity)	1
Connector 1	USB-C
Connector 2 (Quantity)	1
Connector 2	USB-C

Product appearance and specifications are subject to change without notice.