

Product data sheet

Specifications



APC Dry Contact I/O Accessory

AP9810



Product availability: Stock - Normally stocked in distribution facility

Overview

Presentation	UPS management accessory that provides two dry contact input and one relay output interface to APC UPS management offers with UIO ports such as the UPS Network Management Card (AP9641, AP9643) or Dry Contact I/O SmartSlot Card (AP9613).
Lead time	Usually in Stock

Main

Provided Equipment	Cat 5 ethernet cable User Manual
--------------------	-------------------------------------

Physical

Color	Black
Height	0.9 in (2.2 cm)
Width	1.78 in (4.52 cm)
Depth	1.76 in (4.46 cm)
Net Weight	0.11 lb(US) (0.05 kg)
Mounting preference	No preference
Mounting Mode	Not rack-mountable

Conformance

Standards	EN 61000-4-2 EN 61000-4-3 EN 61000-4-4 EN 61000-4-6
-----------	--

Environmental

Ambient Air Temperature for Operation	32...104 °F (0...40 °C)
Operating altitude	0...3333 ft
Relative Humidity	0...95 %
Ambient Air Temperature for Storage	5...149 °F (-15...65 °C)
Storage altitude	0...15000 ft (0.000000000...4572.000000000 m)
Storage Relative Humidity	0...95 %

Ordering and shipping details

Category	80230-IG SEBA TO SEUSA
Discount Schedule	BMS1

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

GTIN	731304274032
Returnability	No
Country of origin	PH

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.299 in (3.300 cm)
Package 1 Width	10.0000000000 in (25.400 cm)
Package 1 Length	5.0000000000 in (12.700 cm)
Package 1 Weight	4.938 oz (140.000 g)
Unit Type of Package 2	PAM
Number of Units in Package 2	576
Package 2 Height	48.425 in (123.000 cm)
Package 2 Width	47.244 in (120.000 cm)
Package 2 Length	39.370 in (100.000 cm)
Package 2 Weight	178.486 lb(US) (80.960 kg)

Contractual warranty

Warranty	2 years repair or replace
-----------------	---------------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.


[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Energy Efficient Take-back Transparency RoHS/REACH

Resource performance

 Energy Efficient Product

 Take-Back Program Available

Well-being performance

 Lead Free

Certifications & Standards

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Compliant

[EU RoHS Declaration](#)

Environmental Disclosure

[Product Environmental Profile](#)

Weee

The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Circularity Profile

[End of Life Information](#)