

# Product datasheet

Specifications



## Rack PDU, Basic, 1U, 22kW, 400V, (6) C19



AP7526

### Overview

Lead time Usually in Stock

### Main

Colour	Black
Product or component type	PDU
PDU type	Basic
Cord length	2.4 m
Number of cables	1
Provided equipment	Installation guide

### Complementary

Input Voltage	400 V 3 phases
Height	4.4 cm
Width	43.7 cm
Output Voltage	230 V
Depth	25.4 cm
Net weight	4.84 kg
Mounting location	Front Rear
Mounting preference	No preference
Input Plug Type	IEC 60309 32 A 3P + N + PE
Mounting mode	Rack-mounted
Rack units	1U
Mounting position	Horizontal
Permissible voltage	200...250 V
Max line current	32 A
Input current limits	32 A
Load capacity	22000 VA
Network frequency	47...63 Hz
Outlet type and quantity	6 IEC 60320 C19

### Environment

<b>Product certifications</b>	CE GOST VDE
<b>Ambient air temperature for operation</b>	-5...45 °C
<b>Relative humidity</b>	5...95 %
<b>Operating altitude</b>	0...10000 ft
<b>Ambient air temperature for storage</b>	-25...65 °C
<b>Storage Relative Humidity</b>	5...95 %
<b>Storage altitude</b>	0.0000000000...15240.0000000000 m

## Packing Units

<b>Unit Type of Package 1</b>	PCE
<b>Number of Units in Package 1</b>	1
<b>Package 1 Height</b>	24.1 cm
<b>Package 1 Width</b>	55.9 cm
<b>Package 1 Length</b>	50.2 cm
<b>Package 1 Weight</b>	6.965 kg

## Logistical informations

<b>Country of origin</b>	IN
--------------------------	----

## Contractual warranty

<b>Warranty</b>	2 years repair or replace
-----------------	---------------------------

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)




Energy Efficient Take-back Transparency RoHS/REACH

## Resource performance

 Energy Efficient Product

 Take-Back Program Available

## Well-being performance

 Lead Free

## Certifications & Standards

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Compliant

[EU RoHS Declaration](#)

Environmental Disclosure

[Product Environmental Profile](#)

Circularity Profile

[End of Life Information](#)