



# HP E27m G4 QHD USB-C Conferencing Monitor

Connect with Confidence. Conference with Ease.

Conference and connect with ease with the Zoom Certified HP E27m G4 USB-C Conferencing Monitor that has an integrated 5MP, tilt-adjustable webcam, front-firing speakers, and dual mics. Work effortlessly and simplify your set up with one USB-C<sup>®</sup> cable<sup>1</sup> that delivers data, video, and up to 65W of laptop charging.



\*Product image may differ from actual product

## Present Your Best Self.

- Say goodbye to blurry images or muffled sound on video calls. Get sharp picture with an integrated 5 mega-pixel webcam with 25 degrees of tilt adjustability for perfect angles, pop-up action for privacy, improved color sensor and Windows Hello™ support. Built-in speakers and echo-cancelling dual mics produce rich, clear sound.

## Zoom Certified.

- HP's partnership with Zoom culminated in weeks of lab testing for webcams, mics, and speakers against over 200 of Zoom's rigorous audio and video quality benchmarks<sup>2</sup>. Because HP met or exceeded all requirements, you can be sure our hardware works seamlessly with Zoom's software to deliver an unmatched conferencing experience every time.

## Simplify your set up.

- Keep your set up simple and seamless with a display that has everything built in. Connect a keyboard and mouse to the ports on the back of this monitor and only one USB-C<sup>®</sup> cable<sup>1</sup> to your notebook for data, video, and up to 65W of charging.

## Your Webcam and Audio Your Way.

- Customize your webcam and audio settings to your needs within a simple and intuitive dashboard in the newly updated HP Display Center<sup>3</sup>. Use the preview window to zoom into the perfect frame and adjust brightness or exposure. Select from music, video, and voice EQ modes to curate your sound experience.

## Featuring

- Work effortlessly with 4-way ergonomics and comfortably view your work on a 27-inch diagonal QHD screen that reduces blue light with HP Eye Ease.
- Push the webcam down for worry-free privacy.
- Speakers that deliver crystal-clear audio straight to you.
- Daisy chain or run two monitors via DisplayPort™.<sup>4</sup>
- This monitor's plastics consist 90% recycled materials and its recyclable packaging is 100% sustainably sourced.<sup>5,6</sup>
- HP Eye Ease keeps you comfortable by reducing blue light.
- Packed with ports including HDMI, DisplayPort™, USB-C<sup>®</sup> plus four USB ports.
- Personalize settings and dim the screen upon unauthorized disconnection.
- Manage deployment, asset tracking and monitor settings remotely.
- RJ-45 port for stable internet connection and remote IT manageability.
- Get peace of mind with a 3-year warranty.

## HP E27m G4 QHD USB-C Conferencing Monitor Specifications Table



\*Product image may differ from actual product

Display type	IPS
Panel Active Area	23.49 x 13.22 in 59.67 x 33.57 cm
Display size (diagonal)	27"
Brightness	300 nits <sup>1</sup>
Contrast ratio	1000:1 <sup>1</sup>
Response Ratio	5ms GtG (with overdrive) <sup>1</sup>
Product colour	Black head, silver stand
Aspect ratio	16:9 <sup>1</sup>
Native resolution	QHD (2560 x 1440) <sup>1,6</sup>
Resolutions supported	640 x 480; 720 x 400; 800 x 600; 1024 x 768; 1280 x 720; 1280 x 800; 1280 x 1024; 1440 x 900; 1600 x 900; 1600 x 1200; 1680 x 1050; 1920 x 1080; 1920 x 1200; 2560 x 1400
Display features	On-screen controls; Anti-glare; Height Adjust/Tilt/Swivel/Pivot; Integrated speakers; Webcam; HP Eye Ease
User controls	Exit; Information; Management; Power control; Input control; Menu control; Brightness+; Image; Color
Horizontal viewing angle	178°
Vertical viewing angle	178°
Camera	Yes, 5MP
Environmental	Operating temperature: 5 to 35°C; Operating humidity: 20 to 80% non-condensing
Power	100 - 240 VAC 50/60 Hz
Power consumption	160 W (maximum), 51 W (typical), 0.5 W (standby)
Dimensions	24.13 x 1.85 x 15.61 in; 61.28 x 4.7 x 39.66 cm (Without stand.)
Weight	18.78 lb; 8.52 kg (With stand.)
Physical security features <sup>2</sup>	Security lock-ready
Energy efficiency compliance <sup>3</sup>	EPEAT® registered
Certification and compliance	BIS; BSMI; CB; CCC; CE; CECP; CEL; CEL Grade 1; cTUVus; EAC; ENERGY STAR®; E-standby; FCC; ISO 9241-307; KC/KCC; NOM; PSB; RCM; SEPA; TCO Certified; TCO Certified Edge; TUV-S; VCCI; Vietnam MEPS; WEEE; ISC; Mexico Energy; ICE; UAE; TGM; TUV-GS; Ukraine certificates; NRCS of South Africa; Belarus Energy; Eyesafe® Certified
Sustainable impact specifications <sup>5</sup>	Low Halogen; TCO 8.0 certified
What's in the box <sup>4</sup>	Monitor; Warranty card; Product notice; Quick Setup Poster; 1 USB Type-C® to Type-C cable; AC power cord
Energy star certified	ENERGY STAR® certified

# HP E27m G4 QHD USB-C Conferencing Monitor

## Messaging Footnotes

<sup>1</sup> Comes with one USB-C® cable and Power Cord.

<sup>2</sup> Based on a monitor series with Zoom Certification as of November 2021.

<sup>3</sup> Host PC requires Windows 10. HP Display Center is available on the Microsoft store.

<sup>4</sup> DisplayPort™ cable not included. Monitors come with one USB-C® cable to connect your PC and a Power Cord for the monitor.

<sup>5</sup> Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 EPEAT® standard. Plastics consist of 90% Post-Consumer Recycled, with 85% Recycled Information Technology Equipment (ITE) + 5% Ocean-Bound Plastics (PET).

<sup>6</sup> 100% outer box packaging and corrugated cushions made from sustainably sourced certified and recycled fibers.

<sup>7</sup> HP Display Manager software agent must be running on a web server and host PC. Some limitations may apply to legacy monitors.

## Technical Specifications Footnotes

<sup>1</sup> All specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.

<sup>2</sup> Lock sold separately.

<sup>3</sup> EPEAT® registered where applicable. EPEAT registration varies by country. See [www.epeat.net](http://www.epeat.net) for registration status by country. Based on US EPEAT® registration according to IEEE 1680.1-2018 EPEAT®. Status varies by country. Visit

[www.epeat.net](http://www.epeat.net) for more information.

<sup>4</sup> Included cables may vary by country.

<sup>5</sup> External power supplies, WWAN modules, power cords, cables and peripherals excluded. Service parts obtained after purchase may not be Low Halogen.

<sup>6</sup> DisplayPort™ 1.2 or HDMI 1.4 or USB Type C® (Alt Mode DisplayPort™ compatible) required to drive panel at its native resolution. The video card of the connected PC must be capable of supporting 2560 x 1440 at 60 Hz using one DisplayPort™, HDMI, or USB Type C® (Alt Mode DisplayPort™).

<sup>7</sup> GUIDE USERS TO SOFTWARE URL. HP DISPLAY CENTER: <https://www.microsoft.com/en-us/p/hp-display-center/9nt6fq9kqf90#activetab=pivot:overviewtab>

Sign up for updates [hp.com/go/getupdated](https://hp.com/go/getupdated)

