

The USB-C 7-in-1 Dual Display MST Docking Station connects to USB-C enabled laptops and is the perfect dock for a dual display solution, when traveling for business or when working from home—making it ideal for inside and outside reps that need the essential connectivity while in the office, at home, or on the go.

This USB-C Dual Display MST docking station supports connected devices, such as keyboards, mice, portable hard drives, and other peripherals, all while supporting up to 100W of power delivery to charge and power a laptop. The maximum power capacity depends on how much power the connected adapter can supply. The right amount of power is necessary to keep the laptop battery charged, for all connected devices to function, and for the dock to provide that connectivity.

The MST feature allows for two different display configurations on dual monitors connected to a single source with a USB-C output. MST is great for multiple display desk setup—improving multitasking and productivity. The MST dual display feature supports resolutions up to 1920 x 1080 at 60Hz. The docking station will support 4K (3840 x 2160) at 60Hz resolution when using the DisplayPort or HDMI port independently. The USB-A ports support SuperSpeed USB 5Gbps data transfers allowing a full HD movie to be downloaded in under a minute. The USB-C port supports SuperSpeed USB 10Gbps allowing for twice the amount of data in the same amount of time as the USB-A ports. Optimize performance by connecting displays designed for 1080p or 4K signals and USB-C devices designed for 10Gbps transfer speeds. The Ethernet port allows for reliable internet connectivity with file transfer speeds up to 1G.

This docking station has been tested with Windows and Mac operating systems. It is compatible with both operating systems —please note that the MST feature is not supported by MacOS and will only duplicate dual screens.



C2G54543 USB-C° 7-in-1 Dual Display MST Docking Station

with HDMI*, DisplayPort*, Ethernet, USB, and Power Delivery up to 100W - 4K 60Hz



C2G54543







USB-C° 7-in-1 Dual Display MST Docking Station with HDMI°, DisplayPort™, Ethernet, USB, and Power Delivery up to 100W - 4K 60Hz

FEATURES

- Supports up to 100W of power delivery to keep your laptop charged
- Multi-Stream Transport (MST) allows two different display configurations on dual monitors
- Supports resolutions up to 4K, for viewing your screen content at full HD
- Supports dual display resolutions up to 1080p
- USB-A and USB-C ports for fast data transferring
- Hard wired Ethernet port for when security requires it or when WiFi™ is not available
- Storage compartment for included USB-C M/M cable, readily available when you need it
- Reversible, symmetrical USB-C connector, so no guessing how to plug it into your laptop
- Compatible with Windows and Mac operating systems
- 5 year warranty, for peace of mind—with the highest quality docking stations









C2G54543




		C2G54543
SIGNAL SPECIFICATIONS	HDMI Resolution	3840 x 2160 @ 60Hz
	DisplayPort Resolution	3840 x 2160 @ 60Hz
	Dual Display Resolution	1920 x 1080 @ 60Hz
ELECTRICAL SPECIFICATIONS	USB-C Power Delivery	20V / 5A
PHYSICAL SPECIFICATIONS	Operating Temperature	0°C to 40°C
	Storage Temperature	-25°C to 70°C
PHYSICAL CHARACTERISTICS	Docking Station Dimensions	127mm ± 0.20mm x 63.2mm ± 0.20mm x 13.7mm ± 0.25mm
	Material	ABS, Aluminum Alloy
	Housing Color	Black
	Output	HDMI Female: HDMI Contact Pin: Copper Alloy, Gold Plated; Shell: SPCC, Nickel Plated; Insulation: LCP, Black
		DisplayPort Female: DisplayPort Contact Pin: C2680, Gold Plated; Shell: SPCC, Nickel Plating; Insulation: LCP, Black
		2 x USB-A 3.0: Contact Pin: Copper Alloy; Shell: SUS, Nickel Plating; Insulation: LCP, Blue
		3 x USB-C 3.0: Contact Pin: Copper Alloy, Gold Plated; Shell: Stainless Steel, Nickel Plating; Insulation: LCP, Black
		RJ45 Female: Contact Pin: Phosphor Bronze, Gold Plated; Shell: Brass, Nickel Plated; Insulation: LCP, Black
	Regulatory Approvals	FCC, CE, UKCA
CABLE SPECS	Cable Color, Length, Guage	Black, PVC, 113 ± 3mm
	Overall Dimension	4.0 ± 0.2mm
	Voltage Rating	30V
	Dielectric Strength	AC 500V/min
	Minimum Bend Radius	15D
MAXIMUM SUPPORTED RESOLUTIONS	Displays	HDMI and DisplayPort to 2 Display: 1080p at 60Hz
		HDMI to 1 Display: 4K (3840 x 2160) at 30Hz
		DisplayPort to 1 Display: 4K (3840 x 2160) at 30Hz
PORTS		1x 4K HDMI: Connect to a 4K display via the HDMI port
		1x 4K DisplayPort: Connect to a DisplayPort display via the DisplayPort port
		1x USB-C Data: Connect storage devices and transfer data up to 10Gbps through the USB-C port
		1x USB-C Power Delivery: Power a laptop or tablet with up to 100W power delivery
		1x USB-C Computer: Connect to a USB-C enabled laptop or tablet
		2x USB-A: Connect storage devices and transfer data up to 5Gbps through the USB-A ports
		Gigabit Ethernet LAN: Connect to local network for network and internet access





USB-C° 7-in-1 Dual Display MST Docking Station with HDMI°, DisplayPort™, Ethernet, USB, and Power Delivery up to 100W - 4K 60Hz

SPECIFICATIONS



LEGRAND | AV COMMERCIAL BRANDS

C2G | Chief | Da-Lite | Luxul | Middle Atlantic | Vaddio | Wiremold