





Rack PDU, Basic, 1U, 30A, 120V, (10)5-20

AP9560

Overview

Lead time Usually in Stock

Main

| Colour | Black | |
|---------------------------|------------------------------------|--|
| product or component type | PDU | |
| PDU type | Basic | |
| Cord length | 12 ft (3.7 m) | |
| Number of cables | 1 | |
| provided equipment | User manual Rack mounting brackets | |

Complementary

| Input Voltage | 100 V 120 V |
|--------------------------|---------------------|
| Height | 1.7 in (4.4 cm) |
| Width | 17.6 in (44.7 cm) |
| Output Voltage | 120 V |
| Depth | 2.2 in (5.7 cm) |
| net weight | 5.5 lb(US) (2.5 kg) |
| mounting location | Front Rear |
| Mounting preference | No preference |
| Input Plug Type | NEMA L5-30P |
| mounting mode | Rack-mounted |
| Rack units | 1U |
| Mounting position | Horizontal |
| [In] rated current | 24 A |
| Permissible voltage | 90132 V |
| Max line current | 24 A |
| Input current limits | 30 A |
| Load capacity | 2880 VA |
| Network frequency | 50/60 Hz |
| Outlet type and quantity | 10 NEMA 5-20R |

Environment

| Product certifications | cUL listed UL listed |
|---------------------------------------|--|
| Standards | UL 60950 |
| Ambient air temperature for operation | 5.0000000000113.0000000000 °F (-1545 °C) |
| Relative humidity | 095 % |
| Operating altitude | 010000 ft |
| Ambient air temperature for storage | -13.0000000000149.0000000000 °F (-2565 °C) |
| Storage Relative Humidity | 095 % |
| Storage altitude | 050000 ft (0.000000000015240.0000000000 m) |

Packing Units

| Unit Type of Package 1 | PCE |
|------------------------------|-----------------------|
| Number of Units in Package 1 | 1 |
| Package 1 Height | 6.0 in (15.2 cm) |
| Package 1 Width | 7.0 in (17.7 cm) |
| Package 1 Length | 19.1 in (48.6 cm) |
| Package 1 Weight | 8.02 lb(US) (3.64 kg) |

Contractual warranty

Warranty 2 years repair or replace



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >









Energy Efficient Take-back Transparency RoHS/REACh

Resource performance

Energy Efficient Product



Take-Back Program Available

Well-being performance



Lead Free

Certifications & Standards

| Reach Regulation | REACh Declaration |
|--------------------------|-------------------------------|
| Eu Rohs Directive | Compliant EU RoHS Declaration |
| Environmental Disclosure | Product Environmental Profile |
| Circularity Profile | End of Life Information |