# Product data sheet

Specifications





# APC Smart-UPS XL Battery Pack Tower/Rack Convertible 48V, rackmount with kit, 5U

SUA48XLBP

### Overview

Lead time Usually Ships within 2 Weeks

### Main

Main Input Voltage	48 V DC
Product or Component Type	Battery
Number of rack unit	5U
Number of cables	1
Battery Type	Lead-Acid battery
Provided equipment	User Manual

### **Batteries & Runtime**

Included Battery Modules	0
Battery Slots Empty	0
RBC Quantity	2
Additional information	For use with "SUA" 2200/3000VA 5U rack/tower models. Can be used with 3U models with SUA039 extension cable.
Replacement battery	RBC55 [1

## **Physical**

color	Black
Height	17.5 in (44.4 cm)
Width	8.7 in (22.1 cm)
Depth	19.5 in (49.5 cm)
Net Weight	146.30 lb(US) (66.36 kg)
Mounting preference	No preference
Mounting Mode	Rack-mounted with kit
USB compatible	No

#### **Environmental**

Ambient Air Temperature for Operation	32.0000000000104.0000000000 °F (040 °C)
Relative Humidity	095 %
Operating altitude	010000 ft

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Ambient Air Temperature for Storage	5.0000000000113.0000000000 °F (-1545 °C)
Storage Relative Humidity	095 %
Storage altitude	050000 ft (0.000000000015240.0000000000 m)

# Ordering and shipping details

GTIN	731304244301
Country of origin	PH

# **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	22.008 in (55.9 cm)
Package 1 Width	15.0000000000 in (38.1 cm)
Package 1 Length	30.000000000 in (76.2 cm)
Package 1 Weight	167.3 lb(US) (75.9 kg)

## **Contractual warranty**

Warranty 2 years repair or replace



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >







Take-back Transparency RoHS/REACh

#### Resource performance



Take-Back Program Available

### Well-being performance



Rohs Exemption Information

Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration  Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information